


Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.67



Wholesale Price List

FALL 1923

MAR 6 1925

Ornamental Nurseries

Henry Kohankie & Son

PAINESVILLE, OHIO


**Trees, Shrubs, Evergreens, Vines
Roses, Herbaceous Perennials**

Location:

Thirty Miles East of Cleveland

C. P. & A. R. R., Stop 3

Main 137



PRICE LIST

HENRY KOHANKIE & SON

Fall 1923

We offer herein a complete list of hardy ornamental nursery stock. Our nursery of three hundred acres affords material to meet practically every need in landscape development. All stock is well grown and supplied with a fibrous root system which is of vital importance in the success of a planting.

Please Read Carefully!

CONDITIONS OF SALE

Stock will be supplied at prices named herein as follows: Five of any one variety at ten rate; twenty-five of any one variety at hundred rate. Prices do not include packing. A charge for the actual cost of the boxes and material used in baling is made.

We give no warranty, expressed or implied, as to quality, description, productiveness, or any other matter of any nursery stock that we sell.

We do not guarantee our stock to live and no allowance will be made for goods that fail to live after being planted. Our methods of handling and packing stock are up to date and goods will be in good condition and well packed when they leave our grounds. Our responsibility ends upon delivery to carriers. If goods suffer through delay in transit, claim should at once be made on **transportation company**.

All claims for errors must be made within six days after receipt of goods, or positively will not be considered.

Unknown correspondents who wish to open an account will please give us names of three parties with whom they have credit relations and allow us sufficient time to investigate same. Otherwise, cash must accompany order. If goods are desired C. O. D., the order must be accompanied by one third of the amount to guarantee acceptance.

Shipping facilities—We can make direct shipment over the N. Y. C. R. R.; B. & O. R. R.; N. Y. C. & St. L. R. R.; American Railway Express and Electric Package.

Auto Truck Delivery—We are in a position to make deliveries by auto truck to points within seventy-five miles of Painesville. Charges are made according to the size of truck required and the distance. The advantages of truck delivery are many; the cost of boxing, freight and cartage is eliminated; the stock is delivered in a much better condition than when packed in cases; and above all, the goods are landed on the grounds within a short time after being dug. It is the most satisfactory and economical method of transportation provided the order is of sufficient size.

Deciduous Trees

We recommend that all varieties marked with an asterisk be lifted with ball of earth and sewed in burlap. Experience has shown that the mortality in these plants, which is otherwise high, is reduced to a minimum if handled in this way. This will involve an extra charge per plant, as follows: 2-3'—25c; 3-4'—30c; 4-5'—35c; 5-6'—40c; 6-8'—60c; 8-10'—\$1. Larger sizes in proportion. In all instances where the varieties are marked "with ball," these charges are included in the printed price.

Acer campestre. *English Cork Maple.*

| | each | per 10 | per 100 |
|-------------------|--------|--------|---------|
| 3 to 4 ft.----- | \$.90 | \$7.50 | |
| 4 to 5 ft.----- | 1.00 | 9.00 | |
| 5 to 6 ft.----- | 1.50 | 12.50 | 100.00 |
| 6 to 8 ft.----- | 1.75 | 15.00 | 125.00 |
| 8 to 10 ft.----- | 2.50 | 20.00 | 175.00 |
| 10 to 12 ft.----- | 3.50 | 30.00 | 275.00 |

colchicum rubrum.

| | | | |
|------------------|------|-------|--------|
| 3 to 4 ft.----- | .75 | 6.00 | |
| 4 to 5 ft.----- | 1.00 | 7.50 | 60.00 |
| 5 to 6 ft.----- | 1.25 | 10.00 | 75.00 |
| 6 to 8 ft.----- | 1.75 | 15.00 | 125.00 |
| 8 to 10 ft.----- | 2.50 | 20.00 | |

dasycarpum. *Silver Maple.*

| | | | |
|-------------------|------|-------|--------|
| 6 to 8 ft.----- | .75 | 6.00 | |
| 8 to 10 ft.----- | 1.00 | 7.50 | |
| 1¼ to 1½ in.----- | 1.25 | 10.00 | 75.00 |
| 1½ to 1¾ in.----- | 1.50 | 12.50 | 100.00 |
| 1¾ to 2 in.----- | 1.75 | 15.00 | 125.00 |
| 2 to 2½ in.----- | 3.00 | 25.00 | 200.00 |
| 2½ to 3 in.----- | 4.00 | 30.00 | 275.00 |
| 3 to 3½ in.----- | 5.00 | 45.00 | |
| 3½ to 4 in.----- | 6.00 | 50.00 | |

dasycarpum Wierii. *Wier's Cut-leaved Maple.*

| | | | |
|-------------------|------|-------|--|
| 8 to 10 ft.----- | 1.25 | 10.00 | |
| 1¼ to 1½ in.----- | 1.50 | 13.50 | |
| 1½ to 1¾ in.----- | 1.75 | 16.50 | |
| 1¾ to 2 in.----- | 2.25 | 20.00 | |
| 2 to 2½ in.----- | 3.25 | 27.50 | |
| 2½ to 3 in.----- | 4.50 | 40.00 | |

Acer Japonicum.

| | | | each | per 10 | per 100 |
|---|----|--------|------|--------|---------|
| 2 | to | 3 ft. | 2.50 | 20.00 | |
| 3 | to | 4 ft. | 2.75 | 22.50 | 175.00 |
| 4 | to | 5 ft. | 3.00 | 25.00 | 200.00 |
| 5 | to | 6 ft. | 3.50 | 30.00 | 250.00 |
| 6 | to | 8 ft. | 4.50 | 40.00 | 300.00 |
| 8 | to | 10 ft. | 6.00 | 50.00 | |

Negundo. Ash-leaved Maple.

| | | | | | |
|-------|----|-----------|------|-------|--|
| 6 | to | 8 ft. | .75 | 6.00 | |
| 8 | to | 10 ft. | 1.00 | 7.50 | |
| 1 1/4 | to | 1 1/2 in. | 1.25 | 10.00 | |
| 1 1/2 | to | 1 3/4 in. | 1.50 | 12.50 | |
| 1 3/4 | to | 2 in. | 2.00 | 15.00 | |
| 2 | to | 2 1/2 in. | 2.50 | 20.00 | |

palmatum.

| | | | | | |
|---|----|-------|------|-------|--------|
| 3 | to | 4 ft. | 3.00 | 25.00 | 200.00 |
| 4 | to | 5 ft. | 3.50 | 30.00 | |
| 5 | to | 6 ft. | 4.50 | 40.00 | |
| 6 | to | 8 ft. | 6.00 | 50.00 | |

platanoides. Norway Maple.

| | | | | | |
|-------|----|-----------------|-------|-------|--------|
| 8 | to | 10 ft. | 2.00 | 17.50 | 150.00 |
| 1 1/4 | to | 1 1/2 in. | 2.25 | 20.00 | 185.00 |
| 1 1/2 | to | 1 3/4 in. | 2.75 | 25.00 | 225.00 |
| 1 3/4 | to | 2 in. | 3.00 | 27.50 | 250.00 |
| 2 | to | 2 1/2 in. | 3.75 | 32.50 | 275.00 |
| 2 1/2 | to | 3 in. | 4.00 | 37.50 | 350.00 |
| 3 | to | 3 1/2 in. | 5.00 | 45.00 | 400.00 |
| 3 1/2 | to | 4 in. | 7.50 | 60.00 | |
| 4 | to | 5 in. specimens | 15.00 | | |

platanoides Schwedleri. Purple-leaved.*Norway Maple.*

| | | | | | |
|-------|----|-----------|------|-------|--|
| 8 | to | 10 ft. | 2.75 | 25.00 | |
| 1 1/4 | to | 1 1/2 in. | 3.25 | 27.50 | |
| 1 1/2 | to | 1 3/4 in. | 3.50 | 30.00 | |
| 1 3/4 | to | 2 in. | 4.00 | 35.00 | |
| 2 | to | 2 1/2 in. | 4.50 | 40.00 | |
| 2 1/2 | to | 3 in. | 5.00 | 45.00 | |

polymorphum. Japanese Maple.

| | | | | | |
|---|----|-----------------|------|-------|--|
| 2 | to | 3 ft. with ball | 2.00 | 17.50 | |
| 3 | to | 4 ft. with ball | 3.00 | 25.00 | |
| 4 | to | 5 ft. with ball | 4.00 | 35.00 | |

Acer.

polymorphum atropurpureum. each per 10 per 100
Blood-leaved Japan Maple.

3 to 4 ft. with ball----- 7.50

4 to 5 ft. with ball XX----10.00

5 to 6 ft. with ball XX----12.50

polymorphum dissectum.
Green Cut-leaved Japan Maple.

2 to 3 ft. with ball----- 7.50

3 to 4 ft. with ball-----10.00

polymorphum dissectum atropurpureum.
Purple Cut-leaved Japan Maple.

2 to 3 ft. with ball----- 7.50

3 to 4 ft. with ball-----10.00

pseudo-platanus. *Sycamore Maple.*

6 to 8 ft.----- 1.75 15.00

8 to 10 ft.----- 2.00 17.50

rubrum. *Red or Scarlet Maple.*

6 to 8 ft.----- 1.75 15.00 125.00

8 to 10 ft.----- 2.00 17.50 150.00

1½ to 1½ in.----- 2.25 20.00 175.00

1½ to 1¾ in.----- 3.00 22.50

1¾ to 2 in.----- 3.25 30.00

2 to 2½ in.----- 4.50 40.00

spicatum. *Mountain Maple.*

4 to 5 ft.----- 1.00 7.50

5 to 6 ft.----- 1.25 10.00

6 to 8 ft.----- 1.50 12.50

saccharum.. *Sugar Maple.*

8 to 10 ft.----- 1.75 15.00 125.00

1½ to 1½ in.----- 2.00 17.50 150.00

1½ to 1¾ in.----- 2.50 20.00 175.00

1¾ to 2 in.----- 2.75 25.00 225.00

2 to 2½ in.----- 3.50 30.00 275.00

2½ to 3 in.----- 4.00 37.50

3 to 3½ in.----- 6.00

3½ to 4 in.----- 7.50

4 to 5 in.-----15.00

saccharum nigra. *Black Maple.*

8 to 10 ft.----- 2.25 20.00

1½ to 1½ in.----- 2.75 25.00

Acer.

| Tataricum. Tartarian Maple. | each | per 10 | per 10c |
|------------------------------------|------|--------|---------|
| 4 to 5 ft.----- | 1.50 | 12.50 | 100.00 |
| 5 to 6 ft.----- | 1.75 | 15.00 | 125.00 |
| 6 to 8 ft.----- | 2.50 | 20.00 | |

| Tataricum Ginnala. Siberian Maple. | | | |
|---|------|-------|--------|
| 3 to 4 ft.----- | .75 | 6.00 | 50.00 |
| 4 to 5 ft.----- | 1.00 | 9.00 | 75.00 |
| 5 to 6 ft.----- | 1.50 | 12.50 | 100.00 |
| 6 to 8 ft.----- | 2.00 | 17.50 | 150.00 |
| 8 to 10 ft.----- | 3.00 | 25.00 | |
| 10 to 12 ft.----- | 4.00 | 30.00 | |

Aesculus flava. Yellow Buckeye.

| | | | |
|-------------------|------|-------|--|
| 6 to 8 ft.----- | 1.65 | 15.00 | |
| 8 to 10 ft.----- | 1.75 | 16.50 | |
| 1¼ to 1½ in.----- | 2.00 | 17.50 | |
| 1½ to 1¾ in.----- | 2.25 | 20.00 | |
| 1¾ to 2 in.----- | 2.50 | 22.50 | |
| 2 to 2½ in.----- | 3.25 | 27.50 | |
| 2½ to 3 in.----- | 4.00 | 35.00 | |

glabra. Ohio Buckeye.

| | | | |
|-------------------|------|-------|--|
| 1½ to 1¾ in.----- | 2.50 | 20.00 | |
| 2 to 2½ in.----- | 3.00 | | |
| 2½ to 3 in.----- | 3.50 | | |

hippocastanum. Horsechestnut.

| | | | |
|-------------------|------|-------|--------|
| 6 to 8 ft.----- | 1.75 | 15.00 | 125.00 |
| 8 to 10 ft.----- | 2.00 | 17.50 | 150.00 |
| 1¼ to 1½ in.----- | 2.25 | 20.00 | |
| 1½ to 1¾ in.----- | 2.50 | 22.50 | |
| 1¾ to 2 in.----- | 3.00 | 25.00 | |
| 2 to 2½ in.----- | 3.50 | 30.00 | |

**hippocastanum alba plena. Double
White Flowering Horsechestnut.**

| | | | |
|------------------|------|--|--|
| 5 to 6 ft.----- | 2.50 | | |
| 6 to 8 ft.----- | 3.00 | | |
| 8 to 10 ft.----- | 4.00 | | |

hippocastanum rubicunda.**Red Flowering Horsechestnut.**

| | | | |
|------------------|------|-------|--|
| 5 to 6 ft.----- | 2.75 | 25.00 | |
| 6 to 8 ft.----- | 3.25 | 30.00 | |
| 8 to 10 ft.----- | 4.00 | 35.00 | |

| Aesculus. | each | per 10 | per 100 |
|--|------|--------|---------|
| turbinata. <i>Japanese Horsechestnut.</i> | | | |
| 6 to 8 ft.----- | 3.00 | 25.00 | |
| 8 to 10 ft.----- | 3.50 | 30.00 | |
| 1¼ to 1½ in.----- | 4.50 | 40.00 | |
| Ailanthus glandulosa. <i>Tree of Heaven</i> <i>or Chinese Sumac.</i> | | | |
| 5 to 6 ft.----- | 1.00 | 7.50 | |
| 6 to 8 ft.----- | 1.25 | 10.00 | |
| 8 to 10 ft.----- | 1.50 | 12.50 | |
| Alnus cordata | | | |
| 5 to 6 ft.----- | 1.50 | | |
| 6 to 8 ft.----- | 2.00 | | |
| 8 to 10 ft.----- | 2.50 | | |
| glutinosa. <i>European or Common Alder.</i> | | | |
| 5 to 6 ft.----- | 1.00 | 7.50 | 60.00 |
| 6 to 8 ft.----- | 1.25 | 10.00 | 75.00 |
| 8 to 10 ft.----- | 1.50 | 12.50 | 100.00 |
| 1¼ to 1½ in.----- | 1.75 | 15.00 | 125.00 |
| 1½ to 1¾ in.----- | 2.00 | 17.50 | 150.00 |
| 1¾ to 2 in.----- | 2.25 | 20.00 | |
| 2 to 2½ in.----- | 2.50 | 22.50 | |
| incana. <i>Speckled Alder.</i> | | | |
| 5 to 6 ft.----- | .90 | 7.50 | 60.00 |
| 6 to 8 ft.----- | 1.25 | 10.00 | 75.00 |
| 8 to 10 ft.----- | 1.50 | 12.50 | 100.00 |
| 1¼ to 1½ in.----- | 1.75 | 15.00 | 125.00 |
| 1½ to 1¾ in.----- | 2.00 | 17.50 | |
| 1¾ to 2 in.----- | 2.25 | 20.00 | |
| 2 to 2½ in.----- | 2.50 | 22.50 | |
| serrulata. (<i>See Shrubs.</i>) | | | |
| Aralia. (<i>See Shrubs.</i>) | | | |
| *Betula alba. <i>European White Birch.</i> | | | |
| 6 to 8 ft.----- | 1.25 | 10.00 | |
| 8 to 10 ft.----- | 1.50 | 12.50 | 100.00 |
| 1¼ to 1½ in.----- | 1.75 | 15.00 | 125.00 |
| 1½ to 1¾ in.----- | 2.00 | 17.50 | 150.00 |
| 1¾ to 2 in.----- | 2.50 | 20.00 | 175.00 |
| 2 to 2½ in.----- | 3.50 | 25.00 | 200.00 |
| 2½ to 3 in.----- | 5.00 | 40.00 | |
| 3 to 3½ in.----- | 6.00 | | |
| 3½ to 4 in.----- | 7.50 | | |

Betula.***alba pendula laciniata. Cut-leaved**

| <i>Weeping Birch.</i> | | | | each | per 10 | per 100 |
|-----------------------|----|----|-----|------|--------|---------|
| 6 | to | 8 | ft. | 2.25 | 20.00 | |
| 8 | to | 10 | ft. | 2.75 | 25.00 | |
| 1¼ | to | 1½ | in. | 3.00 | 27.50 | |
| 1½ | to | 1¾ | in. | 3.25 | 30.00 | |
| 1¾ | to | 2 | in. | 3.50 | 32.50 | |
| 2 | to | 2½ | in. | 4.50 | 40.00 | |
| 2½ | to | 3 | in. | 6.00 | 50.00 | |
| 3 | to | 4 | in. | 7.50 | 65.00 | |

***lenta. Sweet Birch.**

| | | | | | | |
|----|----|----|-----|------|-------|--|
| 5 | to | 6 | ft. | 1.50 | 12.50 | |
| 6 | to | 8 | ft. | 1.75 | 15.00 | |
| 8 | to | 10 | ft. | 2.00 | 17.50 | |
| 1¼ | to | 1½ | in. | 2.50 | 22.50 | |

***lutea. Yellow Birch.**

| | | | | | | |
|----|----|----|-----|------|-------|--|
| 5 | to | 6 | ft. | 1.00 | 8.50 | |
| 6 | to | 8 | ft. | 1.50 | 12.50 | |
| 8 | to | 10 | ft. | 1.75 | 15.00 | |
| 1¼ | to | 1½ | in. | 2.50 | 22.50 | |

***papyracea. Canoe Birch.**

| | | | | | | |
|----|----|----|-----|------|-------|--|
| 6 | to | 8 | ft. | 1.50 | 12.50 | |
| 8 | to | 10 | ft. | 1.75 | 16.50 | |
| 1¼ | to | 1½ | in. | 2.00 | 17.50 | |
| 1½ | to | 1¾ | in. | 2.50 | 22.50 | |
| 1¾ | to | 2 | in. | 2.75 | 25.00 | |
| 2 | to | 2½ | in. | 4.00 | 30.00 | |
| 2½ | to | 3 | in. | 5.00 | 40.00 | |

***populifolia. American White Birch.**

| | | | | | | |
|----|----|----|-----|------|-------|--|
| 8 | to | 10 | ft. | 1.75 | 16.50 | |
| 1¼ | to | 1½ | in. | 2.00 | 17.50 | |
| 1½ | to | 1¾ | in. | 2.50 | 22.50 | |
| 1¾ | to | 2 | in. | 2.75 | 25.00 | |
| 2 | to | 2½ | in. | 4.00 | 30.00 | |
| 2½ | to | 3 | in. | 5.00 | 40.00 | |

***rubra or nigra. Red or River Birch.**

| | | | | | | |
|----|----|----|-----|------|-------|--|
| 6 | to | 8 | ft. | 1.50 | 12.50 | |
| 8 | to | 10 | ft. | 1.75 | 16.50 | |
| 1¼ | to | 1½ | in. | 2.00 | 17.50 | |
| 1½ | to | 1¾ | in. | 2.25 | 20.00 | |
| 1¾ | to | 2 | in. | 2.50 | 22.50 | |
| 2 | to | 2½ | in. | 3.00 | 27.50 | |

Broussonetia papyrifera. *Paper Mulberry.*

| | each | per 10 | per 100 |
|-----------------|------|--------|---------|
| 3 to 4 ft.----- | .75 | 5.00 | |
| 4 to 5 ft.----- | 1.00 | 7.50 | |
| 6 to 8 ft.----- | 1.50 | 12.50 | |

Carpinus Americana. *American Hornbeam.*

| | | | |
|-----------------|------|-------|-------|
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .60 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 6.00 | 50.00 |
| 6 to 8 ft.----- | 1.25 | 10.00 | 75.00 |

betulus. *European Hornbeam.*

| | | | |
|-------------------|------|-------|--------|
| 4 to 5 ft.----- | 1.00 | 7.50 | 60.00 |
| 5 to 6 ft.----- | 1.25 | 10.00 | 75.00 |
| 6 to 8 ft.----- | 1.50 | 12.50 | 100.00 |
| 8 to 10 ft.----- | 2.00 | 17.50 | |
| 10 to 12 ft.----- | 3.00 | 25.00 | |

Castanea Americana. *American Sweet Chestnut.*

| | | | |
|-------------------|------|-------|--|
| 5 to 6 ft.----- | .75 | 6.00 | |
| 6 to 8 ft.----- | 1.00 | 7.50 | |
| 8 to 10 ft.----- | 1.25 | 10.00 | |
| 1¼ to 1½ in.----- | 1.50 | 12.50 | |
| 1½ to 1¾ in.----- | 1.75 | 15.00 | |

sativa. *Spanish Chestnut.*

| | | | |
|------------------|------|-------|--|
| 4 to 5 ft.----- | .60 | 5.00 | |
| 5 to 6 ft.----- | 1.00 | 7.50 | |
| 6 to 8 ft.----- | 1.25 | 10.00 | |
| 8 to 10 ft.----- | 1.50 | 12.50 | |

Catalpa Bungeii. *Chinese Catalpa.*

| | | | |
|-----------------------------|------|-------|--|
| 2 yr. heads, 5 to 6 ft.---- | 1.75 | 15.00 | |
| 6 to 8 ft.---- | 2.00 | 17.50 | |
| 8 to 10 ft.---- | 2.25 | 20.00 | |

Japanica. *Japanese Catalpa.*

| | | | |
|-------------------|------|-------|--|
| 6 to 8 ft.----- | .90 | 7.50 | |
| 8 to 10 ft.----- | 1.25 | 10.00 | |
| 10 to 12 ft.----- | 1.50 | 12.50 | |

Kaempferi.

| | | | |
|-------------------|------|-------|--|
| 6 to 8 ft.----- | .90 | 7.50 | |
| 8 to 10 ft.----- | 1.25 | 10.00 | |
| 10 to 12 ft.----- | 1.50 | 12.50 | |

Catalpa.

| <i>speciosa. Western Catalpa.</i> | each | per 10 | per 100 |
|-----------------------------------|------|--------|---------|
| 6 to 8 ft.----- | .60 | 5.00 | 35.00 |
| 8 to 10 ft.----- | .75 | 6.00 | 45.00 |
| 1½ to 1¾ in.----- | 1.25 | 10.00 | 85.00 |
| 1¾ to 2 in.----- | 1.50 | 12.50 | 100.00 |
| 2 to 2½ in.----- | 2.50 | 20.00 | 175.00 |

Cedrela sinensis.

| | | |
|-----------------|------|-------|
| 5 to 6 ft.----- | 1.00 | 7.50 |
| 6 to 8 ft.----- | 1.25 | 10.00 |

Celtis occidentalis. Hackberry.

| | | | |
|------------------|------|-------|--------|
| 4 to 5 ft.----- | .75 | 6.00 | 50.00 |
| 5 to 6 ft.----- | 1.00 | 7.50 | 60.00 |
| 6 to 8 ft.----- | 1.25 | 10.00 | 75.00 |
| 8 to 10 ft.----- | 1.50 | 12.50 | 100.00 |

chinensis. Chinese Hackberry.

| | | |
|-----------------|------|-------|
| 4 to 5 ft.----- | 1.00 | 7.50 |
| 5 to 6 ft.----- | 1.25 | 10.00 |
| 6 to 8 ft.----- | 1.50 | 12.50 |

***Cercidiphyllum Japonicum. Katsura Tree.**

| | | | |
|--------------------------------|------|-------|--------|
| 5 to 6 ft.----- | 1.50 | 13.50 | 115.00 |
| 6 to 8 ft.----- | 2.00 | 17.50 | 125.00 |
| 8 to 10 ft.----- | 2.50 | 20.00 | 150.00 |
| 8 to 10 ft. specimens, trspl. | 5.00 | | |
| 10 to 12 ft. specimens, trspl. | 7.50 | | |

Cercis canadensis. Judas Tree.

| | | | |
|------------------|------|-------|--------|
| 3 to 4 ft.----- | .60 | 5.00 | 40.00 |
| 4 to 5 ft.----- | .75 | 6.00 | 50.00 |
| 5 to 6 ft.----- | 1.25 | 10.00 | 75.00 |
| 6 to 8 ft.----- | 1.50 | 12.50 | 100.00 |
| 8 to 10 ft.----- | 2.00 | 17.50 | |

Japonica. Japan Judas Tree.

| | | |
|-----------------|------|-------|
| 2 to 3 ft.----- | 1.00 | 7.50 |
| 3 to 4 ft.----- | 1.25 | 10.00 |

Chionanthus. (See Shrubs.)**Cladrastis tinctoria. Yellow Wood.**

| | | |
|-----------------|------|-------|
| 4 to 5 ft.----- | 1.25 | 10.00 |
| 5 to 6 ft.----- | 1.50 | 12.50 |
| 6 to 8 ft.----- | 2.00 | 17.50 |

| | each | per 10 | per 100 |
|---|------|--------|---------|
| *Cornus florida. <i>White flowering Dogwood.</i> | | | |
| 3 to 4 ft.----- | .60 | 5.00 | 40.00 |
| 4 to 5 ft.----- | .75 | 6.00 | 50.00 |
| 5 to 6 ft.----- | 1.00 | 7.50 | 65.00 |
| 6 to 8 ft.----- | 1.50 | 12.50 | 100.00 |
| 8 to 10 ft.----- | 2.00 | 17.50 | 150.00 |
| 5 to 6 ft. specimens----- | 3.00 | | |
| *florida rubra. <i>Red flowering Dogwood.</i> | | | |
| 3 to 4 ft.----- | 1.75 | 15.00 | |
| 4 to 5 ft.----- | 2.50 | 20.00 | |
| 5 to 6 ft.----- | 3.50 | 30.00 | |
| 6 to 7 ft.----- | 5.50 | 45.00 | |
| *Crataegus Arnoldiana. | | | |
| 3 to 4 ft.----- | 1.25 | 10.00 | |
| 4 to 5 ft.----- | 1.50 | 12.50 | |
| *coccinea. <i>Scarlet-fruited Thorn.</i> | | | |
| 3 to 4 ft.----- | .75 | 6.00 | 50.00 |
| 4 to 5 ft.----- | 1.00 | 7.50 | 65.00 |
| 5 to 6 ft.----- | 1.25 | 10.00 | 75.00 |
| 6 to 8 ft.----- | 2.00 | 15.00 | |
| *cordata. <i>Washington Thorn.</i> | | | |
| 3 to 4 ft.----- | .75 | 6.00 | 50.00 |
| 4 to 5 ft.----- | 1.00 | 7.50 | 65.00 |
| 5 to 6 ft.----- | 1.25 | 10.00 | 75.00 |
| 6 to 8 ft.----- | 2.00 | 15.00 | 125.00 |
| 8 to 10 ft.----- | 2.50 | 20.00 | |
| *Carrieri. | | | |
| 3 to 4 ft.----- | .75 | 6.00 | 50.00 |
| 4 to 5 ft.----- | 1.00 | 7.50 | 65.00 |
| 5 to 6 ft.----- | 1.25 | 10.00 | 75.00 |
| 6 to 8 ft.----- | 2.00 | 15.00 | |
| *Crus Galli. <i>Cockspur Thorn.</i> | | | |
| 3 to 4 ft.----- | .75 | 6.00 | 50.00 |
| 4 to 5 ft.----- | .90 | 7.50 | 65.00 |
| 5 to 6 ft.----- | 1.25 | 10.00 | 75.00 |
| 6 to 8 ft.----- | 1.75 | 15.00 | 125.00 |
| 8 to 10 ft.----- | 2.25 | 20.00 | 175.00 |

Crataegus.

| *molle. | | each | per 10 | per 100 |
|----------------|------------|------|--------|---------|
| 3 to | 4 ft.----- | .85 | 7.50 | 60.00 |
| 4 to | 5 ft.----- | 1.00 | 8.50 | |
| 5 to | 6 ft.----- | 1.25 | 10.00 | |
| 6 to | 8 ft.----- | 2.00 | 15.00 | |

***nitida.**

| | | | | |
|------|------------|------|-------|--|
| 3 to | 4 ft.----- | 1.25 | 10.00 | |
| 4 to | 5 ft.----- | 1.50 | 12.50 | |
| 5 to | 6 ft.----- | 1.75 | 15.00 | |

***oxyacantha. English Hawthorn.**

| | | | | |
|------|-----------------------|------|-------|--|
| 3 to | 4 ft.----- | .75 | 5.50 | |
| 4 to | 5 ft.----- | 1.00 | 7.50 | |
| 5 to | 6 ft.----- | 1.25 | 10.00 | |
| 6 to | 8 ft.----- | 1.75 | 15.00 | |
| 8 to | 10 ft. specimens----- | 6.00 | | |

***oxyacantha Paulii. Paul's Scarlet Thorn.**

| | | | | |
|------|------------|------|-------|--|
| 3 to | 4 ft.----- | 2.00 | 15.00 | |
| 4 to | 5 ft.----- | 2.50 | 20.00 | |
| 5 to | 6 ft.----- | 3.50 | 30.00 | |
| 6 to | 8 ft.----- | 5.00 | | |

***oxyacantha flora plena. Dbl. White Thorn.**

| | | | | |
|------|----------------------|------|-------|--|
| 3 to | 4 ft.----- | 2.00 | 15.00 | |
| 4 to | 5 ft.----- | 2.50 | 20.00 | |
| 5 to | 6 ft.----- | 3.00 | 25.00 | |
| 6 to | 8 ft.----- | 5.00 | 35.00 | |
| 8 to | 10 ft.----- | 6.50 | 50.00 | |
| 6 to | 8 ft. specimens----- | 7.50 | | |

***oxyacantha rosea. Sgl. Red Flg. Thorn.**

| | | | | |
|------|------------|------|-------|--|
| 4 to | 5 ft.----- | 2.50 | 20.00 | |
| 5 to | 6 ft.----- | 3.50 | 30.00 | |

***punctata.**

| | | | | |
|------|------------|------|-------|--|
| 3 to | 4 ft.----- | .75 | 6.00 | |
| 4 to | 5 ft.----- | 1.00 | 7.50 | |
| 5 to | 6 ft.----- | 1.25 | 10.00 | |
| 6 to | 8 ft.----- | 2.00 | 15.00 | |

Diospyros Virginiana. American Persimmon.

| | | | | |
|------|------------|------|--|--|
| 4 to | 5 ft.----- | .75 | | |
| 5 to | 6 ft.----- | 1.00 | | |
| 6 to | 8 ft.----- | 1.50 | | |

| Dirca palustris. <i>Leatherwood.</i> | each | per 10 | per 100 |
|--|-------|--------|---------|
| 18 to 24 in. ----- | 1.00 | 7.50 | |
| 2 to 3 ft. ----- | 1.25 | 10.00 | |
| *Fagus ferruginea. <i>American Beech.</i> | | | |
| 2 to 3 ft. ----- | 1.25 | 10.00 | |
| 3 to 4 ft. ----- | 1.50 | 12.50 | |
| 4 to 5 ft. ----- | 1.75 | 15.00 | |
| 5 to 6 ft. ----- | 2.00 | 17.50 | |
| 6 to 8 ft. ----- | 3.00 | 25.00 | |
| *sylvatica. <i>European Beech.</i> | | | |
| 3 to 4 ft. ----- | 1.75 | 15.00 | |
| 4 to 5 ft. ----- | 2.25 | 20.00 | |
| 5 to 6 ft. ----- | 2.75 | 25.00 | |
| 6 to 8 ft. ----- | 4.00 | 35.00 | |
| 8 to 10 ft. ----- | 6.50 | | |
| *sylvatica pendula. <i>Weeping Beech.</i> | | | |
| 4 to 5 ft. ----- | 3.00 | | |
| 5 to 6 ft. ----- | 5.00 | | |
| 6 to 8 ft. ----- | 7.50 | | |
| *sylvatica heterophylla. <i>Cut-leaved Beech.</i> | | | |
| 3 to 4 ft. ----- | 3.00 | | |
| 4 to 5 ft. ----- | 4.00 | | |
| *sylvatica purpurea Riversi. | | | |
| <i>River's Purple-leaved Beech.</i> | | | |
| 3 to 4 ft. ----- | 2.50 | 22.50 | |
| 4 to 5 ft. ----- | 3.00 | 27.50 | |
| 5 to 6 ft. ----- | 4.00 | 35.00 | |
| 6 to 8 ft. ----- | 5.00 | 45.00 | |
| 8 to 10 ft. ----- | 7.50 | | |
| 10 to 12 ft. ----- | 10.00 | | |
| *sylvatica purpurea. <i>Copper Beech.</i> | | | |
| 3 to 4 ft. ----- | 1.75 | 15.00 | |
| 4 to 5 ft. ----- | 2.25 | 20.00 | |
| 5 to 6 ft. ----- | 3.50 | 30.00 | |
| 6 to 8 ft. ----- | 4.50 | 40.00 | |
| *sylvatica tricolor. | | | |
| 3 to 4 ft. ----- | 2.50 | | |
| 4 to 5 ft. ----- | 3.50 | | |
| 5 to 6 ft. ----- | 5.00 | | |

| Fraxinus Americana. | | | <i>White Ash.</i> | each | per 10 | per 100 |
|----------------------------|----|----|-------------------|------|--------|---------|
| 8 | to | 10 | ft.----- | 1.00 | 8.50 | 75.00 |
| 1¼ | to | 1½ | in.----- | 1.50 | 12.50 | 100.00 |
| 1½ | to | 1¾ | in.----- | 1.75 | 15.00 | 125.00 |
| 1¾ | to | 2 | in.----- | 2.00 | 17.50 | 150.00 |
| 2 | to | 2½ | in.----- | 2.75 | 25.00 | 200.00 |
| 2½ | to | 3 | in.----- | 3.25 | 30.00 | |

excelsior. *European Ash.*

| | | | | | | |
|----|----|----|----------|------|-------|--------|
| 8 | to | 10 | ft.----- | 1.00 | 8.50 | 75.00 |
| 1¼ | to | 1½ | in.----- | 1.50 | 12.50 | 100.00 |
| 1½ | to | 1¾ | in.----- | 1.75 | 15.00 | 125.00 |
| 1¾ | to | 2 | in.----- | 2.00 | 17.50 | 150.00 |
| 2 | to | 2½ | in.----- | 2.75 | 25.00 | |
| 2½ | to | 3 | in.----- | 3.50 | 30.00 | |

lanceolata syn. viridis. *Green Ash.*

| | | | | | | |
|----|----|----|----------|------|-------|--------|
| 6 | to | 8 | ft.----- | .75 | 6.00 | 50.00 |
| 8 | to | 10 | ft.----- | 1.00 | 8.50 | 75.00 |
| 1¼ | to | 1½ | in.----- | 1.50 | 12.50 | 100.00 |
| 1½ | to | 1¾ | in.----- | 1.75 | 15.00 | 125.00 |
| 1¾ | to | 2 | in.----- | 2.00 | 17.50 | 150.00 |
| 2 | to | 2½ | in.----- | 2.75 | 25.00 | 200.00 |
| 2½ | to | 3 | in.----- | 3.50 | 30.00 | |

pennsylvanicum. *Red Ash.*

| | | | | | | |
|----|----|----|----------|------|-------|--|
| 8 | to | 10 | ft.----- | 1.00 | 8.50 | |
| 1¼ | to | 1½ | in.----- | 1.50 | 12.50 | |
| 1½ | to | 1¾ | in.----- | 1.75 | 15.00 | |
| 1¾ | to | 2 | in.----- | 2.00 | 17.50 | |
| 2 | to | 2½ | in.----- | 2.75 | 25.00 | |
| 2½ | to | 3 | in.----- | 3.50 | 30.00 | |

quadrangulata. *Blue Ash.*

| | | | | | | |
|----|----|----|----------|------|-------|--|
| 1¼ | to | 1½ | in.----- | 1.50 | 12.50 | |
| 1½ | to | 1¾ | in.----- | 1.75 | 15.00 | |
| 1¾ | to | 2 | in.----- | 2.00 | 17.50 | |
| 2 | to | 2½ | in.----- | 2.75 | 25.00 | |
| 2½ | to | 3 | in.----- | 3.25 | 30.00 | |

sambucifolia. syn. nigra. *Black Ash.*

| | | | | | | |
|----|----|----|----------|------|-------|--|
| 1¼ | to | 1½ | in.----- | 1.50 | 12.50 | |
| 1½ | to | 1¾ | in.----- | 1.75 | 15.00 | |
| 1¾ | to | 2 | in.----- | 2.00 | 17.50 | |
| 2 | to | 2½ | in.----- | 2.75 | 25.00 | |

| Gleditschia triacanthos <i>Honey Locust</i> | each | per 10 | per 100 |
|--|------|--------|---------|
| 4 to 5 ft.----- | .50 | 4.00 | |
| 5 to 6 ft.----- | .75 | 6.00 | |
| 6 to 8 ft.----- | 1.25 | 10.00 | |
| 8 to 10 ft.----- | 1.50 | 12.50 | |
| 10 to 12 ft.----- | 2.50 | | |

Gymnocladus canadensis. *Kentucky Coffee Tree.*

| | | | |
|-----------------|------|--|--|
| 4 to 5 ft.----- | 1.25 | | |
|-----------------|------|--|--|

Halesia tetraptera. *Silver Bell.*

| | | | |
|-----------------------------|------|-------|--------|
| 3 to 4 ft.----- | .75 | 6.00 | 50.00 |
| 4 to 5 ft.----- | 1.00 | 7.50 | 60.00 |
| 5 to 6 ft.----- | 1.25 | 10 00 | 75.00 |
| 6 to 8 ft.----- | 1.75 | 15.00 | 125.00 |
| 8 to 10 ft.----- | 2.50 | 17.50 | 150.00 |
| 8 to 10 ft. specimens----- | 3.50 | 30.00 | |
| 10 to 12 ft. specimens----- | 5.00 | | |

Hicoria alba.

| | | | |
|-----------------|------|--|--|
| 3 to 4 ft.----- | 1.50 | | |
| 4 to 5 ft.----- | 1.75 | | |

Juglans cineria. *Butternut.*

| | | | |
|-------------------|------|-------|--|
| 5 to 6 ft.----- | .75 | 6.00 | |
| 6 to 8 ft.----- | 1.25 | 10.00 | |
| 8 to 10 ft.----- | 1.50 | 12.50 | |
| 1½ to 1¾ in.----- | 2.00 | 17.50 | |
| 1¾ to 2 in.----- | 2.50 | 22.50 | |
| 2 to 2½ in.----- | 3.00 | 27.50 | |

nigra. *Black Walnut.*

| | | | |
|-------------------|------|-------|--|
| 6 to 8 ft.----- | 1.00 | 7.50 | |
| 8 to 10 ft.----- | 1.25 | 10.00 | |
| 1½ to 1¾ in.----- | 1.50 | 12.50 | |
| 1¾ to 2 in.----- | 2.00 | 15.00 | |
| 2 to 2½ in.----- | 2.75 | | |

Sieboldi. *Japan Walnut.*

| | | | |
|-------------------|------|-------|--|
| 5 to 6 ft.----- | 1.25 | 10.00 | |
| 6 to 8 ft.----- | 1.50 | 12.50 | |
| 8 to 10 ft.----- | 1.75 | 15 00 | |
| 1½ to 1¾ in.----- | 2.25 | 20.00 | |
| 1¾ to 2 in.----- | 2.75 | 25.00 | |
| 2 to 2½ in.----- | 4.00 | | |

| Juglans. | | each | per 10 | per 100 |
|---------------------|--------------------------------------|------|--------|---------|
| regia. | <i>English Walnut.</i> | | | |
| 2 to 3 | ft.----- | 1.00 | 7.50 | |
| 3 to 4 | ft.----- | 1.25 | 10.00 | |
| 4 to 5 | ft.----- | 1.50 | 12.50 | |
| 5 to 6 | ft.----- | 2.00 | | |
| 6 to 8 | ft.----- | 2.50 | | |
| Koelreuteria | <i>paniculata. Varnish Tree.</i> | | | |
| 4 to 5 | ft.----- | 1.00 | 7.50 | |
| 5 to 6 | ft.----- | 1.25 | 10.00 | |
| 6 to 8 | ft.----- | 1.50 | 12.50 | |
| 8 to 10 | ft.----- | 2.25 | 17.50 | |
| 10 to 12 | ft.----- | 3.00 | | |
| Laburnum | <i>alpinum. Alpine Golden Chain.</i> | | | |
| 3 to 4 | ft.----- | .75 | 6.00 | |
| 4 to 5 | ft.----- | 1.00 | 7.50 | |
| 5 to 6 | ft.----- | 1.25 | 10.00 | |
| 6 to 8 | ft.----- | 1.75 | 15.00 | |
| vulgare. | <i>Golden Chain.</i> | | | |
| 3 to 4 | ft.----- | .75 | 6.00 | |
| 4 to 5 | ft.----- | 1.00 | 7.50 | 60.00 |
| 5 to 6 | ft.----- | 1.25 | 10.00 | 75.00 |
| 6 to 8 | ft.----- | 1.75 | 15.00 | 125.00 |
| 8 to 10 | ft.----- | 2.50 | 20.00 | |
| *Larix | <i>Europea. European Larch.</i> | | | |
| 4 to 5 | ft.----- | 1.25 | 10.00 | |
| 5 to 6 | ft.----- | 1.50 | 12.50 | |
| 6 to 8 | ft.----- | 2.00 | 17.50 | |
| 8 to 10 | ft.----- | 3.50 | 30.00 | |
| 10 to 12 | ft.----- | 5.00 | | |
| *leptolepis. | <i>Japanese Larch.</i> | | | |
| 4 to 5 | ft.----- | 1.50 | 12.50 | |
| 5 to 6 | ft.----- | 1.75 | 15.00 | |
| 6 to 8 | ft.----- | 2.50 | 17.50 | |
| 8 to 10 | ft.----- | 4.00 | 35.00 | |
| 10 to 12 | ft.----- | 6.50 | 40.00 | |
| *Liquidambar | <i>styraciflua. Sweet Gum.</i> | | | |
| 5 to 6 | ft.----- | 1.50 | 12.50 | 100.00 |
| 6 to 8 | ft.----- | 2.00 | 15.00 | 125.00 |
| 8 to 10 | ft.----- | 2.25 | 17.50 | 150.00 |
| 1½ to 1½ | in.----- | 2.50 | 20.00 | |
| 1½ to 1¾ | in.----- | 2.75 | 25.00 | |
| 1¾ to 2 | in.----- | 3.50 | 30.00 | |
| 2 to 2½ | in.----- | 4.50 | 40.00 | |

| * <i>Liriodendron tulipifera. Tulip Tree.</i> | | | each | per 10 | per 100 |
|---|----|----|----------|--------|---------|
| 5 | to | 6 | ft.----- | 1.00 | 8.50 |
| 6 | to | 8 | ft.----- | 1.50 | 12.50 |
| 8 | to | 10 | ft.----- | 1.75 | 15.00 |
| 1½ | to | 1½ | in.----- | 2.00 | 17.50 |
| 1½ | to | 1¾ | in.----- | 2.25 | 20.00 |
| 1¾ | to | 2 | in.----- | 2.50 | 22.50 |
| 2 | to | 2½ | in.----- | 3.00 | 25.00 |
| 2½ | to | 3 | in.----- | 3.50 | 30.00 |

Magnolia acuminata. Cucumber Tree.

| | | | | |
|----|----|----|----------|------|
| 6 | to | 8 | ft.----- | 1.25 |
| 8 | to | 10 | ft.----- | 1.75 |
| 1½ | to | 1¾ | in.----- | 2.00 |
| 1¾ | to | 2 | in.----- | 2.25 |
| 2 | to | 2½ | in.----- | 2.50 |
| 2½ | to | 3 | in.----- | 3.25 |
| 3 | to | 3½ | in.----- | 4.00 |

glauca. Sweet Bay.

| | | | | | | |
|----|----|----|--------------------|-------|-------|--------|
| 2 | to | 3 | ft. with ball----- | 1.75 | 13.50 | 125.00 |
| 3 | to | 4 | ft. with ball----- | 2.50 | 20.00 | 180.00 |
| 4 | to | 5 | ft. with ball----- | 3.50 | 27.50 | 240.00 |
| 5 | to | 6 | ft. with ball----- | 4.50 | 35.00 | 275.00 |
| 6 | to | 8 | ft. with ball----- | 5.00 | 40.00 | 325.00 |
| 8 | to | 10 | ft. with ball----- | 7.50 | 60.00 | |
| 10 | to | 12 | ft. with ball----- | 10.00 | 80.00 | |

**hypoleuca.*

| | | | | | |
|----|----|----|----------|------|-------|
| 5 | to | 6 | ft.----- | 1.75 | 15.00 |
| 6 | to | 8 | ft.----- | 2.00 | 17.50 |
| 8 | to | 10 | ft.----- | 3.00 | 25.00 |
| 10 | to | 12 | ft.----- | 5.00 | 40.00 |

**Kobus.*

| | | | | | |
|---|----|----|----------|------|-------|
| 4 | to | 5 | ft.----- | 1.75 | 15.00 |
| 5 | to | 6 | ft.----- | 2.50 | 20.00 |
| 6 | to | 7 | ft.----- | 3.50 | 30.00 |
| 7 | to | 8 | ft.----- | 5.00 | 40.00 |
| 8 | to | 10 | ft.----- | 6.50 | 50.00 |

Lennei. Lenne's Magnolia.

| | | | | |
|---|----|---|--------------------|------|
| 3 | to | 4 | ft. with ball----- | 7.50 |
|---|----|---|--------------------|------|

Soulangiana. Soulang's Magnolia.

| | | | | |
|---|----|---|--------------------|-------|
| 3 | to | 4 | ft. with ball----- | 7.50 |
| 4 | to | 5 | ft. with ball----- | 10.00 |

| Magnolia. | | each | per 10 | per 100 |
|--------------------------------|-------------------------------|--------------------------------|--------|---------|
| speciosa. | | | | |
| | 3 to 4 ft. with ball----- | 7.50 | | |
| tripetala. | <i>Umbrella Tree.</i> | | | |
| | 5 to 6 ft. with ball----- | 2.00 | 15.00 | |
| | 6 to 8 ft. with ball----- | 3.00 | 20.00 | |
| | 8 to 10 ft. with ball----- | 4.00 | 30.00 | |
| | 10 to 12 ft. with ball----- | 6.50 | 50.00 | |
| Malus. | <i>(See Pyrus.)</i> | | | |
| Morus tatarica. | <i>Russian Mulberry.</i> | | | |
| | 4 to 5 ft.----- | .50 | 3.50 | |
| | 5 to 6 ft.----- | .60 | 5.00 | |
| | 6 to 8 ft.----- | 1.00 | 7.50 | |
| | 8 to 10 ft.----- | 1.25 | 10.00 | |
| | tartarica pendula. | <i>Tea's Weeping Mulberry.</i> | | |
| | 2 yr. heads, 5 to 7 ft. stems | 2.50 | 20.00 | |
| Nyssa sylvatica. | <i>Pepperidge.</i> | | | |
| | 3 to 4 ft.----- | 1.25 | 10.00 | |
| | 4 to 5 ft.----- | 1.50 | 12.50 | |
| Ostrya virginica. | <i>Iron Wood.</i> | | | |
| | 5 to 6 ft.----- | 1.00 | 7.50 | |
| | 6 to 8 ft.----- | 1.25 | 10.00 | |
| | 8 to 10 ft.----- | 1.50 | 12.50 | |
| | 1¼ to 1½ in.----- | 2.00 | 17.50 | |
| Oxydendron. | <i>(See Shrubs.)</i> | | | |
| Paulownia imperialis. | <i>Empress Tree.</i> | | | |
| | 5 to 6 ft.----- | 1.50 | | |
| | 6 to 8 ft.----- | 2.00 | | |
| | 8 to 10 ft.----- | 2.50 | | |
| | 10 to 12 ft.----- | 4.00 | | |
| Persica. | <i>(See Prunus.)</i> | | | |
| Phellodendron amurense. | <i>Chinese Cork Tree.</i> | | | |
| | 6 to 8 ft.----- | 1.50 | 12.50 | 100.00 |
| | 8 to 10 ft.----- | 2.00 | 17.50 | 150.00 |
| | 1¼ to 1½ in.----- | 2.50 | 22.50 | |
| | 1½ to 1¾ in.----- | 2.75 | 25.00 | |
| | 1¾ to 2 in.----- | 3.00 | 27.50 | |
| | 2 to 2½ in.----- | 3.50 | 30.00 | |
| | 2½ to 3 in.----- | 4.00 | 35.00 | |
| | 3 to 3½ in.----- | 5.00 | 40.00 | |

| Platanus orientalis. Oriental Plane. | | | | each | per 10 | per 100 |
|--|----|----|------------------|------|--------|---------|
| 6 | to | 8 | ft. | .75 | 6.50 | 50.00 |
| 8 | to | 10 | ft. | .90 | 7.50 | 60.00 |
| 1¼ | to | 1½ | in. | 1.25 | 10.00 | 80.00 |
| 1½ | to | 1¾ | in. | 1.75 | 14.00 | 110.00 |
| 1¾ | to | 2 | in. | 2.00 | 16.50 | 150.00 |
| 2 | to | 2½ | in. | 2.50 | 22.50 | 200.00 |
| 2½ | to | 3 | in. | 3.50 | 30.00 | |
| Populus alba Bolleana. Bolle's Silver Poplar. | | | | | | |
| 6 | to | 8 | ft. | 1.25 | 10.00 | 75.00 |
| 8 | to | 10 | ft. | 1.50 | 12.50 | 100.00 |
| 1¼ | to | 1½ | in. | 2.00 | 15.00 | |
| 1½ | to | 1¾ | in. | 2.50 | 20.00 | |
| 1¾ | to | 2 | in. | 3.00 | | |
| 2 | to | 2½ | in. | 4.00 | | |
| alba acerfolia. | | | | | | |
| 6 | to | 8 | ft. | .85 | 7.50 | 60.00 |
| 8 | to | 10 | ft. | 1.00 | 9.00 | 75.00 |
| 10 | to | 12 | ft. | 1.50 | 12.50 | 100.00 |
| 1½ | to | 1¾ | in. | 1.75 | 15.00 | |
| 1¾ | to | 2 | in. | 2.50 | 20.00 | |
| certinensis. | | | | | | |
| 6 | to | 8 | ft. | .75 | 5.00 | |
| 8 | to | 10 | ft. | 1.00 | 7.50 | 60.00 |
| 10 | to | 12 | ft. | 1.50 | 12.50 | 100.00 |
| nigra fastigiata. Lombardy Poplar. | | | | | | |
| 6 | to | 8 | ft. low branched | .60 | 4.50 | 35.00 |
| 8 | to | 10 | ft. low branched | .75 | 6.00 | 45.00 |
| 10 | to | 12 | ft. low branched | 1.00 | 7.50 | 60.00 |
| 1½ | to | 1¾ | in. low branched | 1.25 | 11.50 | 90.00 |
| 1¾ | to | 2 | in. low branched | 1.50 | 13.50 | 125.00 |
| 2 | to | 2½ | in. low branched | 2.25 | 20.00 | |
| 2½ | to | 3 | in. low branched | 3.00 | 25.00 | |
| trichocarpum. | | | | | | |
| 6 | to | 8 | ft. | .75 | 6.00 | 50.00 |
| 8 | to | 10 | ft. | 1.00 | 7.50 | 60.00 |
| 10 | to | 12 | ft. | 1.50 | 12.50 | 100.00 |
| Prunus hirtella. | | | | | | |
| 5 | to | 6 | ft. | 2.25 | 20.00 | |
| 6 | to | 8 | ft. | 2.75 | 25.00 | |
| hirtella autumnale. | | | | | | |
| 4 | to | 5 | ft. | 1.75 | 15.00 | |
| 5 | to | 6 | ft. | 2.25 | 20.00 | |
| 6 | to | 8 | ft. | 2.75 | 25.00 | |

| Prunus. | | each | per 10 | per 100 |
|-----------------------------------|---------------------------------------|------|--------|---------|
| pendula. | <i>Japan Wpg. Cherry.</i> | | | |
| | 2 yr. heads, 4 to 6 ft. stem | 3.50 | | |
| Padus. | <i>Bird Cherry.</i> | | | |
| | 5 to 6 ft.----- | .60 | 5.00 | 40.00 |
| | 6 to 8 ft.----- | .75 | 6.00 | |
| | 8 to 10 ft.----- | 1.00 | 7.50 | |
| Persica. | <i>Double Red Flowering Peach.</i> | | | |
| | 4 to 5 ft.----- | 1.00 | 7.50 | |
| | 5 to 6 ft.----- | 1.25 | 10.00 | |
| | 6 to 8 ft.----- | 1.50 | 12.50 | |
| Persica alba. | <i>Double White Flowering Peach.</i> | | | |
| | 4 to 5 ft.----- | 1.00 | 7.50 | |
| | 5 to 6 ft.----- | 1.25 | 10.00 | |
| | 6 to 8 ft.----- | 1.50 | 12.50 | |
| pseudo-cerasus. | <i>Double Rose Flowering Cherry.</i> | | | |
| | 4 to 5 ft.----- | 1.50 | 12.50 | |
| | 5 to 6 ft.----- | 1.75 | 15.00 | |
| | 6 to 8 ft.----- | 2.25 | 20.00 | |
| | 8 to 10 ft.----- | 2.75 | 25.00 | |
| pseudo-cerasus alba plena. | <i>Double White Flowering Cherry.</i> | | | |
| | 4 to 5 ft.----- | 1.50 | 12.50 | |
| | 5 to 6 ft.----- | 1.75 | 15.00 | |
| | 6 to 8 ft.----- | 2.25 | 20.00 | |
| | 8 to 10 ft.----- | 2.75 | 25.00 | |
| | 10 to 12 ft. specimens----- | 5.00 | | |
| Sargentii. | | | | |
| | 4 to 5 ft.----- | 1.50 | 12.50 | |
| | 5 to 6 ft.----- | 1.75 | 15.00 | |
| | 6 to 8 ft.----- | 2.25 | 20.00 | |
| | 8 to 10 ft.----- | 3.50 | 30.00 | |
| serotina. | <i>Wild Black Cherry.</i> | | | |
| | 5 to 6 ft.----- | 1.00 | 7.50 | 60.00 |
| | 6 to 8 ft.----- | 1.25 | 10.00 | 75.00 |
| Ptelia trifoliata. | <i>Hop Tree.</i> | | | |
| | 3 to 4 ft.----- | .45 | 3.50 | 25.00 |
| | 4 to 5 ft.----- | .50 | 4.00 | 30.00 |
| | 5 to 6 ft.----- | .60 | 5.00 | 40.00 |
| | 6 to 8 ft.----- | .75 | 6.00 | 50.00 |
| | 8 to 10 ft.----- | 1.25 | 10.00 | 75.00 |

| Pyrus Arnoldiana. | each | per 10 | per 100 |
|--|------|--------|---------|
| 3 to 4 ft.----- | 1.00 | 7.50 | |
| 4 to 5 ft.----- | 1.25 | 10.00 | |
| baccata. <i>Siberian Flowering Crab.</i> | | | |
| 3 to 4 ft.----- | 1.00 | 7.50 | |
| 4 to 5 ft.----- | 1.25 | 10.00 | |
| 5 to 6 ft.----- | 1.75 | 15.00 | |
| 6 to 8 ft.----- | 2.50 | 20.00 | |
| coronaria. <i>Wild Crab.</i> | | | |
| 3 to 4 ft.----- | .75 | 6.00 | |
| 4 to 5 ft.----- | 1.00 | 7.50 | |
| 5 to 6 ft.----- | 1.50 | 10.00 | |
| floribunda. - | | | |
| 3 to 4 ft.----- | 1.00 | 7.50 | |
| 4 to 5 ft.----- | 1.25 | 10.00 | |
| 5 to 6 ft.----- | 1.75 | 15.00 | |
| floribunda atrosanguinea. | | | |
| 3 to 4 ft.----- | 1.00 | 7.50 | |
| 4 to 5 ft.----- | 1.25 | 10.00 | |
| 5 to 6 ft.----- | 1.75 | 15.00 | |
| 6 to 7 ft.----- | 2.50 | 20.00 | |
| Ioensis Bechteli. <i>Bechtel's Double.</i> | | | |
| <i>Flowering Crab.</i> | | | |
| 3 to 4 ft.----- | 1.00 | 7.50 | 60.00 |
| 4 to 5 ft.----- | 1.25 | 10.00 | |
| 5 to 6 ft.----- | 1.75 | 15.00 | |
| 6 to 8 ft.----- | 2.50 | 20.00 | |
| 8 to 10 ft.----- | 5.00 | | |
| Niedzwetzkyana. | | | |
| 3 to 4 ft.----- | 1.00 | 7.50 | |
| 4 to 5 ft.----- | 1.25 | 10.00 | |
| 5 to 6 ft.----- | 1.75 | 15.00 | |
| 6 to 8 ft.----- | 2.50 | 20.00 | |
| Parkmanni. <i>Parkman's Crab.</i> | | | |
| 3 to 4 ft.----- | 1.25 | 10.00 | |
| 4 to 5 ft.----- | 1.75 | 15.00 | |
| 5 to 6 ft.----- | 2.50 | | |
| Toringo. <i>Japanese Crab.</i> | | | |
| 3 to 4 ft.----- | 1.00 | 7.50 | 60.00 |
| 4 to 5 ft.----- | 1.25 | 10.00 | 75.00 |
| 5 to 6 ft.----- | 1.50 | 12.50 | 100.00 |
| 6 to 8 ft.----- | 2.50 | 20.00 | 150.00 |
| 8 to 10 ft.----- | 3.00 | 25.00 | |

| Pyrus | | each | per 10 | per 100 |
|---|-------|------|--------|---------|
| Spectabilis. | | | | |
| 3 to 4 ft. | ----- | 1.00 | 7.50 | |
| 4 to 5 ft. | ----- | 1.25 | 10.00 | |
| 5 to 6 ft. | ----- | 1.75 | 15.00 | |
| Spectabilis alba. | | | | |
| 3 to 4 ft. | ----- | 1.00 | 7.50 | |
| 4 to 5 ft. | ----- | 1.25 | 10.00 | |
| 5 to 6 ft. | ----- | 1.75 | 15.00 | |
| Scheideckeri. | | | | |
| 3 to 4 ft. | ----- | 1.00 | 7.50 | |
| 4 to 5 ft. | ----- | 1.25 | 10.00 | |
| 5 to 6 ft. | ----- | 1.75 | 15.00 | |
| Salicifolia. Willow-leaved Crab. | | | | |
| 4 to 5 ft. | ----- | 1.25 | 10.00 | |
| 5 to 6 ft. | ----- | 1.50 | 12.50 | |
| 6 to 8 ft. | ----- | 2.00 | 15.00 | |
| Zumii. | | | | |
| 3 to 4 ft. | ----- | 1.00 | 7.50 | |
| 4 to 5 ft. | ----- | 1.25 | 10.00 | |
| 5 to 6 ft. | ----- | 1.75 | 15.00 | |
| 6 to 8 ft. | ----- | 2.50 | 20.00 | |
| Quercus alba. White Oak. | | | | |
| 6 to 8 ft. | ----- | 2.00 | 17.50 | 150.00 |
| 1¼ to 1½ in. | ----- | 2.25 | 20.00 | 175.00 |
| 1½ to 1¾ in. | ----- | 2.50 | 22.50 | |
| 1¾ to 2 in. | ----- | 2.75 | 25.00 | |
| 2 to 2½ in. | ----- | 3.50 | | |
| cerris. Turkey Oak. | | | | |
| 6 to 8 ft. | ----- | 1.75 | 15.00 | |
| 1¼ to 1½ in. | ----- | 2.25 | 20.00 | |
| 1½ to 1¾ in. | ----- | 2.50 | 22.50 | |
| 1¾ to 2 in. | ----- | 2.75 | 25.00 | |
| 2 to 2½ in. | ----- | 3.50 | | |
| coccinea. Scarlet Oak. | | | | |
| 6 to 8 ft. | ----- | 1.75 | 15.00 | |
| 1¼ to 1½ in. | ----- | 2.00 | 17.50 | |
| 1½ to 1¾ in. | ----- | 2.25 | 20.00 | |
| 1¾ to 2 in. | ----- | 2.75 | 25.00 | |
| 2 to 2½ in. | ----- | 3.50 | 30.00 | |
| 2½ to 3 in. | ----- | 5.00 | | |
| 3 to 3½ in. | ----- | 7.50 | | |

| Quercus. | | each | per 10 | per 100 |
|---|-------|-------|--------|---------|
| palustris. Pin Oak. | | | | |
| 6 to 8 ft. | | 1.50 | 13.50 | 100.00 |
| 1¼ to 1½ in. | | 1.75 | 16.50 | 135.00 |
| 1½ to 1¾ in. | | 2.50 | 20.00 | 175.00 |
| 1¾ to 2 in. | | 3.00 | 25.00 | 225.00 |
| 2 to 2½ in. | | 3.50 | 30.00 | 275.00 |
| 2½ to 3 in. | | 5.00 | 40.00 | |
| 3 to 3½ in. | | 7.50 | | |
| 3½ to 4 in. | | 10.00 | | |
| pedunculata fastigiata. Pyramidal Oak. | | | | |
| 8 to 10 ft. | | 3.00 | 25.00 | |
| 10 to 12 ft. | | 3.50 | 30.00 | |
| Phellos. | | | | |
| 5 to 6 ft. | | 2.00 | 17.50 | |
| 6 to 8 ft. | | 2.50 | 22.50 | |
| 8 to 10 ft. | | 3.00 | 27.50 | |
| prinus. Rock Chestnut Oak. | | | | |
| 6 to 8 ft. | | 1.75 | 15.00 | 125.00 |
| 8 to 10 ft. | | 2.00 | 17.50 | 150.00 |
| 1¼ to 1½ in. | | 2.50 | 22.50 | |
| 1½ to 1¾ in. | | 2.75 | 25.00 | |
| 1¾ to 2 in. | | 3.00 | 27.50 | |
| 2 to 2½ in. | | 3.50 | | |
| robur. English Oak. | | | | |
| 6 to 8 ft. | | 1.75 | 15.00 | |
| 8 to 10 ft. | | 2.25 | 20.00 | |
| 1½ to 1¾ in. | | 2.50 | 22.50 | |
| 1¾ to 2 in. | | 3.00 | | |
| 2 to 2½ in. | | 3.50 | | |
| rubra. Red Oak. | | | | |
| 6 to 8 ft. | | 1.75 | 15.00 | 125.00 |
| 1¼ to 1½ in. | | 2.00 | 17.50 | 150.00 |
| 1½ to 1¾ in. | | 2.50 | 20.00 | |
| 1¾ to 2 in. | | 3.00 | 25.00 | |
| 2 to 2½ in. | | 3.50 | 30.00 | |
| 2½ to 3 in. | | 5.00 | 45.00 | |
| 3 to 3½ in. | | 7.50 | | |
| velutina. Black Oak. | | | | |
| 6 to 8 ft. | | 1.75 | 15.00 | |
| 1¼ to 1½ in. | | 2.00 | 17.50 | |
| 1½ to 1¾ in. | | 2.25 | 20.00 | |
| 1¾ to 2 in. | | 2.75 | 25.00 | |

Quercus.

| <i>velutina. Black Oak.</i> | | each | per 10 | per 100 |
|-----------------------------|-----------|-------|--------|---------|
| 2 | to 2½ in. | 3.50 | 30.00 | |
| 2½ | to 3 in. | 5.00 | 45.00 | |
| 3 | to 3½ in. | 7.50 | | |
| 3½ | to 4 in. | 10.00 | | |

Robinia pseud—acacia. Black Locust.

| | | | | |
|---|-----------|------|-------|-------|
| 4 | to 5 ft. | .40 | 3.00 | 25.00 |
| 5 | to 6 ft. | .50 | 4.50 | 35.00 |
| 6 | to 8 ft. | .75 | 6.00 | 50.00 |
| 8 | to 10 ft. | 1.25 | 10.00 | 75.00 |

hispida. Rose Acacia.

| | | |
|-----------------|------------|------|
| 2 yr. standard, | 3 to 4 ft. | 1.25 |
| 2 yr. standard, | 4 to 5 ft. | 1.75 |

Salisburia adiantifolia. Maiden Hair Tree.

| | | | | |
|----|-----------|------|-------|--------|
| 6 | to 8 ft. | 1.50 | 12.50 | 100.00 |
| 8 | to 10 ft. | 1.75 | 15.00 | 125.00 |
| 1¼ | to 1½ in. | 2.00 | 17.50 | |
| 1½ | to 1¾ in. | 2.50 | 22.50 | |
| 1¾ | to 2 in. | 3.00 | 25.00 | |
| 2 | to 2½ in. | 3.50 | 32.50 | |

Salix Babylonica. Babylonian Weeping Willow.

| | | | | |
|----|-----------|------|-------|-------|
| 6 | to 8 ft. | .75 | 6.00 | 50.00 |
| 8 | to 10 ft. | 1.00 | 7.50 | 60.00 |
| 1¼ | to 1½ in. | 1.25 | 10.00 | |
| 1½ | to 1¾ in. | 1.50 | 12.50 | |
| 1¾ | to 2 in. | 1.75 | 15.00 | |
| 2 | to 2½ in. | 2.50 | 20.00 | |

Babylonica aurea pendula.

| | | | | |
|----|-----------|------|-------|--|
| 6 | to 8 ft. | .75 | 6.00 | |
| 8 | to 10 ft. | 1.00 | 7.50 | |
| 1¼ | to 1½ in. | 1.25 | 10.00 | |
| 1½ | to 1¾ in. | 1.50 | 12.50 | |
| 1¾ | to 2 in. | 1.75 | 15.00 | |

Babylonica dolorosa. Wisconsin*Weeping Willow.*

| | | | | |
|---|-----------|------|------|--|
| 6 | to 8 ft. | .75 | 6.00 | |
| 8 | to 10 ft. | 1.00 | 7.50 | |

Salix.

| | | each | per 10 | per 100 |
|--|-----------|------|--------|---------|
| Babylonica Salamonii. | | | | |
| 6 | to 8 ft. | .75 | 6.00 | |
| 8 | to 10 ft. | 1.00 | 7.50 | |
| 1¼ | to 1½ in. | 1.25 | 10.00 | |
| 1½ | to 1¾ in. | 1.50 | 12.50 | |
| 1¾ | to 2 in. | 1.75 | 15.00 | |
| 2 | to 2½ in. | 2.50 | 20.00 | |
| 2½ | to 3 in. | 3.00 | 25.00 | |
| 3 | to 3½ in. | 4.00 | | |
| Caprea. | | | | |
| 5 | to 6 ft. | .60 | 5.00 | |
| 6 | to 8 ft. | .75 | 6.00 | |
| 8 | to 10 ft. | 1.00 | 7.50 | |
| pentandra. Laurel-leaved Willow. | | | | |
| 6 | to 8 ft. | .75 | 6.00 | 50.00 |
| 8 | to 10 ft. | 1.00 | 8.50 | 75.00 |
| 1¼ | to 1½ in. | 1.25 | 10.00 | |
| 1½ | to 1¾ in. | 1.50 | 12.50 | |
| 1¾ | to 2 in. | 1.75 | 15.00 | |
| 2 | to 2½ in. | 2.50 | 20.00 | |
| regalis. Royal or Silver Willow. | | | | |
| 4 | to 5 ft. | .60 | 4.50 | 35.00 |
| 5 | to 6 ft. | .75 | 6.00 | 50.00 |
| 6 | to 8 ft. | 1.00 | 8.50 | 75.00 |
| 8 | to 10 ft. | 1.25 | 11.50 | 100.00 |
| 10 | to 12 ft. | 1.50 | 12.50 | |
| rosmarinifolia. (See Shrubs.) | | | | |
| Sieboldi. | | | | |
| 6 | to 8 ft. | .75 | 6.00 | 50.00 |
| 8 | to 10 ft. | 1.00 | 7.50 | 60.00 |
| vitellira aurea. Golden-barked Willow. | | | | |
| 6 | to 8 ft. | .75 | 6.00 | 50.00 |
| 8 | to 10 ft. | 1.00 | 7.50 | 60.00 |
| 1¼ | to 1½ in. | 1.25 | 10.00 | 75.00 |
| 1½ | to 1¾ in. | 1.50 | 12.50 | 100.00 |
| 1¾ | to 2 in. | 1.75 | 15.00 | 125.00 |
| 2 | to 2½ in. | 2.50 | 20.00 | |
| 2½ | to 3 in. | 3.00 | 25.00 | |
| vitellina Britzensis. Bronze-barked Willow. | | | | |
| 5 | to 6 ft. | .60 | 5.00 | 40.00 |
| 6 | to 8 ft. | .75 | 6.00 | 50.00 |
| 8 | to 10 ft. | 1.25 | 10.00 | 75.00 |
| 1½ | to 1¾ in. | 1.50 | 12.50 | |

| Sassafras officinale. <i>Sassafras.</i> | each | per 10 | per 100 |
|--|------|--------|---------|
| 5 to 6 ft.----- | 1.00 | 7.50 | |
| 6 to 8 ft.----- | 1.25 | 10.00 | |
| 8 to 10 ft.----- | 1.50 | 12.50 | |
| Sorbus aucuparia. <i>Mountain Ash.</i> | | | |
| 6 to 8 ft.----- | 1.25 | 10.00 | 75.00 |
| 8 to 10 ft.----- | 1.50 | 12.50 | 100.00 |
| 1¼ to 1½ in.----- | 1.65 | 13.50 | 115.00 |
| 1½ to 1¾ in.----- | 1.75 | 15.00 | 135.00 |
| 1¾ to 2 in.----- | 2.00 | 17.50 | |
| 2 to 2½ in.----- | 2.50 | 22.50 | |
| Americana. | | | |
| 6 to 8 ft.----- | 1.25 | 10.00 | |
| latifolia. | | | |
| 6 to 8 ft.----- | 1.25 | 10.00 | 75.00 |
| 8 to 10 ft.----- | 1.50 | 12.50 | 100.00 |
| quercifolia. <i>Oak-leaved Mountain Ash.</i> | | | |
| 6 to 8 ft.----- | 1.50 | 12.50 | |
| 8 to 10 ft.----- | 1.75 | 15.00 | |
| 1¼ to 1½ in.----- | 2.00 | 17.50 | |
| 1½ to 1¾ in.----- | 2.50 | 22.50 | |
| 1¾ to 2 in.----- | 3.00 | 27.50 | |
| Syringa Japonica. <i>(See Shrubs.)</i> | | | |
| Taxodium distichum. <i>Deciduous Cypress.</i> | | | |
| 3 to 4 ft.----- | 1.00 | 7.50 | |
| 4 to 5 ft.----- | 1.25 | 10.00 | |
| 5 to 6 ft.----- | 1.50 | 12.50 | |
| 6 to 8 ft.----- | 2.00 | 15.00 | |
| Tilia americana. <i>American Linden.</i> | | | |
| 6 to 8 ft.----- | 1.25 | 9.00 | 75.00 |
| 8 to 10 ft.----- | 1.50 | 12.50 | 100.00 |
| 1¼ to 1½ in.----- | 1.75 | 15.00 | 125.00 |
| 1½ to 1¾ in.----- | 2.00 | 17.50 | |
| 1¾ to 2 in.----- | 2.75 | 22.50 | |
| 2 to 2½ in.----- | 3.25 | 27.50 | |
| 2½ to 3 in.----- | 4.00 | | |
| 3 to 3½ in.----- | 6.00 | | |
| dasystyla. <i>Crimean Linden.</i> | | | |
| 6 to 8 ft.----- | 1.50 | 12.50 | |
| 8 to 10 ft.----- | 1.75 | 15.00 | |
| 1¼ to 1½ in.----- | 2.00 | 17.50 | |
| 1½ to 1¾ in.----- | 2.50 | 20.00 | |
| 1¾ to 2 in.----- | 3.00 | 25.00 | |
| 2 to 2½ in.----- | 3.50 | 30.00 | |

Tilia.

| | | | each | per 10 | per 100 |
|---|----|--------|------|--------|---------|
| platyphyllos. <i>European Linden Broad-leaved.</i> | | | | | |
| 6 | to | 8 ft. | 1.25 | 10.00 | 90.00 |
| 8 | to | 10 ft. | 1.50 | 12.50 | 100.00 |
| 1¼ | to | 1½ in. | 1.75 | 15.00 | 125.00 |
| 1½ | to | 1¾ in. | 2.00 | 17.50 | 150.00 |
| 1¾ | to | 2 in. | 2.50 | 22.50 | 175.00 |
| 2 | to | 2½ in. | 3.25 | 27.50 | |
| tomentosa. syn. argentea. <i>Silver Linden.</i> | | | | | |
| 6 | to | 8 ft. | 1.75 | 15.00 | |
| 8 | to | 10 ft. | 2.00 | 17.50 | |
| 1¼ | to | 1½ in. | 2.25 | 20.00 | |
| 1½ | to | 1¾ in. | 2.75 | 25.00 | |
| 2 | to | 2½ in. | 3.75 | 35.00 | |
| 3 | to | 3½ in. | 7.50 | 60.00 | |
| vulgaris. syn. Europea. <i>European Linden.</i> | | | | | |
| 6 | to | 8 ft. | 1.50 | 11.50 | 100.00 |
| 8 | to | 10 ft. | 1.65 | 13.50 | 125.00 |
| 1¼ | to | 1½ in. | 2.00 | 16.50 | 150.00 |
| 1½ | to | 1¾ in. | 2.25 | 20.00 | 175.00 |
| 1¾ | to | 2 in. | 2.75 | 22.50 | 200.00 |
| 2 | to | 2½ in. | 3.25 | 30.00 | |
| 2½ | to | 3 in. | 5.00 | 40.00 | |
| 3 | to | 3½ in. | 6.50 | 50.00 | |

| | | | | | |
|----|----|--------|------|-------|--------|
| 6 | to | 8 ft. | 1.25 | 10.00 | 90.00 |
| 8 | to | 10 ft. | 1.50 | 12.50 | 100.00 |
| 1¼ | to | 1½ in. | 1.75 | 15.00 | 125.00 |
| 1½ | to | 1¾ in. | 2.00 | 17.50 | 150.00 |
| 1¾ | to | 2 in. | 2.50 | 22.50 | 175.00 |
| 2 | to | 2½ in. | 3.25 | 27.50 | |

| | | | | | |
|----|----|--------|------|-------|--|
| 6 | to | 8 ft. | 1.75 | 15.00 | |
| 8 | to | 10 ft. | 2.00 | 17.50 | |
| 1¼ | to | 1½ in. | 2.25 | 20.00 | |
| 1½ | to | 1¾ in. | 2.75 | 25.00 | |
| 2 | to | 2½ in. | 3.75 | 35.00 | |
| 3 | to | 3½ in. | 7.50 | 60.00 | |

| | | | | | |
|----|----|--------|------|-------|--------|
| 6 | to | 8 ft. | 1.50 | 11.50 | 100.00 |
| 8 | to | 10 ft. | 1.65 | 13.50 | 125.00 |
| 1¼ | to | 1½ in. | 2.00 | 16.50 | 150.00 |
| 1½ | to | 1¾ in. | 2.25 | 20.00 | 175.00 |
| 1¾ | to | 2 in. | 2.75 | 22.50 | 200.00 |
| 2 | to | 2½ in. | 3.25 | 30.00 | |
| 2½ | to | 3 in. | 5.00 | 40.00 | |
| 3 | to | 3½ in. | 6.50 | 50.00 | |

Ulmus Americana. *American Elm.*

| | | | | | |
|----|----|--------|------|-------|--------|
| 8 | to | 10 ft. | 1.25 | 10.00 | 75.00 |
| 1¼ | to | 1½ in. | 1.50 | 12.50 | 100.00 |
| 1½ | to | 1¾ in. | 1.75 | 15.00 | 125.00 |
| 1¾ | to | 2 in. | 2.00 | 17.50 | 150.00 |
| 2 | to | 2½ in. | 3.00 | 25.00 | 225.00 |
| 2½ | to | 3 in. | 4.00 | 35.00 | |

campestre. *English Elm.*

| | | | | | |
|----|----|--------|------|-------|--|
| 6 | to | 8 ft. | 1.25 | 10.00 | |
| 8 | to | 10 ft. | 1.50 | 12.50 | |
| 1½ | to | 1¾ in. | 2.25 | 20.00 | |
| 1¾ | to | 2 in. | 2.75 | 25.00 | |
| 2 | to | 2½ in. | 3.50 | 30.00 | |
| 2½ | to | 3 in. | 5.00 | 40.00 | |
| 3 | to | 3½ in. | 6.50 | 50.00 | |

fulva. *Red Elm.*

| | | | | | |
|----|----|--------|------|-------|--------|
| 6 | to | 8 ft. | 1.50 | 12.50 | 100.00 |
| 8 | to | 10 ft. | 1.75 | 15.00 | 125.00 |
| 1¼ | to | 1½ in. | 2.00 | 17.50 | 150.00 |
| 1½ | to | 1¾ in. | 2.75 | 25.00 | |

| Ulmus fulva. | | each | per 10 | per 100 |
|---|-------|------|--------|---------|
| 1¾ to 2 in. | ----- | 3.25 | 30.00 | |
| 2 to 2½ in. | ----- | 3.75 | 35.00 | |
| montana. Scotch Elm. | | | | |
| 6 to 8 ft. | ----- | 1.35 | 12.50 | 100.00 |
| 8 to 10 ft. | ----- | 1.50 | 13.50 | 125.00 |
| 1¼ to 1½ in. | ----- | 1.75 | 16.50 | 150.00 |
| 1½ to 1¾ in. | ----- | 2.25 | 20.00 | 175.00 |
| 1¾ to 2 in. | ----- | 2.75 | 25.00 | 225.00 |
| 2 to 2½ in. | ----- | 3.50 | 30.00 | |
| 2½ to 3 in. | ----- | 4.00 | 35.00 | |
| 3 to 3½ in. | ----- | 6.00 | 45.00 | |
| nigra. | | | | |
| 6 to 8 ft. | ----- | 1.50 | 12.50 | 100.00 |
| 8 to 10 ft. | ----- | 1.75 | 15.00 | 125.00 |
| 1¼ to 1½ in. | ----- | 2.00 | 17.50 | |
| racemosa. Cork Elm. | | | | |
| 6 to 8 ft. | ----- | 1.50 | 12.50 | |
| 8 to 10 ft. | ----- | 1.75 | 15.00 | |
| 1½ to 1¾ in. | ----- | 2.25 | 20.00 | |
| scabra Dovaei. | | | | |
| 6 to 8 ft. | ----- | 1.50 | 12.50 | 100.00 |
| 8 to 10 ft. | ----- | 1.75 | 15.00 | 125.00 |
| 1¼ to 1½ in. | ----- | 2.00 | 17.50 | 150.00 |
| 1½ to 1¾ in. | ----- | 2.25 | 20.00 | 175.00 |
| 1¾ to 2 in. | ----- | 2.75 | 25.00 | |
| 2 to 2½ in. | ----- | 4.00 | 35.00 | |
| 2½ to 3 in. | ----- | 5.00 | 40.00 | |
| 3 to 3½ in. | ----- | 6.50 | 50.00 | |
| scabra monumentalis. Pyramidal Scotch Elm. | | | | |
| 6 to 8 ft. | ----- | 1.75 | 15.00 | |
| 8 to 10 ft. | ----- | 2.25 | 20.00 | |
| 1¼ to 1½ in. | ----- | 2.75 | 25.00 | |
| 1½ to 1¾ in. | ----- | 3.50 | 30.00 | |
| 1¾ to 2 in. | ----- | 4.00 | 35.00 | |
| scabra pendula. Camperdown Weeping Elm. | | | | |
| 2 yr. heads, 5 to 6 ft. stem | | 3.00 | | |
| 3 yr. heads, specimens | ---- | 4.00 | | |
| scabra purpurea. Purple-leaved Elm. | | | | |
| 6 to 8 ft. | ----- | 1.50 | 12.50 | |
| 8 to 10 ft. | ----- | 1.75 | 15.00 | |
| 10 to 12 ft. | ----- | 2.00 | 17.50 | |
| 1½ to 1¾ in. | ----- | 2.50 | | |
| 1¾ to 2 in. | ----- | 2.75 | | |
| 2 to 2½ in. | ----- | 3.25 | | |

Fruit Trees

We are able to supply all the leading varieties.

| | | each | per 10 | per 100 |
|-------------------|-----------------|------|--------|---------|
| Apples, Standard, | 5 to 7 ft.----- | 1.00 | 7.50 | |
| Dwarf, | 5 to 7 ft.----- | 1.25 | 10.00 | |
| Crab, | 5 to 7 ft.----- | 1.00 | 7.50 | |
| Cherry, Sweet, | 5 to 7 ft.----- | 1.35 | 12.50 | |
| Sour, | 5 to 7 ft.----- | 1.35 | 12.50 | |
| Peaches, | 5 to 7 ft.----- | .75 | 5.00 | |
| Pears, Standard, | 5 to 7 ft.----- | 1.35 | 12.50 | |
| Dwarf, | ----- | 1.25 | 10.00 | |
| Plums, | 5 to 7 ft.----- | 1.50 | 14.00 | |
| Quinces, | 4 to 5 ft.----- | 1.35 | 12.50 | |

Small Fruits

| | | | |
|---------------------------|-----|------|-------|
| Grapes, 3 yr. strong----- | .40 | 3.00 | 25.00 |
| Blackberries ----- | | .85 | 7.50 |
| Raspberries ----- | | .85 | 7.50 |
| Asparagus ----- | | | 5.00 |
| Strawberries ----- | | .60 | 5.00 |
| Rhubarb ----- | | 1.50 | 10.00 |
| Currants ----- | .50 | 4.00 | 30.00 |
| Gooseberries ----- | .50 | 4.00 | 30.00 |

Evergreen Trees

In this department our stock is thrifty and fiberously rooted, having been several times transplanted. Failure to frequently transplant results in a coarse root system; an evergreen so grown, regardless of how symmetrical and attractive the top may be, is almost certain to give poor results when planted by the purchaser. Our prices include lifting the plants with a ball of earth and sewing in burlap as an extra precaution that the plants may arrive in the best of condition.

| | | | |
|------------------------------|------|--------|---------|
| Abies Arizona. | | per 10 | per 100 |
| 2 to 3 ft.----- | 4.00 | 35.00 | |
| 3 to 4 ft.----- | 5.00 | 45.00 | |
| 4 to 5 ft.----- | 7.50 | | |
| balsamea. Balsam Fir. | | | |
| 2 to 3 ft.----- | 2.25 | 17.50 | |
| 3 to 4 ft.----- | 2.75 | 22.50 | |
| 4 to 5 ft.----- | 4.00 | 30.00 | |
| 5 to 6 ft.----- | 5.00 | | |
| 6 to 8 ft.----- | 7.50 | | |

Abies**brachyphylla.** *Short leaved Fir.*

| | | |
|------------|------|-------|
| 2 to 3 ft. | 4.50 | 35.00 |
| 3 to 4 ft. | 5.00 | 45.00 |
| 4 to 5 ft. | 6.50 | |

concolor. *White Fir.*

| | | |
|------------|-------|-------|
| 2 to 3 ft. | 4.00 | 35.00 |
| 3 to 4 ft. | 6.00 | 50.00 |
| 4 to 5 ft. | 7.50 | |
| 5 to 6 ft. | 10.00 | |

concolor violacea. *Blue White Fir.*

| | | |
|------------|------|-------|
| 3 to 4 ft. | 7.00 | 60.00 |
|------------|------|-------|

Nordmanniana. *Nordman's Fir.*

| | | |
|------------|------|-------|
| 2 to 3 ft. | 4.00 | 35.00 |
| 3 to 4 ft. | 6.00 | |

pectinata. *European Silver Fir.*

| | | |
|------------|------|-------|
| 2 to 3 ft. | 3.00 | 25.00 |
| 3 to 4 ft. | 3.50 | 30.00 |

Veitchii. *Japanese Fir.*

| | | |
|------------|-------|-------|
| 3 to 4 ft. | 3.50 | 30.00 |
| 4 to 5 ft. | 5.00 | 45.00 |
| 5 to 6 ft. | 6.50 | 60.00 |
| 6 to 7 ft. | 7.50 | 70.00 |
| 7 to 8 ft. | 10.00 | |
| 8 to 9 ft. | 12.50 | |

Biota orientalis. (*See Thuya.*)**Cedrus atlantica glauca.**

| | | |
|------------|------|--|
| 3 to 4 ft. | 5.00 | |
| 4 to 5 ft. | 6.50 | |
| 5 to 6 ft. | 7.50 | |

deodora.

| | | |
|------------|------|-------|
| 3 to 4 ft. | 4.00 | 35.00 |
| 4 to 5 ft. | 5.00 | |
| 5 to 6 ft. | 7.50 | |

Libani. *Cedar of Lebanon.*

| | | |
|------------|------|-------|
| 3 to 4 ft. | 5.00 | 40.00 |
| 4 to 5 ft. | 6.50 | 55.00 |
| 5 to 6 ft. | 7.50 | |

Cephalotaxus fortunei.

| | | |
|--------------|------|-------|
| 18 to 24 in. | 3.00 | 25.00 |
| 2 to 3 ft. | 3.50 | 30.00 |

Chamaecyparis Nutkaensis. *Nootka Sound Cypress.*

| | | |
|------------|------|-------|
| 2 to 3 ft. | 3.00 | 25.00 |
| 3 to 4 ft. | 4.00 | 35.00 |
| 4 to 5 ft. | 5.50 | |

| | each | per 10 | per 100 |
|---|-------|--------|---------|
| Cryptomeria Japonica Lobbi Compacta. | | | |
| 3 to 4 ft.----- | 4.00 | | |
| 4 to 5 ft.----- | 6.00 | | |
| 5 to 6 ft.----- | 7.50 | | |
| 6 to 7 ft.----- | 10.00 | | |
| Cupressus Lawsoniana. <i>Lawson's Cypress.</i> | | | |
| 2 to 3 ft.----- | 3.00 | | |
| 3 to 4 ft.----- | 4.00 | | |
| Lawsoniana pendula. | | | |
| 2 to 3 ft.----- | 5.00 | | |
| 3 to 4 ft.----- | 6.50 | | |
| Juniperus chinensis. <i>Chinese Juniper.</i> | | | |
| 3 to 4 ft.----- | 4.50 | 40.00 | |
| 4 to 5 ft.----- | 6.00 | 50.00 | |
| 5 to 6 ft.----- | 7.50 | | |
| 6 to 7 ft.----- | 10.00 | | |
| 7 to 8 ft.----- | 12.50 | | |
| chinensis alba variegata. <i>Variegated Chinese Juniper.</i> | | | |
| 2 to 3 ft.----- | 4.00 | 35.00 | |
| 3 to 4 ft.----- | 5.00 | 45.00 | |
| chinensis pfitzeriana. <i>Pfitzer's Juniper.</i> | | | |
| 2 to 2½ ft.----- | 4.50 | 40.00 | |
| 2½ to 3 ft.----- | 5.00 | 45.00 | |
| 3 to 3½ ft.----- | 6.00 | | |
| 3½ to 4 ft.----- | 7.50 | | |
| 4 to 4½ ft. specimens | 10.00 | | |
| communis. <i>Common Juniper.</i> | | | |
| 2 to 3 ft.----- | 2.00 | | |
| 3 to 4 ft.----- | 3.00 | | |
| 4 to 5 ft.----- | 4.00 | | |
| communis depressa. <i>Spreading Canadian Juniper.</i> | | | |
| 18 to 24 in. spread----- | 2.00 | 17.50 | |
| 24 to 30 in. spread----- | 2.50 | 20.00 | 175.00 |
| 2½ to 3 ft. spread----- | 3.00 | 25.00 | 225.00 |
| 3 to 4 ft. spread----- | 5.00 | 45.00 | |
| 4 to 5 ft. spread spec.--- | 6.50 | 55.00 | |
| communis depressa aurea. | | | |
| <i>Golden Spreading Canadian Juniper.</i> | | | |
| 18 to 24 in. spread----- | 2.50 | 20.00 | |
| 24 to 30 in. spread----- | 3.00 | 25.00 | |
| 2½ to 3 ft. spread----- | 3.50 | 30.00 | |
| 3 to 3½ ft. spread----- | 5.00 | 45.00 | |
| 3½ to 4 ft. spread spec.--- | 6.50 | 55.00 | |

| Juniperus | | each | per 10 | per 100 |
|-----------------------------|--|------|--------|---------|
| communis | Hibernica. Irish Juniper. | | | |
| | 2 to 3 ft.----- | 2.25 | 17.50 | 150.00 |
| | 3 to 4 ft.----- | 2.50 | 22.50 | 200.00 |
| | 4 to 5 ft.----- | 3.50 | 30.00 | |
| communis | Kraccovica. Polish Juniper. | | | |
| | 2 to 3 ft.----- | 2.50 | 20.00 | |
| | 3 to 4 ft.----- | 3.00 | 25.00 | |
| communis | Suecica. Swedish Juniper. | | | |
| | 2 to 3 ft.----- | 2.50 | 20.00 | |
| | 3 to 4 ft.----- | 3.00 | 25.00 | |
| communis | suecica nana. Dwarf. Swedish Juniper. | | | |
| | 2 to 3 ft.----- | 2.50 | 20.00 | |
| | 3 to 3½ ft.----- | 3.00 | 25.00 | |
| excelsa. | | | | |
| | 3 to 4 ft.----- | 2.50 | 20.00 | |
| | 4 to 5 ft.----- | 4.00 | 35.00 | |
| | 5 to 6 ft.----- | 5.00 | | |
| excelsa stricta. | Greek Juniper. | | | |
| | 2 to 2½ ft.----- | 3.00 | 27.50 | |
| | 2½ to 3 ft.----- | 3.75 | 35.00 | |
| | 3 to 3½ ft.----- | 5.00 | 45.00 | |
| | 3½ to 4 ft.----- | 5.50 | 50.00 | |
| Japonica. | Japanese Juniper. | | | |
| | 2 to 3 ft.----- | 3.50 | 30.00 | |
| | 3 to 4 ft.----- | 4.50 | 40.00 | |
| Japonica aurea. | Golden Japanese Juniper. | | | |
| | 18 to 24 in.----- | 3.00 | 25.00 | |
| | 2 to 3 ft.----- | 3.50 | 30.00 | |
| Japonica virginalis. | | | | |
| | 18 to 24 in.----- | 5.00 | 45.00 | |
| horizontalis. | Waukegan Juniper. | | | |
| | 18 to 24 in. spread----- | 2.50 | 22.50 | |
| | 24 to 30 in. spread----- | 2.75 | 25.00 | |
| | 2½ to 3 ft. spread----- | 3.25 | 30.00 | |
| | 3 to 3½ ft. spread----- | 4.00 | 35.00 | |
| macrocarpa. | (Neaboriensis) | | | |
| | 2 to 3 ft.----- | 3.00 | 25.00 | |
| | 3 to 4 ft.----- | 4.00 | 35.00 | |
| Sabina. | Savin Juniper. | | | |
| | 2 to 2½ ft. spread----- | 3.50 | 27.50 | |
| | 2½ to 3 ft. spread----- | 4.00 | 35.00 | |
| | 3 to 3½ ft. spread----- | 4.50 | 40.00 | |
| | 3½ to 4 ft. spread----- | 5.00 | 45.00 | |

Juniperus**Sabina tamariscifolia.**

| | | |
|-------------------|------|-------|
| 18 to 24 in.----- | 3.50 | 30.00 |
| 24 to 30 in.----- | 4.50 | 40.00 |

Scopulerum. Silver Cedar.

| | | |
|-----------------|------|-------|
| 3 to 4 ft.----- | 4.00 | 35.00 |
|-----------------|------|-------|

Virginiana. Red Cedar.

| | | |
|-----------------------------------|-------|-------|
| 3 to 4 ft.----- | 2.75 | 25.00 |
| 4 to 5 ft.----- | 4.50 | 40.00 |
| 5 to 6 ft.----- | 6.00 | 55.00 |
| 6 to 7 ft.----- | 8.00 | |
| 7 to 8 ft.----- | 10.00 | |
| 8 to 20 ft. spec. \$1.50 per foot | | |

Virginiana Cannarti. Cannart's Juniper.

| | |
|-----------------|-------|
| 4 to 5 ft.----- | 6.00 |
| 5 to 6 ft.----- | 8.00 |
| 6 to 7 ft.----- | 10.00 |
| 7 to 8 ft.----- | 12.50 |
| 8 to 9 ft.----- | 15.00 |

Virginiana glauca. Blue Cedar.

| | | |
|-----------------|-------|-------|
| 3 to 4 ft.----- | 5.00 | 45.00 |
| 4 to 5 ft.----- | 6.00 | 55.00 |
| 5 to 6 ft.----- | 8.00 | |
| 6 to 7 ft.----- | 10.00 | |
| 7 to 8 ft.----- | 12.50 | |
| 8 to 9 ft.----- | 15.00 | |

Virginiana Schotti. Schott's Juniper.

| | |
|------------------|-------|
| 4 to 5 ft.----- | 6.00 |
| 5 to 6 ft.----- | 8.00 |
| 6 to 7 ft.----- | 10.00 |
| 8 to 9 ft.----- | 15.00 |
| 9 to 10 ft.----- | 18.00 |

Picea alba. White Spruce.

| | | | |
|-----------------|------|-------|--------|
| 2 to 3 ft.----- | 1.75 | 15.00 | 125.00 |
| 3 to 4 ft.----- | 2.50 | 20.00 | 175.00 |
| 4 to 5 ft.----- | 4.00 | 35.00 | |
| 5 to 6 ft.----- | 5.00 | 45.00 | |
| 6 to 7 ft.----- | 6.00 | 55.00 | |
| 7 to 8 ft.----- | 7.50 | | |

Alcockiana. Alcock's Spruce.

| | | |
|-----------------|------|-------|
| 3 to 4 ft.----- | 4.00 | 35.00 |
| 4 to 5 ft.----- | 5.00 | |
| 5 to 6 ft.----- | 6.50 | |
| 6 to 7 ft.----- | 7.50 | |

Picea

| | | each | per 10 | per 100 |
|-------------------------------|--------------------------------|-------|--------|---------|
| canadensis. | <i>Black Hills Spruce.</i> | | | |
| 3 to 4 ft. | ----- | 2.50 | 20.00 | 175.00 |
| 4 to 5 ft. | ----- | 4.00 | 35.00 | |
| 5 to 6 ft. | ----- | 5.00 | 45.00 | |
| Engelmanni. | <i>Englemann's Spruce.</i> | | | |
| 2 to 3 ft. | ----- | 3.00 | 25.00 | |
| 3 to 4 ft. | ----- | 4.00 | 30.00 | |
| excelsa. | <i>Norway Spruce.</i> | | | |
| 2 to 3 ft. | ----- | 1.50 | 12.50 | 100.00 |
| 3 to 4 ft. | ----- | 2.00 | 15.00 | 125.00 |
| 4 to 5 ft. | ----- | 2.50 | 22.50 | 175.00 |
| 5 to 6 ft. | ----- | 3.50 | 30.00 | 250.00 |
| 6 to 7 ft. | ----- | 5.00 | 40.00 | 325.00 |
| 7 to 8 ft. | ----- | 6.00 | 50.00 | |
| 8 to 10 ft. | ----- | 7.50 | 65.00 | |
| 10 to 12 ft. | ----- | 10.00 | 75.00 | |
| 12 to 14 ft. | ----- | 15.00 | | |
| excelsa inverta. | <i>Weeping Spruce.</i> | | | |
| 4 to 5 ft. | ----- | 6.00 | | |
| 5 to 6 ft. | ----- | 7.50 | | |
| excelsa Maxwelli. | <i>Maxwell's Dwarf Spruce.</i> | | | |
| 18 to 24 in. | ----- | 7.50 | | |
| 24 to 30 in. | ----- | 10.00 | | |
| excelsa nana compacta. | <i>Dwarf Spruce.</i> | | | |
| 15 to 18 in. | ----- | 5.00 | | |
| 18 to 24 in. | ----- | 7.50 | | |
| excelsa pygmea. | <i>Dwarf Spruce.</i> | | | |
| 15 to 18 in. | ----- | 6.00 | | |
| 18 to 24 in. | ----- | 7.50 | | |
| excelsa Remonti. | <i>Remont's Dwarf Spruce.</i> | | | |
| 15 to 18 in. | ----- | 5.50 | | |
| 18 to 24 in. | ----- | 7.50 | | |
| nigra. | <i>Black Spruce.</i> | | | |
| 4 to 5 ft. | ----- | 3.00 | | |
| 5 to 6 ft. | ----- | 4.00 | | |
| 6 to 7 ft. | ----- | 5.00 | | |
| orientalis. | <i>Eastern Spruce.</i> | | | |
| 2 to 3 ft. | ----- | 3.00 | 25.00 | |
| 3 to 4 ft. | ----- | 4.00 | 35.00 | |
| polita. | <i>Tiger Tail Spruce.</i> | | | |
| 2 to 3 ft. | ----- | 4.00 | 35.00 | |
| 3 to 4 ft. | ----- | 5.00 | 45.00 | |
| 4 to 5 ft. | ----- | 6.50 | | |

| Picea | | each | per 10 | per 100 |
|-----------------------------------|-------------------------------|-------|--------|---------|
| pungens. | <i>Green Colorado Spruce.</i> | | | |
| 2 to 3 ft. | ----- | 3.00 | 25.00 | |
| 3 to 4 ft. | ----- | 4.00 | 35.00 | |
| 4 to 5 ft. | ----- | 5.00 | | |
| pungens glauca. | <i>Colorado Blue Spruce.</i> | | | |
| 2 to 3 ft. | ----- | 4.50 | 40.00 | |
| 3 to 4 ft. | ----- | 6.00 | 50.00 | |
| 4 to 5 ft. | ----- | 7.50 | | |
| pungens Kosteriana. | <i>Koster's Blue Spruce.</i> | | | |
| 2½ to 3 ft. | ----- | 7.50 | | |
| 3 to 3½ ft. | ----- | 10.00 | | |
| 3½ to 4 ft. | ----- | 12.50 | | |
| 4 to 4½ ft. | ----- | 15.00 | | |
| 4½ to 5 ft. | ----- | 18.00 | | |
| 5 to 5½ ft. | ----- | 20.00 | | |
| 7 ft. specimens | ----- | 35.00 | 300.00 | |
| 8 ft. specimens | ----- | 40.00 | 350.00 | |
| 9 ft. specimens | ----- | 45.00 | 400.00 | |
| Pinus austriaca. | <i>Austrian Pine.</i> | | | |
| 2 to 3 ft. | ----- | 2.50 | 20.00 | 175.00 |
| 3 to 4 ft. | ----- | 3.50 | 30.00 | 250.00 |
| 4 to 5 ft. | ----- | 5.00 | 45.00 | 400.00 |
| 5 to 6 ft. | ----- | 7.50 | 60.00 | 500.00 |
| 6 to 7 ft. | ----- | 10.00 | | |
| 7 to 8 ft. | ----- | 12.50 | | |
| 8 to 9 ft. | ----- | 15.00 | | |
| divaricata syn. Banksiana. | <i>Jack Pine.</i> | | | |
| 4 to 5 ft. | ----- | 3.00 | 25.00 | 200.00 |
| 5 to 6 ft. | ----- | 3.50 | 30.00 | |
| 6 to 7 ft. | ----- | 5.00 | 45.00 | |
| 7 to 8 ft. | ----- | 6.00 | | |
| 8 to 10 ft. | ----- | 7.50 | | |
| 10 to 12 ft. | ----- | 10.00 | | |
| densiflora. | <i>Japanese Red Pine.</i> | | | |
| 3 to 4 ft. | ----- | 3.50 | 30.00 | |
| 4 to 5 ft. | ----- | 4.50 | 40.00 | |
| 5 to 6 ft. | ----- | 5.00 | | |
| 6 to 7 ft. | ----- | 7.50 | | |
| 7 to 8 ft. | ----- | 10.00 | | |
| 8 to 9 ft. | ----- | 12.50 | | |

Pinus

| flexilis. | | each | per 10 | per 100 |
|------------------------|-----------------------------|-------|--------|---------|
| 2 to 3 ft. | ----- | 3.50 | 30.00 | |
| 3 to 4 ft. | ----- | 4.00 | 35.00 | |
| 4 to 5 ft. | ----- | 5.00 | | |
| 5 to 6 ft. | ----- | 7.50 | | |
| Jeffreyi. | <i>Jeffrey's Pine.</i> | | | |
| 5 to 6 ft. | ----- | 6.00 | 50.00 | |
| 6 to 8 ft. | ----- | 7.50 | | |
| montana. | <i>Swiss Mountain Pine.</i> | | | |
| 2½ to 3 ft. | ----- | 4.00 | 35.00 | |
| 3 to 3½ ft. | ----- | 5.00 | 45.00 | |
| 3½ to 4 ft. | ----- | 6.00 | 50.00 | |
| 4 to 5 ft. | ----- | 7.50 | | |
| montana mughus. | <i>Dwarf Mountain Pine.</i> | | | |
| 18 to 24 in. spread | ----- | 3.25 | 27.50 | |
| 2 to 2½ ft. spread | ----- | 3.50 | 30.00 | |
| 2½ to 3 ft. spread | ----- | 4.50 | 40.00 | |
| 3 to 3½ ft. spread | ----- | 6.00 | 50.00 | |
| 3½ to 4 ft. spread | ----- | 7.50 | 60.00 | |
| ponderosa. | <i>Bull Pine.</i> | | | |
| 2 to 3 ft. | ----- | 2.50 | 20.00 | |
| 3 to 4 ft. | ----- | 3.00 | 25.00 | |
| 4 to 5 ft. | ----- | 4.00 | 35.00 | |
| 5 to 6 ft. | ----- | 5.00 | 45.00 | |
| 6 to 7 ft. | ----- | 7.50 | | |
| 7 to 8 ft. | ----- | 10.00 | | |
| resinosa. | <i>Red Pine.</i> | | | |
| 2 to 3 ft. | ----- | 1.75 | 15.00 | 125.00 |
| 3 to 4 ft. | ----- | 2.00 | 17.50 | 150.00 |
| 4 to 5 ft. | ----- | 3.00 | 25.00 | 200.00 |
| 5 to 6 ft. | ----- | 4.00 | 35.00 | |
| 6 to 7 ft. | ----- | 5.00 | 45.00 | |
| 7 to 8 ft. | ----- | 7.50 | | |
| 8 to 10 ft. | ----- | 10.00 | | |
| strobis. | <i>White Pine.</i> | | | |
| 2 to 3 ft. | ----- | 1.50 | 12.50 | 100.00 |
| 3 to 4 ft. | ----- | 1.75 | 15.00 | 125.00 |
| 4 to 5 ft. | ----- | 3.00 | 25.00 | 175.00 |
| 5 to 6 ft. | ----- | 4.00 | 30.00 | 250.00 |
| 6 to 7 ft. | ----- | 5.00 | 40.00 | 350.00 |
| 7 to 8 ft. | ----- | 7.50 | 60.00 | |
| 8 to 10 ft. | ----- | 10.00 | | |
| 10 to 12 ft. | ----- | 15.00 | | |

| Pinus. | | each | per 10 | per 100 |
|--|--------------------------|-------|--------|---------|
| syvestris. Scotch Pine. | | | | |
| | 4 to 5 ft.----- | 3.00 | 25.00 | 200.00 |
| | 5 to 6 ft.----- | 3.50 | 30.00 | 250.00 |
| | 6 to 7 ft.----- | 5.00 | 45.00 | 350.00 |
| | 7 to 8 ft.----- | 7.50 | 60.00 | |
| | 8 to 9 ft.----- | 10.00 | | |
| | 9 to 10 ft.----- | 12.50 | | |
| | 10 to 12 ft.----- | 15.00 | | |
| Thunbergii. Japanese Pine. | | | | |
| | 3 to 4 ft.----- | 3.50 | 30.00 | |
| | 4 to 5 ft.----- | 5.00 | 45.00 | |
| | 5 to 6 ft.----- | 6.50 | 50.00 | |
| | 6 to 7 ft.----- | 7.50 | | |
| | 7 to 8 ft.----- | 10.00 | | |
| | 8 to 10 ft.----- | 12.50 | | |
| Pseudotsuga Douglasii. Douglas Spruce. | | | | |
| | 2 to 3 ft.----- | 3.00 | 27.50 | 250.00 |
| | 3 to 4 ft.----- | 3.50 | 32.50 | 275.00 |
| | 4 to 5 ft.----- | 5.00 | 42.50 | |
| | 5 to 6 ft.----- | 7.00 | | |
| | 6 to 7 ft.----- | 10.00 | | |
| Retinispora filifera. Thread branched Japan Cypress. | | | | |
| | 2 to 3 ft.----- | 4.00 | 35.00 | 325.00 |
| | 3 to 4 ft.----- | 5.00 | 45.00 | 400.00 |
| | 4 to 5 ft.----- | 7.50 | 65.00 | |
| | 5 to 6 ft.----- | 8.50 | | |
| filifera aurea. Golden Thread branched Japan Cypress. | | | | |
| | 18 in. spread----- | 3.75 | 35.00 | 325.00 |
| | 24 in. spread----- | 4.75 | 45.00 | |
| | 30 in. spread----- | 5.75 | | |
| filifera aurea nova. | | | | |
| | 18 to 24 in. spread----- | 4.50 | 40.00 | |
| | 24 to 30 in. spread----- | 5.00 | 45.00 | |
| obtusa compacta. Compact Cypress. | | | | |
| | 2 to 3 ft.----- | 4.50 | 40.00 | |
| | 3 to 4 ft.----- | 5.50 | 50.00 | |
| | 4 to 5 ft.----- | 7.50 | | |
| obtusa Crippsi. Yellow Cypress. | | | | |
| | 2 to 2½ ft.----- | 4.00 | 35.00 | |
| | 2½ to 3 ft.----- | 5.00 | 45.00 | |
| | 3 to 4 ft.----- | 7.50 | | |

Retinispora.**obtusa gracilis.**

| | each | per 10 | per 100 |
|-----------------|------|--------|---------|
| 2 to 3 ft.----- | 3.50 | 32.50 | |
| 3 to 4 ft.----- | 5.00 | 45.00 | |

obtusa gracilis aurea.

| | | | |
|-----------------|------|-------|--|
| 2 to 3 ft.----- | 4.00 | 35.00 | |
|-----------------|------|-------|--|

obtusa nana.

| | | | |
|-------------------|------|-------|--|
| 12 to 15 in.----- | 3.00 | 27.50 | |
| 15 to 18 in.----- | 3.50 | 32.50 | |
| 18 to 24 in.----- | 4.50 | 40.00 | |

obtusa nana aurea.

| | | | |
|-------------------|------|-------|--|
| 18 to 24 in.----- | 3.75 | 35.00 | |
| 2 to 3 ft.----- | 4.00 | 37.50 | |

pisifera. Pea fruited Cypress.

| | | | |
|-----------------|-------|-------|--|
| 3 to 4 ft.----- | 4.00 | 35.00 | |
| 4 to 5 ft.----- | 6.00 | 55.00 | |
| 5 to 6 ft.----- | 7.50 | | |
| 6 to 7 ft.----- | 10.00 | | |

pisifera aurea. Golden pea fruited Cypress.

| | | | |
|-----------------|-------|-------|--------|
| 2 to 3 ft.----- | 3.00 | 25.00 | 225.00 |
| 3 to 4 ft.----- | 4.00 | 35.00 | 300.00 |
| 4 to 5 ft.----- | 6.00 | 55.00 | |
| 5 to 6 ft.----- | 7.50 | | |
| 6 to 7 ft.----- | 10.00 | | |
| 7 to 8 ft.----- | 12.50 | | |
| 8 to 9 ft.----- | 15.00 | | |

plumosa. Plume-like Japan Cypress.

| | | | |
|------------------------------------|------|-------|--------|
| 2 to 3 ft. sheared specimens | 3.00 | 25.00 | 225.00 |
| 3 to 4 ft. sheared specimens | 4.00 | 35.00 | 300.00 |
| 4 to 5 ft. sheared specimens | 6.00 | 55.00 | |
| 5 to 6 ft. sheared specimens | 7.50 | 65.00 | |
| 2 ft. highx3 ft. spd. extra select | 5.00 | | |
| 3 ft. highx4 ft. spd. extra select | 7.50 | | |

plumosa aurea. Golden Plume-like Japan Cypress.

| | | | |
|------------------------------------|------|-------|--------|
| 2 to 3 ft. sheared specimens | 3.00 | 25.00 | 225.00 |
| 3 to 4 ft. sheared specimens | 4.00 | 35.00 | 300.00 |
| 4 to 5 ft. sheared specimens | 6.00 | 55.00 | |
| 5 to 6 ft. sheared specimens | 7.50 | | |
| 2 ft. highx3 ft. spd. extra select | 5.00 | | |
| 3 ft. highx4 ft. spd. extra select | 7.50 | | |

plumosa argentea.

| | | | |
|-----------------|------|-------|--|
| 2 to 3 ft.----- | 3.00 | 25.00 | |
| 3 to 4 ft.----- | 4.00 | 35.00 | |

| Retinispora. | each | per 10 | per 100 |
|--|-------|--------|---------|
| plumosa lutescens. (<i>Globe form</i>) | | | |
| 15 to 18 in.----- | 3.00 | | |
| 18 to 24 in.----- | 4.00 | | |
| 24 to 30 in.----- | 5.00 | | |
| plumosa su'phurea. | | | |
| 2 to 3 ft.----- | 3.50 | 30.00 | |
| 3 to 4 ft.----- | 4.50 | 40.00 | |
| squarrosa Veitchii. <i>Silver Retinispora.</i> | | | |
| 2 to 3 ft. sheared specimens | 3.25 | 30.00 | 275.00 |
| 3 to 4 ft. sheared specimens | 4.00 | 37.50 | 325.00 |
| 4 to 5 ft. sheared specimens | 6.00 | | |
| Sciadopitys verticillata. <i>Umbrella Pine.</i> | | | |
| 24 to 30 in.----- | 4.50 | 40.00 | |
| 2½ to 3 ft.----- | 5.50 | 50.00 | |
| 3 to 3½ ft.----- | 7.50 | 65.00 | |
| 3½ to 4 ft.----- | 8.50 | | |
| Taxus baccata. <i>English Yew.</i> | | | |
| 18 to 24 in.----- | 3.00 | 25.00 | |
| 24 to 30 in.----- | 3.50 | 30.00 | |
| 2½ to 3 ft.----- | 4.00 | | |
| 3 to 3½ ft.----- | 5.00 | | |
| baccata erecta. | | | |
| 18 to 24 in.----- | 3.00 | | |
| baccata fastigiata. <i>Irish Yew.</i> | | | |
| 18 to 24 in.----- | 3.00 | | |
| 2 to 3 ft.----- | 3.50 | | |
| canadensis. <i>American Yew.</i> | | | |
| 18 to 24 in.----- | 3.00 | 27.50 | |
| 2 to 2½ ft.----- | 3.50 | 30.00 | |
| 2½ to 3 ft.----- | 4.00 | 35.00 | |
| cuspidata. <i>Japanese Yew.</i> | | | |
| 2 to 2½ ft.----- | 5.00 | 45.00 | |
| 2½ to 3 ft.----- | 6.00 | 50.00 | |
| 3 to 3½ ft.----- | 7.50 | 60.00 | |
| 3½ to 4 ft.----- | 10.00 | 75.00 | |
| cuspidata capitata. | | | |
| 2 to 2½ ft.----- | 5.00 | 45.00 | |
| 2½ to 3 ft.----- | 6.00 | 50.00 | |
| 3 to 3½ ft.----- | 7.50 | 60.00 | |
| 3½ to 4 ft.----- | 10.00 | 75.00 | |
| cuspidata brevifolia. | | | |
| 18 to 24 in.----- | 5.00 | 45.00 | |
| 2 to 2½ ft.----- | 7.50 | | |

Taxus.

| repandens. | <i>Spreading Yew.</i> | each | per 10 | per 100 |
|-------------------|-----------------------|------|--------|---------|
| 15 to 18 in. | spread_____ | 3.00 | | |
| 18 to 24 in. | spread_____ | 3.50 | | |

Washingtoni. *Golden Yew.*

| | | | | |
|--------------|-------|------|-------|--|
| 15 to 18 in. | _____ | 4.00 | 30.00 | |
| 18 to 24 in. | _____ | 5.00 | 40.00 | |

Thuja ericoides. *Heath-leaved Arborvitae.*

| | | | | |
|--------------|-------|------|-------|--|
| 18 to 24 in. | _____ | 1.75 | 15.00 | |
| 2 to 3 ft. | _____ | 2.50 | 20.00 | |

occidentalis. *American Arborvitae.*

| | | | | |
|------------|-----------------|------|-------|--------|
| 2 to 3 ft. | _____ | 1.75 | 15.00 | 125.00 |
| 3 to 4 ft. | _____ | 2.00 | 17.50 | 150.00 |
| 4 to 5 ft. | _____ | 2.50 | 22.50 | 200.00 |
| 4 to 5 ft. | heavy specimens | 4.00 | 35.00 | |
| 5 to 6 ft. | _____ | 4.00 | 35.00 | 325.00 |
| 5 to 6 ft. | heavy specimens | 6.00 | 55.00 | |
| 6 to 7 ft. | _____ | 6.00 | 55.00 | |
| 7 to 8 ft. | _____ | 7.50 | | |

occidentalis aurea Douglasi. *Douglas Golden Arborvitae.*

| | | | | |
|------------|----------------|------|-------|--|
| 3 to 4 ft. | _____ | 3.00 | 27.50 | |
| 4 to 5 ft. | _____ | 5.00 | | |
| 5 to 6 ft. | specimens_____ | 7.50 | | |

occidentalis Co'lumbia. *Silver-tipped Arborvitae.*

| | | | | |
|------------|-------|-------|-------|--|
| 3 to 4 ft. | _____ | 4.00 | 35.00 | |
| 4 to 5 ft. | _____ | 5.00 | | |
| 5 to 6 ft. | _____ | 7.50 | | |
| 6 to 7 ft. | _____ | 10.00 | | |

occidentalis compacta.

| | | | | |
|--------------|-------|------|-------|--|
| 18 to 24 in. | _____ | 2.50 | 20.00 | |
| 24 to 30 in. | _____ | 3.00 | 25.00 | |

occidentalis compacta, Parson's.

| | | | | |
|-------------|-------|------|-------|--|
| 2 to 2½ ft. | _____ | 2.75 | 25.00 | |
| 2½ to 3 ft. | _____ | 3.00 | 27.50 | |
| 3 to 3½ ft. | _____ | 4.00 | 35.00 | |
| 3½ to 4 ft. | _____ | 5.00 | | |

occidentalis elegantissima.

| | | | | |
|------------|-------|------|-------|--|
| 3 to 4 ft. | _____ | 4.00 | 35.00 | |
| 4 to 5 ft. | _____ | 5.00 | | |
| 5 to 6 ft. | _____ | 6.50 | | |

Thuya.

| | | each | per 10 | per 100 |
|---|-----------|------|--------|---------|
| occidentalis Ellwangeriana. | | | | |
| 18 | to 24 in. | 1.75 | 15.00 | |
| 24 | to 30 in. | 2.50 | 22.50 | |
| 2½ | to 3 ft. | 3.00 | 27.50 | |
| 3 | to 3½ ft. | 3.75 | 32.50 | |
| occidentalis globosa. Globe Arborvitae. | | | | |
| 18 | to 24 in. | 2.25 | 20.00 | |
| 24 | to 30 in. | 2.50 | 22.50 | |
| occidentalis Hoveyii. Hovey's Golden Arborvitae. | | | | |
| 18 | to 24 in. | 2.00 | 17.50 | 150.00 |
| 2 | to 2½ ft. | 2.25 | 20.00 | 175.00 |
| 2½ | to 3 ft. | 2.75 | 25.00 | 225.00 |
| 3 | to 3½ ft. | 4.00 | 35.00 | |
| 3½ | to 4 ft. | 5.00 | | |
| occidentalis Lobbi. | | | | |
| 2½ | to 3 ft. | 3.00 | 25.00 | |
| 3 | to 4 ft. | 4.00 | 35.00 | |
| 4 | to 5 ft. | 5.00 | | |
| 5 | to 6 ft. | 6.00 | | |
| occidentalis lutea. Geo. Peabody's Arborvitae. | | | | |
| 2 | to 3 ft. | 3.00 | 25.00 | |
| 3 | to 4 ft. | 3.50 | 30.00 | |
| 4 | to 5 ft. | 5.00 | 40.00 | |
| 5 | to 6 ft. | 6.50 | | |
| 6 | to 7 ft. | 8.00 | | |
| occidentalis pumila. | | | | |
| 18 | to 24 in. | 2.50 | 22.50 | |
| occidentalis pyramidalis. Pyramidal Arborvitae. | | | | |
| 3 | to 4 ft. | 3.00 | 27.50 | 250.00 |
| 4 | to 5 ft. | 4.00 | 37.50 | 350.00 |
| 5 | to 6 ft. | 6.00 | 50.00 | |
| 6 | to 7 ft. | 7.50 | | |
| occidentalis pyramidalis Douglassi. | | | | |
| 3 | to 4 ft. | 3.50 | 30.00 | |
| 4 | to 5 ft. | 4.50 | 40.00 | |
| 5 | to 6 ft. | 7.50 | 60.00 | |
| A pyramidal type with a broad base. | | | | |
| occidentalis Reevesi. | | | | |
| 18 | to 24 in. | 2.25 | 20.00 | |
| 2 | to 2½ ft. | 3.00 | 25.00 | |
| 2½ | to 3 ft. | 3.25 | 27.50 | |

Thuya

| occidentalis Riversi. | each | per 10 | per 100 |
|--|-------|--------|---------|
| 3 to 4 ft.----- | 3.25 | 27.50 | |
| 4 to 5 ft.----- | 5.00 | 40.00 | |
| 5 to 6 ft.----- | 6.00 | | |
| 6 to 7 ft.----- | 7.50 | | |
| occidentalis Rosenthali. | | | |
| 3 to 4 ft.----- | 3.50 | 30.00 | |
| 4 to 5 ft.----- | 4.50 | 40.00 | |
| 5 to 6 ft.----- | 6.00 | | |
| occidentalis umbraculifera. Dwarf Arborvitae. | | | |
| 18 to 24 in.----- | 2.75 | 25.00 | |
| 24 to 30 in.----- | 3.25 | | |
| 2½ to 3 ft.----- | 4.50 | | |
| occidentalis siberica. Siberian Arborvitae. | | | |
| 18 to 24 in.----- | 2.25 | 20.00 | 175.00 |
| 2 to 2½ ft.----- | 2.75 | 25.00 | 200.00 |
| 2½ to 3 ft.----- | 3.00 | 27.50 | 225.00 |
| 3 to 3½ ft.----- | 4.00 | 35.00 | |
| 3½ to 4 ft.----- | 5.00 | 45.00 | |
| occidentalis siberica lutescens. | | | |
| 24 to 30 in.----- | 3.00 | 25.00 | |
| 2½ to 3 ft.----- | 3.50 | 30.00 | |
| occidentalis spiralis. | | | |
| 3 to 4 ft.----- | 3.50 | 30.00 | |
| 4 to 5 ft.----- | 5.00 | 45.00 | |
| 5 to 6 ft.----- | 6.00 | 55.00 | |
| 6 to 7 ft.----- | 7.50 | | |
| occidentalis Vervaeana. | | | |
| 3 to 4 ft.----- | 3.00 | 25.00 | |
| 4 to 5 ft.----- | 4.00 | 37.50 | |
| 5 to 6 ft.----- | 5.00 | 45.00 | |
| 6 to 7 ft.----- | 7.50 | | |
| orientalis. Chinese Arborvitae. | | | |
| 2 to 3 ft.----- | 2.00 | 17.50 | 150.00 |
| 3 to 4 ft.----- | 3.00 | 25.00 | 200.00 |
| 4 to 5 ft.----- | 4.00 | 35.00 | 300.00 |
| 5 to 6 ft.----- | 6.00 | 50.00 | 450.00 |
| 6 to 7 ft.----- | 7.50 | 60.00 | |
| 7 to 8 ft.----- | 10.00 | | |

| Thuya | each | per 10 | per 100 |
|--|-------|--------|---------|
| orientalis nana aurea. | | | |
| <i>Golden Dwarf Chinese Arborvitae.</i> | | | |
| 18 to 24 in.----- | 2.50 | 20.00 | |
| 2 to 3 ft.----- | 2.75 | 25.00 | |
| orientalis semperaurescens. <i>Golden Chinese Arborvitae.</i> | | | |
| 18 to 24 in.----- | 3.00 | 25.00 | |
| Thuyopsis borealis glauca. | | | |
| 2 to 3 ft.----- | 3.00 | 25.00 | |
| 3 to 4 ft.----- | 4.00 | 35.00 | |
| 4 to 5 ft.----- | 5.50 | | |
| Tsuga canadensis. <i>Hemlock Spruce.</i> | | | |
| 2 to 3 ft.----- | 3.25 | 27.50 | 250.00 |
| 3 to 4 ft.----- | 4.00 | 35.00 | 325.00 |
| 4 to 5 ft.----- | 5.50 | 50.00 | 450.00 |
| 5 to 6 ft.----- | 7.50 | 65.00 | |
| 6 to 7 ft.----- | 9.00 | | |
| 7 to 8 ft.----- | 12.50 | | |
| Sargenti pendula. <i>Weeping Hemlock.</i> | | | |
| 2 to 3 ft. spread----- | 6.00 | 50.00 | |
| 3 to 4 ft. spread----- | 7.50 | | |
| Sieboldi. <i>Japanese Hemlock.</i> | | | |
| 18 to 24 in.----- | 2.75 | 25.00 | |
| 2 to 3 ft.----- | 3.50 | | |

Deciduous Shrubs

The figures printed in italics following each variety indicate the average height of the plant at maturity.

Abelia rupestris grandiflora.

| | | | |
|-------------------------|-----|------|--|
| 15 to 18 in. bushy----- | .65 | 5.50 | |
| 18 to 24 in. bushy----- | .75 | 6.50 | |

Acanthopanax. (*See Aralia.*)

Althea. (*See Hibiscus.*)

Almond. (*See Prunus.*)

Alnus serrulata. *Shrubby Alder. 10'*

| | | | |
|-------------------------|-----|------|--|
| 18 to 24 in. bushy----- | .50 | 4.00 | |
| 2 to 3 ft.----- | .60 | 5.00 | |

Amelanchier Botryapium. *Dwarf Juneberry. 10'*

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 30.00 |
| 3 to 4 ft.----- | .60 | 5.00 | 40.00 |

laevis.

| | | | |
|-----------------|------|------|--|
| 2 to 3 ft.----- | .50 | 4.00 | |
| 3 to 4 ft.----- | .60 | 5.00 | |
| 4 to 5 ft.----- | 1.00 | 7.50 | |

| Amelanchier | | each | per 10 | per 100 |
|---------------------------|-------------------------------|------|--------|---------|
| vulgaris. | <i>European Serviceberry.</i> | 25' | | |
| 2 to 3 ft. | ----- | .45 | 3.50 | 30.00 |
| 3 to 4 ft. | ----- | .60 | 5.00 | 40.00 |
| 4 to 5 ft. | ----- | .75 | 6.00 | |
| 5 to 6 ft. | ----- | 1.00 | 7.50 | |
| 6 to 8 ft. | ----- | 1.25 | 10.00 | |
| Amorpha canescens. | <i>Lead Plant.</i> | 2' | | |
| 15 to 18 in. | ----- | .40 | 3.00 | 25.00 |
| 18 to 24 in. | ----- | .45 | 3.50 | 30.00 |
| 2 to 3 ft. | ----- | .50 | 4.00 | 35.00 |
| fruticosa. | <i>Indigo Shrub.</i> | 10' | | |
| 2 to 3 ft. | ----- | .30 | 2.50 | 20.00 |
| 3 to 4 ft. | ----- | .35 | 3.00 | 25.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 35.00 |
| 5 to 6 ft. | ----- | .75 | 6.00 | 50.00 |
| 6 to 8 ft. | ----- | 1.00 | 7.50 | |
| Amygdalus. | <i>(See Prunus.)</i> | | | |
| Aralia Japonica. | <i>Angelica Tree.</i> | 25' | | |
| 2 to 3 ft. | ----- | .40 | 3.50 | 25.00 |
| 3 to 4 ft. | ----- | .50 | 4.00 | 35.00 |
| 4 to 5 ft. | ----- | .60 | 5.00 | 40.00 |
| 5 to 6 ft. | ----- | .75 | 6.50 | 50.00 |
| 6 to 8 ft. | ----- | 1.25 | 10.00 | 75.00 |
| 8 to 10 ft. | ----- | 3.00 | 25.00 | |
| Mandshurica. | <i>Mandshurian Aralia.</i> | 25' | | |
| 3 to 4 ft. | ----- | .60 | 5.00 | 40.00 |
| 4 to 5 ft. | ----- | .75 | 6.00 | 50.00 |
| pentaphylla. | <i>Five-leaved Aralia.</i> | 10' | | |
| 2 to 3 ft. | ----- | .40 | 3.00 | 25.00 |
| 3 to 4 ft. | ----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft. | ----- | .60 | 5.00 | 40.00 |
| 5 to 6 ft. | ----- | .75 | 6.00 | 50.00 |
| ricinifolia. | 25' | | | |
| 3 to 4 ft. | ----- | .50 | 4.00 | |
| 4 to 5 ft. | ----- | .60 | 5.00 | |
| 5 to 6 ft. | ----- | 1.00 | 7.50 | |
| 6 to 8 ft. | ----- | 1.25 | 10.00 | |
| 8 to 10 ft. | ----- | 1.50 | 12.50 | |
| 10 to 12 ft. | ----- | 2.50 | 20.00 | |

| Aralia spinosa. Hercules Club. 25' each | | per 10 | per 100 |
|--|------|--------|---------|
| 2 to 3 ft. | .40 | 3.00 | 25.00 |
| 3 to 4 ft. | .50 | 4.00 | 35.00 |
| 4 to 5 ft. | .60 | 5.00 | 40.00 |
| 5 to 6 ft. | .75 | 6.00 | 50.00 |
| 6 to 8 ft. | 1.00 | 8.50 | 75.00 |
| 8 to 10 ft. clumps | 3.00 | 25.00 | |
| 10 to 12 ft. clumps | 4.00 | 35.00 | |

Aronia See *Pyrus*.

| Azalea canescens. Pink Azalea. 6' | | | |
|--|--------------|-------|--------|
| 2 to 3 ft. | B. & B. 2.00 | 17.50 | 150.00 |
| calendulacea. Flame Azalea. 6' | | | |
| 2 to 3 ft. | B. & B. 2.00 | 17.50 | 150.00 |
| nudiflora. Pinkster Flower. 4' | | | |
| 2 to 3 ft. | B. & B. 2.00 | 17.50 | 150.00 |
| viscosa. White Azalea. 6' | | | |
| 18 to 24 in. | B. & B. 1.75 | 15.00 | 135.00 |
| 24 to 30 in. | B. & B. 2.00 | 17.50 | 150.00 |

| Baccharis halimifolia. Groundsel Shrub. 10' | | | |
|--|-----|------|--|
| 2 to 3 ft. | .45 | 3.50 | |
| 3 to 4 ft. | .55 | 4.50 | |
| 4 to 5 ft. | .75 | 6.00 | |

Benzoin aestivale. See *Lindera*.

| Berberis amurensis Hackodate. syn. Sieboldi. 6' | | | |
|--|-----|------|-------|
| 18 to 24 in. | .40 | 3.00 | 25.00 |
| 2 to 3 ft. | .50 | 4.00 | 30.00 |
| 3 to 4 ft. | .60 | 5.00 | 40.00 |

| ilicifolia. Holly-leaved Barberry. 4' | | | |
|--|-----|------|--|
| 18 to 24 in. | .50 | 4.00 | |
| 24 to 30 in. | .60 | 5.00 | |
| 2½ to 3 ft. | .75 | 6.00 | |

| Thunbergii. Japanese Barberry. 4' | | | |
|--|------|------|-------|
| 15 to 18 in. | .35 | 2.50 | 22.00 |
| 18 to 24 in. | .40 | 3.00 | 25.00 |
| 24 to 30 in. | .50 | 4.00 | 35.00 |
| 2 to 2½ ft. specimens | .60 | 5.00 | |
| 2½ to 3 ft. specimens | .80 | 7.00 | |
| 3 to 3½ ft. specimens | 1.00 | 9.00 | |

| Thunbergii plurifolia. 5' | | | |
|----------------------------------|-----|------|-------|
| 18 to 24 in. | .40 | 3.00 | 25.00 |
| 24 to 30 in. | .45 | 4.00 | 35.00 |
| 2½ to 3 ft. | .50 | 4.50 | 40.00 |

| | | each | per 10 | per 100 |
|-----------------------------------|--------------------------------|------|--------|---------|
| Berberis Wilsoni. | 4' | | | |
| 18 to 24 in. | ----- | .40 | 3.00 | |
| 2 to 3 ft. | ----- | .50 | 3.50 | |
| Berchemia racemosa. | <i>Chinese Supple Jack.</i> 3' | | | |
| 18 to 24 in. | ----- | .50 | 4.00 | |
| Buddleia intermedia. | <i>Butterfly Bush.</i> 5' | | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 20.00 |
| 3 to 4 ft. | ----- | .40 | 3.50 | 25.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | |
| Lindleyana. | 5' | | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 20.00 |
| 3 to 4 ft. | ----- | .40 | 3.50 | 25.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | |
| variabilis. | 5' | | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 20.00 |
| 3 to 4 ft. | ----- | .40 | 3.50 | 25.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | |
| Veitchii. | <i>Butterfly Bush.</i> 5' | | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 20.00 |
| 3 to 4 ft. | ----- | .40 | 3.50 | 25.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | |
| Callicarpa purpurea. | 4' | | | |
| 18 to 24 in. | ----- | .40 | 3.00 | 25.00 |
| 2 to 3 ft. | ----- | .50 | 4.00 | 30.00 |
| Calycanthus floridus. | <i>Strawberry Shrub.</i> 5' | | | |
| 2 to 2½ ft. | ----- | .40 | 3.50 | 25.00 |
| 2½ to 3 ft. | ----- | .50 | 4.00 | 30.00 |
| 3 to 3½ ft. | ----- | .60 | 5.00 | 40.00 |
| Caragana arborescens. | <i>Siberian Pea.</i> 15' | | | |
| 2 to 3 ft. | ----- | .40 | 3.00 | 20.00 |
| 3 to 4 ft. | ----- | .50 | 3.50 | 25.00 |
| 4 to 5 ft. | ----- | .60 | 4.50 | 35.00 |
| 5 to 6 ft. | ----- | .75 | 6.00 | |
| 6 to 8 ft. | ----- | 1.00 | 7.50 | |
| Caryopteris mastacanthus. | <i>Blue Spirea.</i> 4' | | | |
| 18 to 24 in. | ----- | .40 | 3.00 | |
| 2 to 3 ft. | ----- | .50 | 3.50 | |
| Ceanothus Americanus. | <i>New Jersey Tea.</i> 3' | | | |
| 18 to 24 in. | ----- | .50 | 4.00 | |
| 2 to 3 ft. | ----- | .60 | 4.50 | |
| Cephalanthus occidentalis. | <i>Button Bush.</i> 6' | | | |
| 2 to 3 ft. | ----- | .40 | 3.00 | 20.00 |
| 3 to 4 ft. | ----- | .50 | 3.50 | 25.00 |
| 4 to 5 ft. | ----- | .60 | 4.00 | |

| | each | per 10 | per 100 |
|---|------|--------|---------|
| Chionanthus Virginica. White Fringe. 25' | | | |
| 2 to 3 ft. bushy----- | 1.50 | 10.00 | |
| 3 to 4 ft. bushy----- | 1.75 | 12.50 | |
| 4 to 5 ft. bushy----- | 2.50 | 20.00 | |
| 5 to 6 ft. bushy----- | 3.00 | 25.00 | |
| 6 to 7 ft. bushy----- | 4.00 | 35.00 | |
| Clerodendron trichotonum. 6' | | | |
| 18 to 24 in.----- | .75 | 5.00 | |
| 2 to 3 ft.----- | 1.00 | 7.50 | |
| Clethra alnifolia. Sweet Pepper Bush. 5' | | | |
| 18 to 24 in.----- | .40 | 3.00 | 25.00 |
| 2 to 3 ft.----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft.----- | .60 | 5.00 | 40.00 |
| Colutea arborescens. Bladder Senna. 10' | | | |
| 2 to 3 ft.----- | .40 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .60 | 5.00 | 40.00 |
| Comptonia asplenifolia. 3' | | | |
| 18 to 24 ft.----- | .40 | 3.00 | |
| 2 to 3 ft.----- | .50 | 4.00 | 35.00 |
| Cornus alba. Red-twigged Dogwood. 10' | | | |
| 2 to 3 ft.----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft.----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft.----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft.----- | .60 | 4.50 | 35.00 |
| 6 to 8 ft.----- | .75 | 5.00 | 40.00 |
| alba elegantissima. | | | |
| <i>Silver variegated Dogwood. 6'</i> | | | |
| 2 to 3 ft.----- | .50 | 4.00 | 35.00 |
| 3 to 4 ft.----- | .60 | 5.00 | 40.00 |
| 4 to 5 ft.----- | .75 | 6.00 | 50.00 |
| 5 to 6 ft.----- | 1.00 | 7.50 | |
| alba Siberica. Red Siberian Dogwood. 10' | | | |
| 2 to 3 ft.----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft.----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft.----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft.----- | .60 | 4.50 | 35.00 |
| 6 to 8 ft.----- | .75 | 5.00 | 40.00 |
| alba Spaethi aurea. | | | |
| <i>Golden variegated Dogwood. 8'</i> | | | |
| 2 to 3 ft.----- | .50 | 4.00 | 35.00 |
| 3 to 4 ft.----- | .60 | 5.00 | 40.00 |
| 4 to 5 ft.----- | .75 | 6.00 | 50.00 |
| 5 to 6 ft.----- | .90 | 7.50 | |

| Cornus. | | each | per 10 | per 100 |
|---|-------|------|--------|---------|
| alternifolia. <i>Blue Dogwood.</i> 20' | | | | |
| 2 to 3 ft. | ----- | .40 | 3.50 | 30.00 |
| 3 to 4 ft. | ----- | .60 | 4.50 | 35.00 |
| 4 to 5 ft. | ----- | .75 | 6.00 | |
| 5 to 6 ft. | ----- | 1.00 | 7.50 | |
| Baileyi. 10' | | | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 20.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 25.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 35.00 |
| 5 to 6 ft. | ----- | .60 | 5.00 | 40.00 |
| 6 to 8 ft. | ----- | .75 | 6.00 | 50.00 |
| Kousa. 20' | | | | |
| 2 to 3 ft. | ----- | .75 | 6.00 | 50.00 |
| 3 to 4 ft. | ----- | 1.00 | 7.50 | 65.00 |
| 4 to 5 ft. | ----- | 1.50 | 10.00 | |
| mascula. <i>Cornelian Cherry.</i> 20' | | | | |
| 3 to 4 ft. | ----- | .50 | 3.50 | 30.00 |
| 4 to 5 ft. | ----- | .60 | 5.00 | 40.00 |
| 5 to 6 ft. | ----- | .75 | 6.00 | 50.00 |
| 6 to 8 ft. | ----- | 1.00 | 7.50 | |
| 8 to 10 ft. | ----- | 1.25 | 10.00 | |
| paniculata. <i>Gray Dogwood.</i> 15' | | | | |
| 2 to 3 ft. | ----- | .35 | 3.00 | 20.00 |
| 3 to 4 ft. | ----- | .45 | 3.50 | 25.00 |
| 4 to 5 ft. | ----- | .60 | 5.00 | 40.00 |
| 5 to 6 ft. | ----- | .75 | 6.00 | 50.00 |
| 6 to 8 ft. | ----- | 1.00 | 7.50 | |
| pubescens. 10' | | | | |
| 3 to 4 ft. | ----- | .40 | 3.00 | 25.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 35.00 |
| 5 to 6 ft. | ----- | .60 | 5.00 | 40.00 |
| 6 to 8 ft. | ----- | .75 | 6.00 | 50.00 |
| sanguinea. <i>English Osier.</i> 10' | | | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft. | ----- | .60 | 4.50 | 35.00 |
| 6 to 8 ft. | ----- | .75 | 5.00 | 40.00 |
| sanguinea viridissima. <i>Green-twigg'd Dogwood.</i> 10' | | | | |
| 2 to 3 ft. | ----- | .40 | 3.00 | 25.00 |
| 3 to 4 ft. | ----- | .50 | 4.00 | 35.00 |
| 4 to 5 ft. | ----- | .60 | 5.00 | |

| Cornus. | | each | per 10 | per 100 |
|---|-------|------|--------|---------|
| sericea. syn. Amomum. Silky Cornel. | | 10' | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft. | ----- | .60 | 4.50 | 35.00 |
| 6 to 8 ft. | ----- | .75 | 5.00 | 40.00 |
| stolonifera. Red Osier Dogwood. 8' | | | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft. | ----- | .60 | 4.50 | 35.00 |
| 6 to 8 ft. | ----- | .75 | 5.00 | 40.00 |
| stolonifera flaviramea. | | | | |
| <i>Yellow-twigg'd Dogwood. 8'</i> | | | | |
| 2 to 3 ft. | ----- | .35 | 3.00 | 20.00 |
| 3 to 4 ft. | ----- | .40 | 3.50 | 25.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 35.00 |
| 5 to 6 ft. | ----- | .75 | 6.00 | |
| Corylus Americana. American Hazelnut. 10' | | | | |
| 2 to 3 ft. | ----- | .40 | 3.50 | 30.00 |
| 3 to 4 ft. | ----- | .50 | 4.50 | 40.00 |
| 4 to 5 ft. | ----- | .60 | 5.50 | 50.00 |
| 5 to 6 ft. | ----- | .75 | 6.50 | 60.00 |
| 6 to 8 ft. | ----- | 1.25 | 10.00 | |
| avellana. English Filbert. 15' | | | | |
| 2 to 3 ft. | ----- | .40 | 3.00 | 25.00 |
| 3 to 4 ft. | ----- | .50 | 4.00 | 35.00 |
| 4 to 5 ft. | ----- | .60 | 5.00 | 40.00 |
| 5 to 6 ft. | ----- | .75 | 6.00 | 50.00 |
| 6 to 8 ft. | ----- | 1.00 | 7.50 | 60.00 |
| 8 to 10 ft. | ----- | 1.50 | 12.50 | 75.00 |
| avellana purpurea. Purple-leaved Filbert. 15' | | | | |
| 2 to 3 ft. | ----- | 1.25 | 10.00 | |
| 3 to 4 ft. | ----- | 1.50 | 12.50 | |
| rostrata. Beaked Hazelnut. 6' | | | | |
| 2 to 3 ft. | ----- | .50 | 4.00 | |
| 3 to 4 ft. | ----- | .60 | 5.00 | |
| Cotoneaster acutifolia. Black fruited Quinceberry. 12' | | | | |
| 2 to 3 ft. | ----- | .40 | 3.00 | 25.00 |
| 3 to 4 ft. | ----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft. | ----- | .60 | 5.00 | 40.00 |

| Cotoneaster. | each | per 10 | per 100 |
|--|------|--------|---------|
| adpressa. 2' | | | |
| 15 to 18 in. ----- | 1.00 | 7.50 | |
| applanata. 6' | | | |
| 2 to 3 ft. | .60 | 5.00 | |
| 3 to 4 ft. | 1.00 | 7.50 | |
| divaricata. 6' | | | |
| 2 to 3 ft. | .60 | 5.00 | |
| 3 to 4 ft. | 1.00 | 7.50 | |
| foveolata. Scarlet fruited Quinceberry. 10' | | | |
| 2 to 3 ft. | .60 | 5.00 | |
| 3 to 4 ft. | 1.00 | 7.50 | |
| horizontalis. Prostrate Quinceberry. 3' | | | |
| 15 to 18 in. spread ----- | 1.00 | 7.50 | |
| hupehensis. 5' | | | |
| 2 to 3 ft. | .60 | 5.00 | |
| 3 to 4 ft. | 1.00 | 7.50 | |
| lucida. 12' | | | |
| 2 to 3 ft. | .75 | 5.00 | |
| nitens. 6' | | | |
| 2 to 3 ft. | .75 | 5.00 | |
| obscura. 10' | | | |
| 2 to 3 ft. | .75 | 5.00 | |
| sinensis. 10' | | | |
| 2 to 3 ft. | .40 | 3.00 | 25.00 |
| 3 to 4 ft. | .50 | 4.00 | 30.00 |
| simonsi. 5' | | | |
| 2 to 3 ft. | .45 | 3.50 | |
| 3 to 4 ft. | .60 | 5.00 | |
| Cydonia Japonica. Japan Quince. 5' | | | |
| 2 to 3 ft. | .50 | 4.00 | 35.00 |
| 3 to 4 ft. | .60 | 4.50 | 40.00 |
| Japonica Mau'ei. Orange Japan Quince. 5' | | | |
| 2 to 3 ft. | .60 | 5.00 | 40.00 |
| 3 to 4 ft. | .75 | 6.00 | 50.00 |
| Japonica Umbellicata. Pink Japan Quince. 5' | | | |
| 2 to 3 ft. | .60 | 5.00 | 40.00 |
| 3 to 4 ft. | .75 | 6.00 | 50.00 |
| Cytisus hirsutus. 3' | | | |
| 2 to 3 ft. | .35 | 3.00 | |
| Daphne mezereum. 4' | | | |
| 18 to 24 in. with ball ----- | 1.75 | 15.00 | |
| 24 to 30 in. with ball ----- | 2.25 | 20.00 | |

| Desmodium. (<i>See Lespedeza.</i>) | | each | per 10 | per 100 |
|--|-------|------|--------|---------|
| Deutzia crenata. 12' | | | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft. | ----- | .60 | 4.50 | 35.00 |
| 6 to 8 ft. XX heavy | ----- | .75 | 5.00 | 40.00 |
| crenata candida. 12' | | | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft. | ----- | .60 | 4.50 | 35.00 |
| 6 to 8 ft. XX heavy | ----- | .75 | 5.00 | 40.00 |
| crenata Wateri. 12' | | | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft. | ----- | .60 | 4.50 | 35.00 |
| 6 to 8 ft. XX heavy | ----- | .75 | 5.00 | 40.00 |
| crenata rosea. 12' | | | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft. | ----- | .60 | 5.00 | 40.00 |
| crenata Pride of Rochester. 12' | | | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft. | ----- | .60 | 4.50 | 35.00 |
| 6 to 8 ft. XX heavy | ----- | .75 | 5.00 | 40.00 |
| gracilis. Dwarf Deutzia. 3' | | | | |
| 15 to 18 in. | ----- | .35 | 3.00 | 25.00 |
| 18 to 24 in. | ----- | .24 | 3.50 | 30.00 |
| 24 to 30 in. | ----- | .60 | 4.50 | 40.00 |
| gracilis campanulata. 5' | | | | |
| 18 to 24 in. | ----- | .40 | 3.00 | 25.00 |
| 24 to 30 in. | ----- | .50 | 4.00 | 35.00 |
| 2½ to 3 ft. | ----- | .55 | 4.50 | 40.00 |
| 3 to 4 ft. | ----- | .65 | 5.50 | 45.00 |
| gracilis carminea. 4' | | | | |
| 18 to 24 in. | ----- | .40 | 3.50 | 30.00 |
| 2 to 3 ft. | ----- | .50 | 4.50 | 40.00 |

Deutzia.

| gracilis rosea. 4' | each | per 10 | per 100 |
|---------------------------|------|--------|---------|
| 18 to 24 in.----- | .40 | 3.50 | 30.00 |
| 24 to 30 in.----- | .50 | 4.50 | 40.00 |
| 2½ to 3 ft.----- | .75 | 6.00 | 50.00 |

| gracilis venusta. 5' | | | |
|-----------------------------|-----|------|-------|
| 18 to 24 in.----- | .40 | 3.00 | 25.00 |
| 24 to 30 in.----- | .50 | 4.00 | 35.00 |
| 2½ to 3 ft.----- | .55 | 4.50 | 40.00 |
| 3 to 4 ft.----- | .65 | 5.50 | |

| Lemoinei. 5' | | | |
|---------------------|-----|------|-------|
| 18 to 24 in.----- | .40 | 3.00 | 25.00 |
| 24 to 30 in.----- | .50 | 4.00 | 35.00 |
| 2½ to 3 ft.----- | .55 | 4.50 | 40.00 |
| 3 to 4 ft.----- | .65 | 5.50 | 50.00 |

| Lemoine Avalanche. 4' | | | |
|------------------------------|-----|------|-------|
| 2 to 2½ ft.----- | .50 | 4.00 | 35.00 |
| 2½ to 3 ft.----- | .60 | 5.00 | 40.00 |

| scabra. 12' | | | |
|--------------------|-----|------|-------|
| 2 to 3 ft.----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft.----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft.----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft.----- | .60 | 4.50 | 35.00 |

| Diervilla Abel Carriere. 10' | | | |
|-------------------------------------|-----|------|-------|
| 2 to 3 ft.----- | .40 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .60 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 6.00 | |

| amabilis. 8' | | | |
|---------------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .60 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 6.00 | 50.00 |

| candida. 8' | | | |
|--------------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .60 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 6.00 | 50.00 |

| Desboisi. 8' | | | |
|---------------------|------|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .60 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 6.00 | 50.00 |
| 6 to 8 ft.----- | 1.00 | 7.50 | |

Diervilla

| | | each | per 10 | per 100 |
|--|-------|------|--------|---------|
| Eva Rathke. 5' | | | | |
| 2 to 3 ft. | ----- | .60 | 5.00 | 40.00 |
| 3 to 4 ft. | ----- | .75 | 6.00 | 50.00 |
| 4 to 5 ft. | ----- | 1.00 | 7.50 | |
| floribunda. 8' | | | | |
| 2 to 3 ft. | ----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft. | ----- | .60 | 5.00 | 40.00 |
| Gustav Mallot. 8' | | | | |
| 2 to 3 ft. | ----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft. | ----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft. | ----- | .60 | 5.00 | 40.00 |
| 5 to 6 ft. | ----- | .75 | 6.00 | 50.00 |
| 6 to 8 ft. | ----- | 1.00 | 7.50 | 60.00 |
| hortensis rubra. 8' | | | | |
| 2 to 3 ft. | ----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft. | ----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft. | ----- | .60 | 5.00 | 40.00 |
| 5 to 6 ft. | ----- | .75 | 6.00 | 50.00 |
| 6 to 8 ft. | ----- | 1.00 | 7.50 | 60.00 |
| multiflora. 4' | | | | |
| 2 to 3 ft. | ----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft. | ----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft. | ----- | .60 | 5.00 | |
| trifida. 3' | | | | |
| 2 to 3 ft. | ----- | .45 | 3.50 | 30.00 |
| 3 to 4 ft. | ----- | .50 | 4.00 | 35.00 |
| rosea. 8' | | | | |
| 2 to 3 ft. | ----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft. | ----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft. | ----- | .60 | 5.00 | 40.00 |
| 5 to 6 ft. | ----- | .75 | 6.00 | 50.00 |
| rosea nana variegata. 5' | | | | |
| 2 to 3 ft. | ----- | .45 | 3.50 | 30.00 |
| 3 to 4 ft. | ----- | .55 | 4.50 | 40.00 |
| 4 to 5 ft. | ----- | .75 | 6.00 | 50.00 |
| sessilifolia. syn. lutea. 5' | | | | |
| 2½ to 3 ft. | ----- | .50 | 3.50 | 30.00 |
| 3 to 4 ft. | ----- | .60 | 4.50 | 35.00 |
| Sieboldi variegata. Variegated-leaved Weigela. 8' | | | | |
| 2 to 3 ft. | ----- | .40 | 3.00 | |
| 3 to 4 ft. | ----- | .50 | 4.00 | |
| 4 to 5 ft. | ----- | .60 | 5.00 | |

Diervilla

| Sieboldi variegata | each | per 10 | per 100 |
|---------------------------|------|--------|---------|
| 5 to 6 ft.----- | .75 | 6.00 | |
| 6 to 8 ft.----- | 1.00 | 7.50 | |

Van Houtte. 8'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .60 | 5.00 | 40.00 |

Eleagnus argentea. Silver-leaved Oleaster. 12'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .40 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .50 | 3.50 | 30.00 |
| 4 to 5 ft.----- | .60 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 6.00 | |
| 6 to 8 ft.----- | 1.00 | 7.50 | |

hortensis syn. angustifolia. Russian Olive. 20'

| | | | |
|------------------|------|-------|-------|
| 2 to 3 ft.----- | .40 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .45 | 3.50 | 30.00 |
| 4 to 5 ft.----- | .55 | 4.50 | 40.00 |
| 5 to 6 ft.----- | .65 | 5.00 | 40.00 |
| 6 to 8 ft.----- | .75 | 6.00 | 50.00 |
| 8 to 10 ft.----- | 1.25 | 10.00 | |

longipes. Japanese Oleaster. 6'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .50 | 4.00 | 35.00 |
| 3 to 4 ft.----- | .60 | 5.00 | 40.00 |
| 4 to 5 ft.----- | .75 | 6.00 | 50.00 |
| 5 to 6 ft.----- | 1.00 | 7.50 | 60.00 |

umbellata. 12'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .40 | 3.00 | |
| 3 to 4 ft.----- | .50 | 4.00 | |
| 4 to 5 ft.----- | .60 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 6.00 | 50.00 |
| 6 to 8 ft.----- | 1.00 | 7.50 | 60.00 |

Elscholtzia Stauntoni. 4'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .40 | 3.00 | 25.00 |
| 2 to 3 ft.----- | .50 | 4.00 | 35.00 |

Euonymus alatus. Winged Euonymus. 10'

| | | | |
|-----------------|------|-------|--|
| 2 to 3 ft.----- | 1.00 | 7.50 | |
| 3 to 4 ft.----- | 1.25 | 10.00 | |
| 4 to 5 ft.----- | 1.75 | 15.00 | |
| 5 to 6 ft.----- | 2.50 | 22.50 | |

Americanus. 8'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .40 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |

| Euonymus. | | each | per 10 | per 100 |
|--|--------------|------|--------|---------|
| atropurpureus. <i>Native Wahoo.</i> 15' | | | | |
| 2 to 3 ft. | ----- | .40 | 3.50 | 25.00 |
| 3 to 4 ft. | ----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft. | ----- | .60 | 5.00 | 40.00 |
| 5 to 6 ft. | ----- | .75 | 6.00 | 50.00 |
| Bungeanus. <i>Bunge's Burning Bush.</i> 15' | | | | |
| 2 to 3 ft. | ----- | .40 | 3.00 | 25.00 |
| 3 to 4 ft. | ----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft. | ----- | .60 | 5.00 | 40.00 |
| 5 to 6 ft. | ----- | .75 | 6.00 | 50.00 |
| 6 to 8 ft. | ----- | 1.00 | 7.50 | |
| Europeus. <i>European Burning Bush.</i> 15' | | | | |
| 2 to 3 ft. | ----- | .40 | 3.00 | 25.00 |
| 3 to 4 ft. | ----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft. | ----- | .60 | 5.00 | 40.00 |
| 5 to 6 ft. | ----- | .75 | 6.00 | 50.00 |
| 6 to 8 ft. | ----- | 1.00 | 7.50 | 60.00 |
| Hamiltonianus. 10' | | | | |
| 2 to 3 ft. | ----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft. | ----- | .60 | 5.00 | 40.00 |
| Yeddoensis. 10' | | | | |
| 2 to 3 ft. | ----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft. | ----- | .60 | 5.00 | 40.00 |
| 4 to 5 ft. | ----- | .75 | 6.00 | 50.00 |
| 5 to 6 ft. | ----- | 1.00 | 7.50 | |
| Exochorda grandiflora. <i>Pearl Bush.</i> 10' | | | | |
| 2 to 3 ft. | ----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft. | ----- | .60 | 5.00 | 40.00 |
| 4 to 5 ft. | ----- | .75 | 6.00 | 50.00 |
| 5 to 6 ft. | ----- | 1.25 | 10.00 | |
| 5 to 6 ft. | XX specimens | 3.50 | | |
| 6 to 7 ft. | XX specimens | 5.00 | | |
| Fontanesia Fortunei. 15' | | | | |
| 2 to 3 ft. | ----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft. | ----- | .60 | 5.00 | 40.00 |
| 4 to 5 ft. | ----- | 1.00 | 7.50 | 60.00 |
| 5 to 6 ft. | ----- | 1.25 | 10.00 | 75.00 |
| Forsythia Fortunei. <i>Golden Bell.</i> 8' | | | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft. | ----- | .60 | 5.00 | 40.00 |
| 5 to 6 ft. | specimens | 2.50 | | |

Forsythia.

| intermedia. | 8' | each | per 10 | per 100 |
|--------------------|-----------|-------------|---------------|----------------|
| 2 to 3 ft. | ----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft. | ----- | .60 | 5.00 | 40.00 |
| 6 to 7 ft. | ----- | 1.00 | 7.50 | |

| | | | | |
|------------------|----------------------------|-----------|------|-------|
| suspensa. | <i>Drooping Forsythia.</i> | 8' | | |
| 2 to 3 ft. | ----- | .35 | 3.00 | 25.00 |
| 3 to 4 ft. | ----- | .50 | 4.00 | 30.00 |

| | | | | |
|------------------|-----------|-----|------|-------|
| Sieboldi. | 8' | | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 20.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 25.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 35.00 |
| 5 to 6 ft. | ----- | .60 | 5.00 | |

| | | | | |
|---------------------|-----------|-----|------|-------|
| spectabilis. | 8' | | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 20.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 25.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 35.00 |
| 5 to 6 ft. | ----- | .60 | 5.00 | |

| | | | | |
|---------------------|-----------|-----|------|-------|
| viridissima. | 8' | | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | |

| | | | | |
|---------------------------|----------------------|-----------|------|--|
| Genista tinctoria. | <i>Dyer's Broom.</i> | 3' | | |
| 18 to 24 in. | ----- | .40 | 3.00 | |
| 3 to 4 ft. | ----- | .50 | 4.00 | |

Halesia. (See Trees.)

| | | | | |
|-----------------------------|---------------------|------------|-------|-------|
| Hamamelis virginica. | <i>Witch Hazel.</i> | 15' | | |
| 2 to 3 ft. | ----- | .40 | 3.50 | 30.00 |
| 3 to 4 ft. | ----- | .60 | 5.00 | 40.00 |
| 4 to 5 ft. | ----- | 1.00 | 7.50 | 60.00 |
| 5 to 6 ft. | ----- | 1.25 | 10.00 | |
| 6 to 8 ft. | ----- | 1.75 | 15.00 | |

| | | | | |
|------------------|-----------|------|--|--|
| Japonica. | 8' | | | |
| 2 to 3 ft. | ----- | .75 | | |
| 3 to 4 ft. | ----- | 1.00 | | |

| | | | | |
|--------------------------|----------------|------------|------------------------------|-------|
| Hibiscus syriacus | Ardens. | 12' | <i>Double Purple Althea.</i> | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 20.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 25.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 35.00 |
| 5 to 6 ft. | ----- | .60 | 5.00 | 45.00 |
| 6 to 8 ft. | ----- | 1.00 | 7.50 | 60.00 |
| 8 to 10 ft. heavy | ----- | 2.00 | 17.50 | |

Hibiscus.

| | each | per 10 | per 100 |
|--|------|--------|---------|
| syriacus Coelestis. Single Blue Althea. 10' | | | |
| 2 to 3 ft.----- | .40 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .75 | 5.00 | 40.00 |
| 5 to 6 ft.----- | 1.00 | 7.50 | 60.00 |

| | | | |
|--|------|-------|-------|
| syriacus Jeanne d'Arc. Double White Althea. 12' | | | |
| 2 to 3 ft.----- | .35 | 2.50 | 20.00 |
| 3 to 4 ft.----- | .40 | 3.00 | 25.00 |
| 4 to 5 ft.----- | .50 | 4.00 | 35.00 |
| 5 to 6 ft.----- | .60 | 5.00 | 45.00 |
| 6 to 8 ft.----- | 1.00 | 7.50 | 60.00 |
| 8 to 10 ft. heavy----- | 2.00 | 17.50 | |

syriacus Lady Stanley.

| | | | |
|---------------------------------------|-----|------|-------|
| <i>White Althea, shaded Rose. 12'</i> | | | |
| 2 to 3 ft.----- | .35 | 2.50 | 20.00 |
| 3 to 4 ft.----- | .40 | 3.00 | 25.00 |
| 4 to 5 ft.----- | .50 | 4.00 | 35.00 |

syriacus Rosea.

| | | | |
|--|-----|------|-------|
| <i>Single White Althea, crimson eye. 12'</i> | | | |
| 2 to 3 ft.----- | .35 | 2.50 | 20.00 |
| 3 to 4 ft.----- | .40 | 3.00 | 25.00 |
| 4 to 5 ft.----- | .50 | 4.00 | 35.00 |
| 5 to 6 ft.----- | .60 | 5.00 | 45.00 |

| | | | |
|---|-----|------|-------|
| syriacus Rubis. Single Red Althea. 12' | | | |
| 2 to 3 ft.----- | .40 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .45 | 3.50 | 30.00 |
| 4 to 5 ft.----- | .50 | 4.00 | 35.00 |

| | | | |
|---|------|-------|-------|
| syriacus Rubra Plena. Double Red Althea. 12' | | | |
| 2 to 3 ft.----- | .35 | 2.50 | 20.00 |
| 3 to 4 ft.----- | .40 | 3.00 | 25.00 |
| 4 to 5 ft.----- | .50 | 4.00 | 35.00 |
| 5 to 6 ft.----- | .60 | 5.00 | 45.00 |
| 6 to 8 ft.----- | 1.00 | 7.50 | 60.00 |
| 8 to 10 ft. heavy----- | 2.00 | 17.50 | |

| | | | |
|---|------|-------|-------|
| syriacus Speciosa Plena. Double Pink Althea. 12' | | | |
| 2 to 3 ft.----- | .35 | 2.50 | 20.00 |
| 3 to 4 ft.----- | .40 | 3.00 | 25.00 |
| 4 to 5 ft.----- | .50 | 4.00 | 35.00 |
| 5 to 6 ft.----- | .60 | 5.00 | 45.00 |
| 6 to 8 ft.----- | 1.00 | 7.50 | 60.00 |
| 8 to 10 ft. heavy----- | 2.00 | 17.50 | |

| Hibiscus. | | each | per 10 | per 100 |
|------------------------------------|---|------|--------|---------|
| syriacus | <i>The Banner. Double Blush Althea. 12'</i> | | | |
| | 2 to 3 ft.----- | .35 | 2.50 | 20.00 |
| | 3 to 4 ft.----- | .40 | 3.00 | 25.00 |
| | 4 to 5 ft.----- | .50 | 4.00 | 35.00 |
| | 5 to 6 ft.----- | .60 | 5.00 | 45.00 |
| | 6 to 8 ft.----- | 1.00 | 7.50 | 60.00 |
| | 8 to 10 ft. heavy----- | 2.00 | 17.50 | |
| syriacus totus albus. | <i>Single White Althea. 10'</i> | | | |
| | 2 to 3 ft.----- | .40 | 3.00 | 25.00 |
| | 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| syriacus variegata. | | | | |
| | <i>Variegated-leaved Althea. 8'</i> | | | |
| | 18 to 24 in.----- | .45 | 3.50 | |
| | 2 to 3 ft.----- | .60 | 5.00 | |
| | 3 to 4 ft.----- | .75 | 6.00 | |
| | 4 to 5 ft.----- | .85 | 7.50 | |
| | 5 to 6 ft.----- | 1.00 | 9.00 | |
| syriacus variegata Meehani. | | | | |
| | <i>Meehan's variegated Althea. 6'</i> | | | |
| | 18 to 24 in.----- | .50 | 4.00 | |
| | 2 to 3 ft.----- | .60 | 5.00 | |
| | 3 to 4 ft.----- | .75 | 6.00 | |
| Hippophae rhamnoides. | <i>Sea Buckthorn. 12'</i> | | | |
| | 2 to 3 ft.----- | .50 | 4.00 | |
| | 3 to 4 ft.----- | .60 | 5.00 | |
| | 4 to 5 ft.----- | .75 | 6.00 | |
| | 5 to 6 ft.----- | 1.00 | 7.50 | |
| Hydrangea arborescens. | <i>Native Hydrangea. 6'</i> | | | |
| | 2 to 3 ft.----- | .50 | 4.00 | 35.00 |
| | 3 to 4 ft.----- | .60 | 5.00 | 40.00 |
| arborescens grandiflora. | <i>Hills of Snow. 6'</i> | | | |
| | 2 to 3 ft.----- | .50 | 4.00 | 35.00 |
| | 3 to 4 ft.----- | .65 | 5.00 | 45.00 |
| cineria sterilis. | <i>6'</i> | | | |
| | 2 to 3 ft.----- | .60 | 5.00 | 45.00 |
| nivea. | <i>6'</i> | | | |
| | 2 to 3 ft.----- | .50 | 4.00 | |
| | 3 to 4 ft.----- | .60 | 5.00 | |
| paniculata. | <i>Single flowered Hydrangea. 10'</i> | | | |
| | 2 to 3 ft.----- | .50 | 4.00 | 35.00 |
| | 3 to 4 ft.----- | .60 | 5.00 | 40.00 |
| | 4 to 5 ft.----- | .75 | 6.00 | 50.00 |

Hydrangea

| paniculata grandiflora. | 10' | each | per 10 | per 100 |
|--------------------------------|------------------------------|-------------|---------------|----------------|
| 2 to 3 ft.----- | | .50 | 4.50 | 40.00 |
| 3 to 4 ft.----- | | .60 | 5.00 | 45.00 |
| 4 to 5 ft.----- | | 1.00 | 7.50 | |
| 3 to 4 ft. tree form----- | | 1.00 | 7.50 | |
| 4 to 5 ft. tree form----- | | 1.25 | 10.00 | |
| quercifolia. | Oak-leaved Hydrangea. | 4' | | |
| 2 to 3 ft.----- | | 1.25 | 10.00 | |
| 3 to 4 ft.----- | | 1.50 | 12.50 | |

Hypericum aureum. *Shrubby St. John's Wort.* 3'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .35 | 2.50 | 20.00 |
| 2 to 3 ft.----- | .40 | 3.50 | 30.00 |
| 3 to 4 ft.----- | .50 | 4.00 | |

calycinum. (See Perennials.)**densiflorum.** 5'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .35 | 2.50 | 20.00 |
| 2 to 3 ft.----- | .45 | 3.50 | 30.00 |
| 3 to 4 ft.----- | .50 | 4.00 | |

Moserianum. *Gold Flower.* 2'

| | | | |
|-------------------|-----|------|--|
| 15 to 18 in.----- | .35 | 2.50 | |
| 18 to 24 in.----- | .40 | 3.00 | |

patulum. 2'

| | | | |
|-------------------|-----|------|--|
| 15 to 18 in.----- | .35 | 2.50 | |
| 18 to 24 in.----- | .40 | 3.00 | |

patulum Henryi. 4'

| | | | |
|-----------------|-----|------|--|
| 2 to 3 ft.----- | .50 | 4.00 | |
|-----------------|-----|------|--|

Ilex verticillata. *Black Alder.* 6'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .40 | 3.50 | 30.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 35.00 |
| 4 to 5 ft.----- | .75 | 5.00 | 45.00 |

monticola. 10'

| | | | |
|-------------------|-----|------|--|
| 18 to 24 in.----- | .50 | 4.00 | |
| 2 to 3 ft.----- | .60 | 5.00 | |

Itea virginica. *Virginia Tea.* 3'

| | | | |
|-----------------|-----|------|--|
| 2 to 3 ft.----- | .50 | 3.50 | |
| 3 to 4 ft.----- | .60 | 4.50 | |

Jasminum nudiflorum. 3'

| | | | |
|-------------------|-----|------|--|
| 15 to 18 in.----- | .50 | 3.50 | |
| 18 to 24 in.----- | .60 | 4.00 | |

Kerria Japonica. *Globe Flower.* 3'

| | | | |
|-------------------|-----|------|--|
| 18 to 24 in.----- | .50 | 4.00 | |
|-------------------|-----|------|--|

| | | each | per 10 | per 100 |
|--|-------|------|--------|---------|
| Lespedeza bicolor. 6' | | | | |
| 2 to 3 ft. | ----- | .50 | 3.50 | 25.00 |
| 3 to 4 ft. | ----- | .60 | 4.00 | 35.00 |
| Japonica alba. 5' | | | | |
| 3 year | ----- | .50 | | |
| Sieboldi. syn. Penduliflorum. 4' | | | | |
| 2 year | ----- | .50 | 3.50 | |
| 3 year | ----- | .60 | 4.00 | |
| Lilac. (See Syringa.) | | | | |
| Ligustrum Amurense. Amoor River Privet. 15' | | | | |
| 18 to 24 in. | ----- | .25 | 1.80 | 15.00 |
| 24 to 30 in. | ----- | .30 | 2.00 | 18.00 |
| 2 to 3 ft. | ----- | .35 | 2.50 | 20.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 25.00 |
| 4 to 5 ft. | ----- | .50 | 3.50 | 30.00 |
| 5 to 6 ft. | ----- | .60 | 5.00 | 40.00 |
| 6 to 8 ft. | ----- | .75 | 6.00 | 50.00 |
| ciliatum. syn. media. 10' | | | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 15.00 |
| 3 to 4 ft. | ----- | .50 | 3.00 | 20.00 |
| Ibota. Chinese Privet. 10' | | | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft. | ----- | .60 | 5.00 | |
| Ibota Regelianum. Regel's Privet. 10' | | | | |
| (from cuttings.) | | | | |
| 18 to 24 in. spread | ----- | .40 | 3.00 | 25.00 |
| 24 to 30 in. spread | ----- | .50 | 3.50 | 30.00 |
| 2½ to 3 ft. spread | ----- | .60 | 4.50 | 35.00 |
| 3 to 3½ ft. spread | ----- | .75 | 6.00 | 50.00 |
| Ibota nana. 6' | | | | |
| 18 to 24 in. | ----- | .35 | 3.00 | 25.00 |
| 2 to 3 ft. | ----- | .40 | 3.50 | 30.00 |
| 3 to 4 ft. | ----- | .50 | 4.00 | 35.00 |
| ovalifolium. California Privet. 10' | | | | |
| 18 to 24 in. | ----- | .18 | 1.00 | 6.00 |
| 24 to 30 in. | ----- | .20 | 1.20 | 7.00 |
| vulgaris. English Privet. 12' | | | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 20.00 |
| 4 to 5 ft. | ----- | .45 | 3.50 | 25.00 |
| 5 to 6 ft. | ----- | .50 | 4.00 | 30.00 |

Ligustrum.**vulgaris leucocarpum.**

| <i>Yellow Fruited Privet. 12'</i> | | each | per 10 | per 100 |
|-----------------------------------|-------|------|--------|---------|
| 2 to 3 ft. | ----- | .35 | 3.00 | 20.00 |
| 3 to 4 ft. | ----- | .45 | 3.50 | 25.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |

Lindera benzoin. Spice Bush. 12'

| | | | | |
|------------|-------|------|-------|-------|
| 2 to 3 ft. | ----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft. | ----- | .60 | 5.00 | 40.00 |
| 4 to 5 ft. | ----- | 1.00 | 7.50 | 60.00 |
| 5 to 6 ft. | ----- | 1.25 | 10.00 | |
| 6 to 8 ft. | ----- | 1.75 | 15.00 | |

Lonicera bella albida. 10'

| | | | | |
|------------|-------|-----|------|-------|
| 2 to 3 ft. | ----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft. | ----- | .60 | 4.50 | 35.00 |
| 6 to 8 ft. | ----- | .75 | 6.00 | 50.00 |

bella rosea. 10'

| | | | | |
|------------|-------|-----|------|-------|
| 2 to 3 ft. | ----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft. | ----- | .60 | 4.50 | 35.00 |

billardi. 8'

| | | | | |
|------------|-------|-----|------|-------|
| 2 to 3 ft. | ----- | .35 | 2.50 | 20.00 |
| 3 to 4 ft. | ----- | .40 | 3.50 | 30.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 35.00 |

conjugalis. 8'

| | | | | |
|------------|-------|-----|------|-------|
| 2 to 3 ft. | ----- | .35 | 2.50 | 20.00 |
| 3 to 4 ft. | ----- | .40 | 3.50 | 30.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 35.00 |

chrysantha. 10'

| | | | | |
|------------|-------|-----|------|-------|
| 2 to 3 ft. | ----- | .40 | 3.00 | 20.00 |
| 3 to 4 ft. | ----- | .45 | 3.50 | 25.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft. | ----- | .60 | 5.00 | |

fragrantissima. 8'

| | | | | |
|------------|-------|-----|------|-------|
| 3 to 4 ft. | ----- | .45 | 3.50 | 25.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft. | ----- | .60 | 5.00 | |

gracilipes. 6'

| | | | | |
|------------|-------|-----|------|-------|
| 2 to 3 ft. | ----- | .40 | 3.00 | 20.00 |
| 3 to 4 ft. | ----- | .45 | 3.50 | 25.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |

| Lonicera. | | each | per 10 | per 100 |
|-------------------------------|---------------------------------------|------|--------|---------|
| Kesselringi. | <i>Black fruited Honeysuckle. 10'</i> | | | |
| | 3 to 4 ft.----- | .45 | 3.50 | 25.00 |
| | 4 to 5 ft.----- | .50 | 4.00 | 30.00 |
| Korolkowi. | <i>10'</i> | | | |
| | 2 to 3 ft.----- | .50 | 4.00 | |
| | 3 to 4 ft.----- | .60 | 5.00 | |
| | 4 to 5 ft.----- | 1.00 | 7.50 | |
| | 5 to 6 ft.----- | 1.25 | 10.00 | |
| Maacki. | <i>10'</i> | | | |
| | 3 to 4 ft.----- | .45 | 4.00 | 35.00 |
| | 4 to 5 ft.----- | .60 | 5.00 | 45.00 |
| Morrowii. | <i>Japanese Bush Honeysuckle. 6'</i> | | | |
| | 2 to 3 ft.----- | .35 | 2.50 | 20.00 |
| | 3 to 4 ft.----- | .40 | 3.00 | 25.00 |
| | 4 to 5 ft.----- | .50 | 4.00 | 35.00 |
| | 5 to 6 ft.----- | .60 | 5.00 | 40.00 |
| Morrowii. | <i>Yellow Fruited. 6'</i> | | | |
| | 2 to 3 ft.----- | .35 | 2.50 | 20.00 |
| | 3 to 4 ft.----- | .40 | 3.00 | 25.00 |
| | 4 to 5 ft.----- | .50 | 4.00 | 35.00 |
| | 5 to 6 ft.----- | .60 | 5.00 | 40.00 |
| Mundeniensis. | <i>8'</i> | | | |
| | 2 to 3 ft.----- | .35 | 2.50 | 18.00 |
| | 3 to 4 ft.----- | .40 | 3.00 | 22.00 |
| | 4 to 5 ft.----- | .50 | 4.00 | 30.00 |
| | 5 to 6 ft.----- | .60 | 4.50 | 35.00 |
| pileata. | <i>2'</i> | | | |
| | 6 to 12 in.----- | .40 | 3.00 | |
| Ruprechtiana. | <i>10'</i> | | | |
| | 2 to 3 ft.----- | .35 | 2.50 | 18.00 |
| | 3 to 4 ft.----- | .40 | 3.00 | 22.00 |
| | 4 to 5 ft.----- | .50 | 4.00 | 30.00 |
| | 5 to 6 ft.----- | .60 | 4.50 | 35.00 |
| spinosa. syn. Alberti. | <i>Siberian Honeysuckle. 2'</i> | | | |
| | 12 to 15 in.----- | .40 | 3.50 | |
| | 15 to 18 in.----- | .50 | 4.00 | |
| | 18 to 24 in.----- | .60 | 5.00 | |
| Standishii. | <i>5'</i> | | | |
| | 3 to 4 ft.----- | .50 | 4.00 | |

| Lonicera. | | each | per 10 | per 100 |
|--|------|------|--------|---------|
| Tartarica. Red Tartarian Honeysuckle. 10' | | | | |
| 2 to 3 ft.----- | .35 | 2.50 | 20 00 | |
| 3 to 4 ft.----- | .40 | 3.00 | 25.00 | |
| 4 to 5 ft.----- | .50 | 4.00 | 35.00 | |
| 5 to 6 ft.----- | .60 | 5.00 | 40.00 | |
| 6 to 7 ft.----- | 1.00 | 7.50 | | |
| Tartarica alba. | | | | |
| <i>White Tartarian Honeysuckle. 10'</i> | | | | |
| 2 to 3 ft.----- | .35 | 2.50 | 18.00 | |
| 3 to 4 ft.----- | .40 | 3.00 | 22.00 | |
| 4 to 5 ft.----- | .50 | 4.00 | 35.00 | |
| Tartarica grandiflora. | | | | |
| <i>Pink Tartarian Honeysuckle. 10'</i> | | | | |
| 2 to 3 ft.----- | .35 | 2.50 | 18.00 | |
| 3 to 4 ft.----- | .40 | 3.00 | 22.00 | |
| 4 to 5 ft.----- | .50 | 4.00 | 35.00 | |
| 5 to 6 ft.----- | .60 | 5.00 | 40.00 | |
| 6 to 7 ft.----- | 1.00 | 7.50 | | |
| virginalis alba. 10' | | | | |
| 2 to 3 ft.----- | .35 | 2.50 | 18.00 | |
| 3 to 4 ft.----- | .40 | 3.00 | 22.00 | |
| 4 to 5 ft.----- | .50 | 4.00 | | |
| xylosteum. Fly Honeysuckle. 8' | | | | |
| 2 to 3 ft.----- | .35 | 2.50 | 18.00 | |
| 3 to 4 ft.----- | .40 | 3.00 | 22.00 | |
| 4 to 5 ft.----- | .50 | 4.00 | 30.00 | |
| 5 to 6 ft.----- | .60 | 4.50 | 35.00 | |
| Lycium chinense. Matrimony Vine. 5' | | | | |
| 2 to 3 ft.----- | .30 | 2.50 | 15.00 | |
| 3 to 4 ft.----- | .35 | 3.00 | 20.00 | |
| 4 to 5 ft.----- | .40 | 3.50 | 25.00 | |
| halimifolium. Box Thorn. 5' | | | | |
| 2 to 3 ft.----- | .30 | 2.50 | 15.00 | |
| 3 to 4 ft.----- | .35 | 3.00 | 20.00 | |
| 4 to 5 ft.----- | .40 | 3.50 | 25.00 | |
| Myrica cerifera. Candleberry. 5' | | | | |
| 18 to 24 in.----- | .40 | 3.00 | 25.00 | |
| 2 to 3 ft.----- | .50 | 4.00 | 30.00 | |
| gale. Bayberry. 4' | | | | |
| 18 to 24 in.----- | .50 | 4.00 | | |

| | each | per 10 | per 100 |
|---|------|--------|---------|
| Oxydendron arborea. <i>Sorrel Tree.</i> 40' | | | |
| 2 to 3 ft.----- | .75 | 6.00 | 50.00 |
| 3 to 4 ft.----- | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft.----- | 1.50 | 12.50 | 100.00 |
| 5 to 6 ft.----- | 2.00 | 15.00 | 125.00 |
| 6 to 8 ft.----- | 2.50 | 20.00 | |
| Pavia macrostachya. 10' | | | |
| 2 to 3 ft.----- | 1.50 | 12.50 | |
| 3 to 4 ft.----- | 1.75 | 15.00 | |
| Philadelphus cordifolia. 10' | | | |
| 2 to 3 ft.----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft.----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft.----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft.----- | .60 | 4.50 | 35.00 |
| 6 to 8 ft.----- | .75 | 5.00 | |
| coronarius <i>Mock Orange or Syringa.</i> 10' | | | |
| 2 to 3 ft.----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft.----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft.----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft.----- | .60 | 4.50 | 35.00 |
| 6 to 8 ft.----- | .75 | 5.00 | 40.00 |
| coronarius nana aurea. <i>Golden Syringa.</i> 4' | | | |
| 18 to 24 in.----- | .60 | 5.00 | 40.00 |
| dianthiflorus plenus. 4' | | | |
| 18 to 24 in.----- | .40 | 3.00 | 20.00 |
| 2 to 3 ft.----- | .50 | 3.50 | 25.00 |
| Falconeri. 8' | | | |
| 3 to 4 ft.----- | .40 | 3.00 | 25.00 |
| 4 to 5 ft.----- | .50 | 4.00 | 35.00 |
| 5 to 6 ft.----- | .60 | 5.00 | 40.00 |
| 6 to 8 ft.----- | 1.00 | 7.50 | |
| grandiflorus. 8' | | | |
| 2 to 3 ft.----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft.----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft.----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft.----- | .60 | 4.50 | 35.00 |
| 6 to 8 ft.----- | .75 | 5.00 | 40.00 |
| grandiflorus multiflorus plenus. 6' | | | |
| 2 to 3 ft.----- | .40 | 3.00 | |
| 3 to 4 ft.----- | .45 | 3.50 | |
| 4 to 5 ft.----- | .60 | 5.00 | |

PAINESVILLE, OHIO

87

| Philadelphus | | each | per 10 | per 100 |
|--|-------|------|--------|---------|
| Gordonianus. 12' | | | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft. | ----- | .60 | 4.50 | 35.00 |
| 6 to 8 ft. | ----- | .75 | 5.00 | 40.00 |
| Lemoinei erectus. 5' | | | | |
| 2 to 3 ft. | ----- | .40 | 3.00 | 25.00 |
| 3 to 4 ft. | ----- | .50 | 4.00 | 35.00 |
| 4 to 5 ft. | ----- | .75 | 6.00 | |
| Lemoinei Avalanche. 5' | | | | |
| 2 to 3 ft. | ----- | .40 | 3.00 | 25.00 |
| 3 to 4 ft. | ----- | .50 | 4.00 | 35.00 |
| 4 to 5 ft. | ----- | .75 | 6.00 | |
| Lemoinei Bouquet Blanc. 5' | | | | |
| 2 to 3 ft. | ----- | .40 | 3.50 | |
| Nepalensis. 10' | | | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft. | ----- | .60 | 4.50 | 35.00 |
| 6 to 8 ft. | ----- | .75 | 5.00 | 40.00 |
| nivalis. 10' | | | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft. | ----- | .60 | 4.50 | 35.00 |
| 6 to 8 ft. | ----- | .75 | 5.00 | 40.00 |
| speciosissimus. 10' | | | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| Zeyheri. 10' | | | | |
| 3 to 4 ft. | ----- | .40 | 3.00 | 25.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 35.00 |
| 5 to 6 ft. | ----- | .60 | 5.00 | 40.00 |
| 6 to 8 ft. | ----- | .75 | 6.00 | 50.00 |
| Physocarpus opulifolia. Ninebark. 10' | | | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft. | ----- | .60 | 4.50 | 35.00 |
| 6 to 8 ft. | ----- | .75 | 5.00 | 40.00 |
| 6 to 8 ft. specimens | ----- | 2.50 | | |

| Physocarpus. | | each | per 10 | per 100 |
|--|---------------|------|--------|---------|
| opulifolia aurea. Golden Ninebark. 10' | | | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft. | ----- | .60 | 4.50 | 35.00 |
| 6 to 8 ft. | ----- | .75 | 5.00 | 40.00 |
| 6 to 8 ft. | specimens---- | 2.50 | | |
| Potentilla fruticosa. Cinquefoil. 4' | | | | |
| 18 to 24 in. | ----- | .40 | 3.00 | 25.00 |
| 2 to 3 ft. | ----- | .50 | 3.50 | 30.00 |
| Prunus americana. Wild Goose Plum. 20' | | | | |
| 4 to 5 ft. | ----- | .60 | 5.00 | 40.00 |
| 5 to 6 ft. | ----- | .75 | 6.00 | 50.00 |
| 6 to 8 ft. | ----- | 1.25 | 10.00 | 75.00 |
| Besseyi. Western Sand Cherry. 8' | | | | |
| 2 to 3 ft. | ----- | .50 | 4.00 | |
| 3 to 4 ft. | ----- | .60 | 5.00 | |
| Davidiana. 10' | | | | |
| 5 to 6 ft. | ----- | .75 | 6.00 | |
| Japonica flora alba plena. | | | | |
| <i>Double white-flowering Almond. 6'</i> | | | | |
| 2 to 3 ft. | ----- | .75 | 6.00 | |
| 3 to 4 ft. | ----- | 1.00 | 7.50 | |
| 4 to 5 ft. | ----- | 1.25 | 10.00 | |
| Japonica flora rubra plena. | | | | |
| <i>Double red-flowering Almond. 6'</i> | | | | |
| 2 to 3 ft. | ----- | .75 | 6.00 | |
| 3 to 4 ft. | ----- | 1.00 | 7.50 | |
| 4 to 5 ft. | ----- | 1.25 | 10.00 | |
| 2 to 3 ft | own roots---- | 1.25 | 10.00 | |
| 3 to 4 ft. | own roots---- | 1.50 | 12.50 | |
| maritima. Beach Plum. 12' | | | | |
| 2 to 3 ft. | ----- | .40 | 3.50 | 30.00 |
| 3 to 4 ft. | ----- | .50 | 4.00 | |
| 4 to 5 ft. | ----- | .60 | 5.00 | |
| 5 to 6 ft. | ----- | .75 | 6.00 | |
| 6 to 8 ft. | ----- | 1.00 | 7.50 | |
| nana Georgica. Russian Flowering Almond. 6' | | | | |
| 18 to 24 in. | ----- | 1.00 | 7.50 | |
| 2 to 3 ft. | ----- | 1.50 | 10.00 | |

| Prunus. | | each | per 10 | per 100 |
|---------------------------|-----------------------------------|------|--------|---------|
| pennsylvanicum. | <i>Pin Cherry.</i> 25' | | | |
| | 4 to 5 ft.----- | .50 | 4.00 | |
| | 5 to 6 ft.----- | .60 | 5.00 | |
| | 6 to 8 ft.----- | 1.00 | 7.50 | |
| | 8 to 10 ft.----- | 1.25 | 10.00 | |
| Pissardi. | <i>Purple-leaved Plum.</i> 12' | | | |
| | 3 to 4 ft.----- | .75 | 6.00 | 50.00 |
| | 4 to 5 ft.----- | 1.00 | 7.50 | 60.00 |
| | 5 to 6 ft.----- | 1.25 | 10.00 | 75.00 |
| | 6 to 8 ft.----- | 1.50 | 12.50 | 100.00 |
| | 8 to 10 ft.----- | 1.75 | 15.00 | |
| glandulosa. | 10' | | | |
| | 18 to 24 in.----- | .50 | 4.00 | |
| | 2 to 3 ft.----- | .60 | 5.00 | |
| | 3 to 4 ft.----- | .75 | 6.00 | |
| spinosa. | <i>Blackthorn.</i> 12' | | | |
| | 5 to 6 ft.----- | .60 | 5.50 | |
| | 6 to 8 ft.----- | 1.00 | 7.50 | |
| | 8 to 10 ft.----- | 1.25 | 10.00 | |
| tomentosa. | 8' | | | |
| | 2 to 3 ft.----- | .50 | 4.00 | 35.00 |
| | 3 to 4 ft.----- | .60 | 5.00 | 40.00 |
| | 4 to 5 ft.----- | .75 | 6.00 | |
| | 5 to 6 ft.----- | 1.00 | 7.50 | |
| | 6 to 8 ft.----- | 1.25 | 10.00 | |
| triloba. | <i>Double-flowering Plum.</i> 10' | | | |
| | 3 to 4 ft.----- | .90 | 7.50 | |
| | 4 to 5 ft.----- | 1.00 | 9.00 | |
| Virginiana. | <i>Choke Cherry.</i> 30' | | | |
| | 3 to 4 ft.----- | .40 | 3.00 | |
| | 4 to 5 ft.----- | .50 | 4.00 | |
| | 5 to 6 ft.----- | .60 | 5.00 | |
| | 6 to 8 ft.----- | 1.00 | 7.50 | |
| Pyrus arbutifolia. | <i>Red Chokeberry.</i> 8' | | | |
| | 2 to 3 ft.----- | .45 | 3.50 | 30.00 |
| | 3 to 4 ft.----- | .50 | 4.00 | 35.00 |
| | 4 to 5 ft.----- | .75 | 6.00 | 50.00 |
| | 5 to 6 ft.----- | 1.00 | 7.50 | |
| atropurpurea. | <i>Purple Chokeberry.</i> 8' | | | |
| | 2 to 3 ft.----- | .50 | 4.00 | 30.00 |
| | 3 to 4 ft.----- | .60 | 4.50 | 35.00 |

| Pyrus. | | each | per 10 | per 100 |
|--|-------|------|--------|---------|
| melanocarpa elata. <i>Dwf. Chokeberry.</i> 6' | | | | |
| 18 to 24 in. | ----- | .40 | 3.00 | 25.00 |
| 2 to 3 ft. | ----- | .50 | 3.50 | 30.00 |
| melanocarpa. syn. nigra. <i>Black Chokeberry.</i> 10' | | | | |
| 2 to 3 ft. | ----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft. | ----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft. | ----- | .60 | 4.50 | 35.00 |
| 5 to 6 ft. | ----- | .75 | 6.00 | |
| Japonica. (See <i>Cydonia Japonica</i>). | | | | |
| Rhamnus Caroliniana. <i>Indian Cherry.</i> 25' | | | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 20.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 25.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 35.00 |
| catharticus. <i>Buckthorn.</i> 12' | | | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft. | ----- | .60 | 4.50 | 35.00 |
| 6 to 8 ft. | ----- | .75 | 5.00 | 40.00 |
| frangula. <i>Alder Buckthorn.</i> 12' | | | | |
| 3 to 4 ft. | ----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft. | ----- | .60 | 4.50 | 35.00 |
| 6 to 8 ft. | ----- | .75 | 5.00 | 40.00 |
| 8 to 10 ft. | ----- | .85 | 6.50 | 50.00 |
| latifolia. <i>Broad-leaved Buckthorn.</i> 12' | | | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft. | ----- | .60 | 4.50 | 35.00 |
| 6 to 8 ft. | ----- | .75 | 5.00 | 40.00 |
| Purshiana. <i>Western Alder Buckthorn.</i> 12' | | | | |
| 3 to 4 ft. | ----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft. | ----- | .60 | 4.50 | 35.00 |
| 6 to 8 ft. | ----- | .75 | 5.00 | 40.00 |
| Rhodotypos kerrioides. <i>White Kerria.</i> 6' | | | | |
| 2 to 3 ft. | ----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft. | ----- | .60 | 4.50 | 35.00 |
| 4 to 5 ft. | ----- | .75 | 6.00 | |
| 4 to 5 ft. specimens | ----- | 2.50 | | |

| Rhus aromatica. <i>Sweet Sumach.</i> | 6' each | per 10 | per 100 |
|---|---------|--------|---------|
| 18 to 24 in.----- | .40 | 3.50 | 25.00 |
| 2 to 3 ft.----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft.----- | .60 | 4.50 | 35.00 |
| copallina. <i>Shining Sumach.</i> | 20' | | |
| 2 to 3 ft.----- | .40 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .60 | 4.50 | 35.00 |
| 5 to 6 ft.----- | .75 | 6.00 | 50.00 |
| cotinus. <i>Purple Fringe.</i> | 12' | | |
| 2 to 3 ft.----- | .60 | 5.00 | |
| 3 to 4 ft.----- | .75 | 6.00 | |
| 4 to 5 ft.----- | 1.00 | 7.50 | |
| 5 to 6 ft.----- | 1.25 | 10.00 | |
| 6 to 8 ft.----- | 1.75 | 15.00 | |
| glabra. <i>Smooth Sumach.</i> | 12' | | |
| 2 to 3 ft.----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft.----- | .40 | 3.00 | 22.00 |
| glabra laciniata. <i>Cut-leaved Sumach.</i> | 5' | | |
| 18 to 24 in.----- | .50 | 4.00 | |
| 2 to 3 ft.----- | .75 | 6.00 | |
| typhina. <i>Staghorn Sumach.</i> | 25' | | |
| 2 to 3 ft.----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft.----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft.----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft.----- | .60 | 4.50 | 35.00 |
| 6 to 8 ft.----- | .75 | 5.00 | 45.00 |
| typhina laciniata. <i>Cut-leaved Sumach.</i> | 25' | | |
| 2 to 3 ft.----- | .35 | 2.50 | 20.00 |
| 3 to 4 ft.----- | .40 | 3.00 | 25.00 |
| 4 to 5 ft.----- | .50 | 4.00 | |
| Ribes aureum. <i>Yellow-flowering Currant.</i> | 10' | | |
| 2 to 3 ft.----- | .40 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .45 | 3.50 | 30.00 |
| 4 to 5 ft.----- | .50 | 4.00 | |
| 5 to 6 ft.----- | .60 | 5.00 | |
| albidum. | 6' | | |
| 2 to 3 ft.----- | .40 | 3.00 | |
| 3 to 4 ft.----- | .50 | 4.00 | |
| alpinum. <i>Alpine Currant.</i> | 4' | | |
| 18 to 24 in.----- | .40 | 3.50 | |
| 2 to 3 ft.----- | .50 | 4.00 | |

Ribes.

| fasiculatum. 4' | each | per 10 | per 100 |
|------------------------|------|--------|---------|
| 18 to 24 in.----- | .50 | 3.50 | |
| 2 to 3 ft.----- | .60 | 4.00 | |

Gordonianum. *Pink-flowering Currant.* 8'

| | | | |
|-----------------|-----|------|--|
| 2 to 3 ft.----- | .40 | 3.00 | |
| 3 to 4 ft.----- | .45 | 3.50 | |
| 4 to 5 ft.----- | .50 | 4.00 | |

sanguineum. *Red-flowering Currant.* 6'

| | | | |
|-----------------|-----|------|--|
| 2 to 3 ft.----- | .45 | 3.50 | |
| 3 to 4 ft.----- | .50 | 4.00 | |
| 4 to 5 ft.----- | .60 | 5.00 | |

Robinia viscosa. *Clammy Locust.* 10'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .60 | 5.00 | 40.00 |
| 3 to 4 ft.----- | .75 | 6.00 | 50.00 |

Rosa blanda. *Meadow Rose.* 5'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .35 | 2.50 | 20.00 |
| 2 to 3 ft.----- | .40 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .45 | 3.50 | 30.00 |

acicularis. 5'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .40 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .45 | 3.50 | 30.00 |

canina. *Dog Rose.* 8'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .35 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .40 | 3.50 | 30.00 |
| 4 to 5 ft.----- | .50 | 4.00 | 35.00 |

carolina. *Swamp Rose.* 8'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .35 | 2.50 | 20.00 |
| 2 to 3 ft.----- | .40 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .45 | 3.50 | 30.00 |

ferruginea. syn. rubrifolia. 6'*Red-leaved Rose.*

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .40 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .45 | 3.50 | 30.00 |

humilis. 5'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .40 | 3.00 | 20.00 |
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |

lucida. 6'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .35 | 2.50 | 20.00 |
| 2 to 3 ft.----- | .40 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .45 | 3.50 | 30.00 |

Rosa.

| | | each | per 10 | per 100 |
|---|-------|------|--------|---------|
| multiflora Japonica. 6' | | | | |
| 2 to 3 ft. | ----- | .40 | 3.00 | 20.00 |
| 3 to 4 ft. | ----- | .45 | 3.50 | 25.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| nitida. Shining Rose. 3' | | | | |
| 18 to 24 in. | ----- | .35 | 2.50 | 20.00 |
| 2 to 3 ft. | ----- | .40 | 3.00 | 25.00 |
| 3 to 4 ft. | ----- | .45 | 3.50 | 30.00 |
| rubiginosa. Sweet Briar. 6' | | | | |
| 2 to 3 ft. | ----- | .40 | 3.00 | 20.00 |
| 3 to 4 ft. | ----- | .45 | 3.50 | 25.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| rubiginosa hybrids. Amy Robsart, Lucy Ashton and Anne of Geierstein. 6' | | | | |
| 2 to 3 ft. | ----- | .75 | 6.00 | |
| 3 to 4 ft. | ----- | .90 | 7.50 | |
| rugosa. Japanese Rose. 6' | | | | |
| 18 to 24 in. | ----- | .40 | 3.00 | 25.00 |
| 2 to 3 ft. | ----- | .45 | 3.50 | 30.00 |
| 3 to 4 ft. | ----- | .50 | 4.00 | 35.00 |
| rugosa alba. 6' | | | | |
| 18 to 24 in. | ----- | .45 | 3.50 | 30.00 |
| 2 to 3 ft. | ----- | .50 | 4.00 | 35.00 |
| 3 to 4 ft. | ----- | .60 | 5.00 | 40.00 |
| rugosa hybrids. | | | | |
| 2 to 3 ft. | ----- | .75 | 6.00 | |
| 3 to 4 ft. | ----- | .90 | 7.50 | |
| <i>Varieties:—Blanche de Coubert, C. F. Meyer, C. F. Worth, Agnes Carmen, New Century, Nova Zembla, Mad. Geo. Bruant, Mrs. An- thony Waterer.</i> | | | | |
| setigera. Prairie Rose. 6' | | | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 20.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 25.00 |
| 4 to 5 ft. | ----- | .45 | 3.50 | 30.00 |
| spinosissima Altaica. Scotch Rose. 4' | | | | |
| 18 to 24 in. XX | ----- | .50 | 4.00 | 35.00 |
| 2 to 3 ft. XX | ----- | .60 | 5.00 | 40.00 |
| Wichuraiana. Memorial Rose. 2' | | | | |
| 2 year | ----- | .40 | 3.00 | 20.00 |
| 3 year | ----- | .50 | 3.50 | 25.00 |
| 4 year | ----- | .60 | 4.00 | 30.00 |

Rosa.

| Wichuraiana Hybrids. | each | per 10 | per 100 |
|---|------|--------|---------|
| 2 year ----- | .50 | 4.00 | 35.00 |
| Jersey Beauty, Sweetheart, Universal Favorite, Manda's Triumph, South Orange Perfection. | | | |

ROSES

| | | |
|--|-------------------------|-------------|
| Hybrid Perpetuals. 2 year No. 1---- | 75 | 5.00 |
| Alfred Colomb | J. B. Clark | |
| Anne de Diesbach | Mrs. John Laing | |
| Baroness Rothschild | M. P. Wilder | |
| Baron de Bonstettin | Magna Charta | |
| Clio | Marg. de St. Amande | |
| Coq. des Alps | Margaret Dickson | |
| Earl of Dufferin | Paul Neyron | |
| Eugene Furst | Prince Camille de Rohan | |
| Francois Levet | Tom Wood | |
| Gen. Jacqueminot | Ulrich Brunner | |
| John Hopper | | |

| | | |
|---------------------------------------|-----------------------|-------------|
| Hybrid Teas. 2 year No. 1----- | .90 | 7.50 |
| British Queen | Mad. Abel Chatenay | |
| Chateau de Clos Vougeot | Mad. Caroline Testout | |
| Etoile de France | Marquise De Sinety | |
| Harry Kirk | Mrs. A. R. Waddell | |
| Jonkheer J. L. Mock | Pharisaer | |
| Killarney | Sunburst | |
| Lady Hillingdon | White Killarney | |
| Mrs. McKean | | |

| | | |
|---|------------|-------------|
| American Beauty ----- | .75 | 6.00 |
| Frau Karl Druschki ----- | .75 | 6.00 |
| Gloirie de Chedane Guinoisseau---- | .75 | 6.00 |
| Gruss an 'Teplitz ----- | .75 | 6.00 |
| Mad. Plantier ----- | .75 | 5.00 |
| Soliel d'Or ----- | .90 | 7.50 |

Climbing

| | | | |
|-----------------------------|-----|------|-------|
| American Beauty (climbing)- | .60 | 5.00 | |
| American Pillar ----- | .60 | 5.00 | |
| Baltimore Belle ----- | .50 | 4.00 | |
| Dr. W. Van Fleet ----- | .60 | 5.00 | |
| Dorothy Perkins, 2 year---- | .50 | 4.00 | 30.00 |
| Dorothy Perkins, 3 year---- | .60 | 5.00 | 35.00 |
| Excelsa ----- | .60 | 5.00 | |
| Flower of Fairfield ----- | .60 | 5.00 | |
| Gardenia ----- | .60 | 5.00 | |

| Climbing Roses. | | each | per 10 | per 100 |
|---|-------|------|--------|---------|
| Hiawatha | ----- | .60 | 5.00 | |
| Prairie Queen | ----- | .50 | 4.00 | |
| Silver Moon | ----- | .60 | 5.00 | |
| White Dorothy Perkins | ---- | .60 | 5.00 | |
| Ramblers. | | | | |
| Blue | ----- | .60 | 5.00 | |
| Crimson | ----- | .60 | 5.00 | |
| White | ----- | .60 | 5.00 | |
| Yellow | ----- | .60 | 5.00 | |
| Baby Rambler | | .70 | 5.50 | |
| Erna Teschendorf | ----- | .70 | 5.50 | |
| Ellen Poulsen | ----- | .70 | 5.50 | |
| Persian Yellow | ----- | .75 | 6.00 | |
| Rubus deliciosus. | | | | |
| <i>Rocky Mountain Flg. Raspberry.</i> | | 5' | | |
| 2 to 3 ft. | ----- | .75 | | |
| <i>odoratus. Flowering Raspberry.</i> | | 6' | | |
| 2 to 3 ft. | ----- | .40 | 3.00 | 20.00 |
| 3 to 4 ft. | ----- | .45 | 3.50 | 25.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| <i>phoenicolasius. Japanese Wineberry.</i> | | 8' | | |
| 2 to 3 ft. | ----- | .50 | 4.00 | |
| 3 to 4 ft. | ----- | .60 | 5.00 | |
| Salix irrorata. Colorado Willow. | | 12' | | |
| 2 to 3 ft. | ----- | .50 | 4.00 | |
| 3 to 4 ft. | ----- | .60 | 5.00 | |
| 4 to 5 ft. | ----- | 1.00 | 7.50 | |
| rosmarinifolia. syn. incana. | | | | |
| <i>Rosemary Willow.</i> | | 20' | | |
| 2 to 3 ft. shrub form | ---- | .35 | 2.50 | 20.00 |
| 3 to 4 ft. shrub form | ---- | .40 | 3.00 | 25.00 |
| 4 to 5 ft. shrub form | ---- | .50 | 4.00 | 30.00 |
| 5 to 6 ft. shrub form | ---- | .60 | 4.50 | 35.00 |
| 6 to 8 ft. shrub form | ---- | .75 | 5.00 | |
| <i>vitellina glauca. Blue Russian Willow.</i> | | 20' | | |
| 5 to 6 ft. | ----- | .60 | 5.00 | 40.00 |
| 6 to 8 ft. | ----- | .75 | 6.00 | 50.00 |
| mutabilis. | | 5' | | |
| 2 to 3 ft. | ----- | .40 | 3.00 | |
| 3 to 4 ft. | ----- | .50 | 4.00 | |

| | | each | per 10 | per 100 |
|------------------------------|---------------------------------|------|--------|---------|
| Sambucus canadensis. | <i>Common Elder.</i> | 10' | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft. | ----- | .60 | 4.50 | 35.00 |
| 6 to 8 ft. | ----- | .75 | 6.00 | 50.00 |
| canadensis acutiloba. | <i>Cut-leaved Elder.</i> | 10' | | |
| 2 to 3 ft. | ----- | .40 | 3.00 | 25.00 |
| 3 to 4 ft. | ----- | .50 | 4.00 | 35.00 |
| 4 to 5 ft. | ----- | .60 | 5.00 | 40.00 |
| 5 to 6 ft. | ----- | .75 | 6.00 | 50.00 |
| nigra. | <i>European Elder.</i> | 15' | | |
| 2 to 3 ft. | ----- | .40 | 3.00 | |
| 3 to 4 ft. | ----- | .50 | 3.50 | |
| 4 to 5 ft. | ----- | .60 | 4.00 | |
| nigra aurea. | <i>Golden Elder.</i> | 15' | | |
| 2 to 3 ft. | ----- | .35 | 3.00 | 25.00 |
| 3 to 4 ft. | ----- | .40 | 3.50 | 30.00 |
| 4 to 5 ft. | ----- | .50 | 4.50 | 35.00 |
| 5 to 6 ft. | ----- | .60 | 5.00 | |
| 6 to 8 ft. | ----- | .75 | 6.00 | |
| nigra variegata. | <i>Variegated-leaved Elder.</i> | 10' | | |
| 3 to 4 ft. | ----- | .50 | 3.50 | |
| 4 to 5 ft. | ----- | .60 | 4.50 | |
| 5 to 6 ft. | ----- | .75 | 5.00 | |
| racemosus. | <i>Red-berried Elder.</i> | 8' | | |
| 2 to 3 ft. | ----- | .40 | 3.50 | 30.00 |
| 3 to 4 ft. | ----- | .50 | 4.00 | 35.00 |
| 4 to 5 ft. | ----- | .75 | 6.00 | 50.00 |
| Sophora Japonica. | <i>Pagoda Tree.</i> | 25' | | |
| 2 to 3 ft. | ----- | 1.00 | 7.50 | |
| 3 to 4 ft. | ----- | 1.25 | 10.00 | |
| 4 to 5 ft. specimens | ----- | 3.50 | | |
| 5 to 6 ft. specimens | ----- | 4.00 | | |
| 6 to 8 ft. specimens | ----- | 5.00 | | |
| Sorbaria Aitchisoni. | | 8' | | |
| 3 to 4 ft. | ----- | .40 | 3.50 | 30.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 35.00 |
| 5 to 6 ft. | ----- | .75 | 5.00 | |
| 6 to 8 ft. | ----- | 1.00 | 7.50 | |

Sorbaria.

| Lindleyana. | 8' | each | per 10 | per 100 |
|--------------------|-----------|-------------|---------------|----------------|
| 2 to 3 ft. | ----- | .40 | 3.00 | 20.00 |
| 3 to 4 ft. | ----- | .45 | 3.50 | 25.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft. | ----- | .60 | 5.00 | 40.00 |

sorbifolia. *Ash-leaved Spirea.* 4'

| | | | | |
|------------|-------|-----|------|-------|
| 2 to 3 ft. | ----- | .45 | 3.50 | 30.00 |
| 3 to 4 ft. | ----- | .50 | 4.00 | |

Spirea ariaefolia. *Blume-leaved Spirea.* 5'

| | | | | |
|------------|-------|-----|------|-------|
| 2 to 3 ft. | ----- | .35 | 3.00 | 20.00 |
| 3 to 4 ft. | ----- | .40 | 3.50 | 25.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |

arguta. 6'

| | | | | |
|------------|-------|-----|------|-------|
| 2 to 3 ft. | ----- | .40 | 3.00 | 25.00 |
| 3 to 4 ft. | ----- | .50 | 3.50 | 30.00 |
| 4 to 5 ft. | ----- | .55 | 4.50 | |
| 5 to 6 ft. | ----- | .65 | 5.00 | |

Atchisoni. (*See Sorbaria.*)**Billardi.** 6'

| | | | | |
|------------|-------|-----|------|-------|
| 3 to 4 ft. | ----- | .40 | 3.00 | 20.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft. | ----- | .60 | 4.50 | 35.00 |

Bumalda. 3'

| | | | | |
|--------------|-------|-----|------|-------|
| 18 to 24 in. | ----- | .40 | 3.50 | 25.00 |
| 24 to 30 in. | ----- | .50 | 4.00 | 35.00 |
| 2½ to 3 ft. | ----- | .60 | 5.00 | 40.00 |

Bumalda Anthony Waterer. 3'

| | | | | |
|--------------|-------|-----|------|-------|
| 18 to 24 in. | ----- | .45 | 3.50 | 25.00 |
| 24 to 30 in. | ----- | .50 | 4.00 | 35.00 |
| 2½ to 3 ft. | ----- | .60 | 5.00 | 40.00 |

Bumalda Walluffi. 3'

| | | | | |
|--------------|-------|-----|------|-------|
| 18 to 24 in. | ----- | .50 | 4.00 | 30.00 |
| 2 to 2½ ft. | ----- | .60 | 4.50 | 35.00 |
| 2½ to 3 ft. | ----- | .65 | 5.50 | 45.00 |

callosa alba. 3'

| | | | | |
|--------------|-------|-----|------|-------|
| 18 to 24 in. | ----- | .40 | 3.50 | 30.00 |
| 24 to 30 in. | ----- | .50 | 4.00 | 35.00 |
| 2½ to 3 ft. | ----- | .60 | 5.00 | 40.00 |

callosa Froebeli. 4'

| | | | | |
|------------|-------|-----|------|-------|
| 2 to 3 ft. | ----- | .40 | 3.00 | 25.00 |
|------------|-------|-----|------|-------|

callosa Marguerite. 5'

| | | | | |
|------------|-------|-----|------|-------|
| 2 to 3 ft. | ----- | .40 | 3.00 | 25.00 |
| 3 to 4 ft. | ----- | .50 | 4.00 | 30.00 |

Spirea.

| callosa rubra. 5' | each | per 10 | per 100 |
|--------------------------|------|--------|---------|
| 18 to 24 in.----- | .35 | 2.50 | 20.00 |
| 2 to 3 ft.----- | .40 | 3.00 | 25.00 |

| callosa rosea. 4' | | | |
|--------------------------|-----|------|-------|
| 2 to 3 ft.----- | .35 | 2.50 | 20.00 |
| 3 to 4 ft.----- | .40 | 3.00 | 25.00 |
| 4 to 5 ft.----- | .50 | 4.00 | 35.00 |

| callosa superba. 4' | | | |
|----------------------------|-----|------|-------|
| 18 to 24 in.----- | .40 | 3.00 | 20.00 |
| 24 to 30 in.----- | .50 | 3.50 | 25.00 |

| Douglasi. Douglas' Spirea. 8' | | | |
|--------------------------------------|-----|------|-------|
| 2 to 3 ft.----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft.----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft.----- | .50 | 4.00 | 30.00 |

Lindleyana. (*See Sorbaria*).

opulifolia. (*See Physocarpus*).

| paniculata rosea. 6' | | | |
|-----------------------------|-----|------|-------|
| 3 to 4 ft.----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft.----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft.----- | .60 | 4.50 | 35.00 |

| prunifolia. Bridal Wreath. 8' | | | |
|--------------------------------------|------|------|-------|
| 2 to 3 ft.----- | .40 | 3.50 | 30.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 35.00 |
| 4 to 5 ft.----- | .60 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 6.00 | 50.00 |
| 6 to 7 ft.----- | 1.00 | 7.50 | |

| Reevesii. 8' | | | |
|---------------------|-----|------|-------|
| 2 to 3 ft.----- | .40 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .45 | 3.50 | 30.00 |
| 4 to 5 ft.----- | .50 | 4.00 | 35.00 |
| 5 to 6 ft.----- | .60 | 5.00 | 40.00 |

| Reevesii. fl. pl. 8' | | | |
|-----------------------------|-----|------|-------|
| 2 to 3 ft.----- | .40 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .45 | 3.50 | 30.00 |
| 4 to 5 ft.----- | .50 | 4.00 | 35.00 |
| 5 to 6 ft.----- | .60 | 5.00 | 40.00 |

| rotundifolia. syn. canescens. 10' | | | |
|--|-----|------|-------|
| 2 to 3 ft.----- | .40 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .45 | 3.50 | 30.00 |
| 4 to 5 ft.----- | .60 | 4.00 | 35.00 |

| Spirea. | | each | per 10 | per 100 |
|---|-------------------|------|--------|---------|
| salicifolia. <i>Willow-leaved Spirea.</i> | 5' | | | |
| | 2 to 3 ft.----- | .35 | 2.50 | 20.00 |
| | 3 to 4 ft.----- | .40 | 3.00 | 25.00 |
| | 4 to 5 ft.----- | .50 | 4.00 | 35.00 |
| sorbifolia. (<i>See Sorbaria.</i>) | | | | |
| syringaefflora. 3' | | | | |
| | 18 to 24 in.----- | .40 | 3.00 | 20.00 |
| | 2 to 3 ft.----- | .50 | 3.50 | 25.00 |
| tomentosa. <i>Hardhack.</i> 4' | | | | |
| | 2 to 3 ft.----- | .40 | 3.00 | 25.00 |
| | 3 to 4 ft.----- | .45 | 3.50 | 30.00 |
| | 4 to 5 ft.----- | .50 | 4.00 | |
| Thunbergii. <i>Thunberg's Spirea.</i> 5' | | | | |
| | 18 to 24 in.----- | .35 | 3.00 | 25.00 |
| | 24 to 30 in.----- | .40 | 3.50 | 30.00 |
| | 2½ to 3 ft.----- | .50 | 4.50 | 35.00 |
| | 3 to 4 ft.----- | .60 | 5.00 | 40.00 |
| | 4 to 5 ft.----- | .75 | 6.00 | |
| Van Houttei. <i>Van Houtte's Spirea.</i> 10' | | | | |
| | 2 to 3 ft.----- | .35 | 2.50 | 20.00 |
| | 3 to 4 ft.----- | .40 | 3.00 | 25.00 |
| | 4 to 5 ft.----- | .50 | 4.00 | 30.00 |
| | 5 to 6 ft.----- | .60 | 5.00 | |
| | 6 to 8 ft.----- | 1.25 | 10.00 | |
| Ulmifolia. 6' | | | | |
| | 3 to 4 ft.----- | .40 | 3.50 | |
| | 4 to 5 ft.----- | .50 | 4.00 | |
| Staphylea colchica. 12' | | | | |
| | 2 to 3 ft.----- | .40 | 3.50 | 25.00 |
| | 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| | 4 to 5 ft.----- | .75 | 5.00 | 40.00 |
| | 5 to 6 ft.----- | 1.00 | 7.50 | |
| | 6 to 8 ft.----- | 1.50 | 10.00 | |
| Bumaldi. 8' | | | | |
| | 2 to 3 ft.----- | .35 | 2.50 | 20.00 |
| | 3 to 4 ft.----- | .40 | 3.50 | 25.00 |
| | 4 to 5 ft.----- | .50 | 4.00 | 30.00 |
| | 5 to 6 ft.----- | .75 | 5.00 | 40.00 |
| | 6 to 8 ft.----- | 1.00 | 7.50 | 50.00 |
| pinnata. <i>Bladder Nut.</i> 12' | | | | |
| | 2 to 3 ft.----- | .35 | 3.00 | 20.00 |
| | 3 to 4 ft.----- | .40 | 3.50 | 25.00 |

| Staphylea pinnata | | each | per 10 | per 100 |
|---|-------|------|--------|---------|
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft. | ----- | .75 | 5.00 | 40.00 |
| trifoliata. American Bladder Nut. 12' | | | | |
| 2 to 3 ft. | ----- | .35 | 3.00 | 20.00 |
| 3 to 4 ft. | ----- | .40 | 3.50 | 25.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 30.00 |
| 5 to 6 ft. | ----- | .75 | 5.00 | 40.00 |
| 6 to 8 ft. | ----- | .85 | 6.00 | 50.00 |
| Stephanandra flexuosa. 6' | | | | |
| 2 to 3 ft. | ----- | .40 | 3.00 | 25.00 |
| 3 to 4 ft. | ----- | .45 | 3.50 | 30.00 |
| 4 to 5 ft. | ----- | .60 | 4.50 | 35.00 |
| Stuartia pentagyna. Hardy Camellia. 15' | | | | |
| 2 to 3 ft. | ----- | 1.75 | 15.00 | |
| 3 to 4 ft. | ----- | 2.50 | 20.00 | |
| 4 to 5 ft. | ----- | 3.50 | 30.00 | |
| Styrax Japonica. 20' | | | | |
| 2 to 3 ft. | ----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft. | ----- | .60 | 5.00 | 40.00 |
| 4 to 5 ft. | ----- | 1.00 | 7.50 | 50.00 |
| 5 to 6 ft. | ----- | 1.25 | 10.00 | |
| 6 to 8 ft. | ----- | 1.75 | 15.00 | |
| Symphoricarpus molle. Wolfberry. 6' | | | | |
| 2 to 3 ft. | ----- | .40 | 3.50 | 30.00 |
| 3 to 4 ft. | ----- | .50 | 4.00 | 35.00 |
| racemosus. Snowberry. 6' | | | | |
| 2 to 3 ft. | ----- | .35 | 3.00 | 25.00 |
| 3 to 4 ft. | ----- | .45 | 3.50 | 30.00 |
| 4 to 5 ft. | ----- | .50 | 4.00 | 35.00 |
| 5 to 6 ft. | ----- | .60 | 5.00 | 40.00 |
| vulgaris. Red Snowberry. 5' | | | | |
| 2 to 3 ft. | ----- | .35 | 2.50 | 18.00 |
| 3 to 4 ft. | ----- | .40 | 3.00 | 22.00 |
| 4 to 5 ft. | ----- | .45 | 3.50 | 25.00 |
| Symplocos crataegoides. syn. Japonica. 10' | | | | |
| 2 to 3 ft. | ----- | 1.25 | 10.00 | 90 00 |
| 3 to 4 ft. | ----- | 2.00 | 15.00 | 135.00 |
| 4 to 5 ft. | ----- | 3.50 | | |
| 5 to 6 ft. | ----- | 5.00 | | |

| Syringa Emodi. | 8' | each | per 10 | per 100 |
|---------------------------------------|-----------------------------|-------------|---------------|----------------|
| 2 to 3 ft. | ----- | .50 | 4.00 | |
| 3 to 4 ft. | ----- | .60 | 5.00 | |
| 4 to 5 ft. | ----- | 1.00 | 7.50 | |
| 5 to 6 ft. | ----- | 1.25 | 10.00 | |
| 6 to 8 ft. | ----- | 1.75 | 15.00 | |
| Japonica. | Japan Tree Lilac. | 20' | | |
| 2 to 3 ft. | ----- | .45 | 4.00 | 30.00 |
| 3 to 4 ft. | ----- | .60 | 5.00 | 40.00 |
| 4 to 5 ft. | ----- | .75 | 6.00 | 50.00 |
| 5 to 6 ft. | ----- | 1.00 | 7.50 | 60.00 |
| 6 to 8 ft. | ----- | 1.25 | 10.00 | |
| Josikea. | Hungarian Lilac. | 10' | | |
| 2 to 3 ft. | ----- | .45 | 4.00 | 30.00 |
| 3 to 4 ft. | ----- | .60 | 5.00 | 40.00 |
| 4 to 5 ft. | ----- | .75 | 6.00 | |
| 5 to 6 ft. | ----- | 1.25 | 10.00 | |
| 6 to 8 ft. | ----- | 1.75 | 15.00 | |
| Pekinensis. | Chinese Lilac. | 15' | | |
| 2 to 3 ft. | ----- | .50 | 4.00 | 35.00 |
| 3 to 4 ft. | ----- | .60 | 5.00 | 40.00 |
| 4 to 5 ft. | ----- | .75 | 6.00 | 50.00 |
| 5 to 6 ft. | ----- | 1.00 | 7.50 | 60.00 |
| 6 to 8 ft. | ----- | 1.25 | 10.00 | 75.00 |
| 6 to 8 ft. specimens | ----- | 2.50 | | |
| Persica. | Persian Lilac. | 10' | | |
| 2 to 3 ft. | ----- | .50 | 4.00 | 35.00 |
| 3 to 4 ft. | ----- | .60 | 5.00 | 45.00 |
| Persica alba. | White Persian Lilac. | 10' | | |
| 2 to 3 ft. | ----- | .55 | 4.50 | 40.00 |
| 3 to 4 ft. | ----- | .65 | 5.50 | 50.00 |
| Rothomagensis. syn. Chinensis. | Rouen Lilac. | 10' | | |
| 2 to 3 ft. | ----- | .40 | 3.50 | 30.00 |
| 3 to 4 ft. | ----- | .50 | 4.50 | 40.00 |
| 4 to 5 ft. | ----- | .60 | 5.00 | |
| Rothomagensis Saugeana. | Red Rouen Lilac. | 10' | | |
| 2 to 3 ft. | ----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft. | ----- | .55 | 4.50 | 40.00 |
| 4 to 5 ft. | ----- | .60 | 5.00 | |
| villosa. | 8' | | | |
| 2 to 3 ft. | ----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft. | ----- | .60 | 5.00 | 40.00 |
| 4 to 5 ft. | ----- | .75 | 6.00 | 50.00 |
| 5 to 6 ft. | ----- | 1.00 | 7.50 | |

| Syringa | | each | per 10 | per 100 |
|--------------------------------------|-----------------------------------|------|--------|---------|
| vulgaris. | <i>Common Purple Lilac.</i> 15' | | | |
| 2 to 3 ft. | ----- | .40 | 3.50 | 25.00 |
| 3 to 4 ft. | ----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft. | ----- | .60 | 5.00 | 40.00 |
| 5 to 6 ft. | ----- | 1.00 | 7.50 | |
| vulgaris alba. | <i>Common White Lilac.</i> 15' | | | |
| 2 to 3 ft. | ----- | .45 | 4.00 | 30.00 |
| 3 to 4 ft. | ----- | .50 | 4.50 | 35.00 |
| 4 to 5 ft. | ----- | .60 | 5.50 | 45.00 |
| 5 to 6 ft. | ----- | 1.00 | 7.50 | |
| vulgaris Belle de Nancy. | <i>Double Rose Lilac.</i> | | | |
| 2 to 3 ft. | ----- | .75 | 6.00 | 50.00 |
| 3 to 4 ft. | ----- | 1.00 | 7.50 | 65.00 |
| 4 to 5 ft. | ----- | 1.50 | 12.50 | |
| 5 to 6 ft. | ----- | 2.00 | | |
| vulgaris Chas. Joly. | <i>Dark purplish Red Lilac.</i> | | | |
| 2 to 3 ft. | ----- | .75 | 6.00 | 50.00 |
| 3 to 4 ft. | ----- | 1.00 | 7.50 | 65.00 |
| vulgaris La Tour d'Avergne. | <i>Double Purple Lilac.</i> | | | |
| 2 to 3 ft. | ----- | .75 | 6.00 | 50.00 |
| 3 to 4 ft. | ----- | 1.00 | 7.50 | 65.00 |
| 4 to 5 ft. | ----- | 1.50 | 12.50 | |
| vulgaris Ludwig Spaeth. | <i>Single Red Lilac.</i> | | | |
| 2 to 3 ft. | ----- | .75 | 6.00 | 50.00 |
| 3 to 4 ft. | ----- | 1.00 | 7.50 | 65.00 |
| 4 to 5 ft. | ----- | 1.50 | 12.50 | |
| vulgaris Mad. Abel Chatenay. | <i>Double White Lilac.</i> | | | |
| 2 to 3 ft. | ----- | .75 | 6.00 | 50.00 |
| 3 to 4 ft. | ----- | 1.00 | 7.50 | 65.00 |
| 4 to 5 ft. | ----- | 1.50 | 12.50 | |
| vulgaris Mad. Casimer Perier. | <i>Double Creamy White Lilac.</i> | | | |
| 2 to 3 ft. | ----- | .75 | 6.00 | 50.00 |
| 3 to 4 ft. | ----- | 1.00 | 7.50 | 65.00 |
| 4 to 5 ft. | ----- | 1.50 | 12.50 | |
| vulgaris Marie Le Graye. | <i>Single White Lilac.</i> | | | |
| 2 to 3 ft. | ----- | .75 | 6.00 | |
| 3 to 4 ft. | ----- | 1.00 | 7.50 | |

Syringa**vulgaris Mad. Lemoine.**

| <i>Large Double White Lilac.</i> | each | per 10 | per 100 |
|----------------------------------|------|--------|---------|
| 2 to 3 ft.----- | .75 | 6.00 | 50.00 |
| 3 to 4 ft.----- | 1.00 | 7.50 | 65.00 |

vulgaris Pres. Grevy.*Double Blue Lilac.*

| | | | |
|-----------------|------|-------|-------|
| 2 to 3 ft.----- | .75 | 6.00 | 50.00 |
| 3 to 4 ft.----- | 1.00 | 7.50 | 65.00 |
| 4 to 5 ft.----- | 1.50 | 12.50 | |
| 5 to 6 ft.----- | 2.00 | | |

vulgaris Princess Alexandria.*Single White Lilac.*

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .75 | 6.00 | 50.00 |
| 3 to 4 ft.----- | 1.00 | 7.50 | 65.00 |

Tamarix aestivalis. 12'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .40 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | |
| 4 to 5 ft.----- | .75 | 5.00 | |

Africana. 15'

| | | | |
|-----------------|-----|------|-------|
| 3 to 4 ft.----- | .40 | 3.00 | 20.00 |
| 4 to 5 ft.----- | .45 | 3.50 | 25.00 |
| 5 to 6 ft.----- | .50 | 4.00 | 30.00 |
| 6 to 8 ft.----- | .75 | 5.00 | 40.00 |

Gallica. 10'

| | | | |
|-----------------|-----|------|-------|
| 3 to 4 ft.----- | .40 | 3.00 | 20.00 |
| 4 to 5 ft.----- | .45 | 3.50 | 25.00 |
| 5 to 6 ft.----- | .50 | 4.00 | 30.00 |
| 6 to 8 ft.----- | .75 | 5.00 | 40.00 |

Gallica Indica. 10'

| | | | |
|-----------------|-----|------|-------|
| 3 to 4 ft.----- | .40 | 3.00 | 20.00 |
| 4 to 5 ft.----- | .45 | 3.50 | 25.00 |
| 5 to 6 ft.----- | .50 | 4.00 | 30.00 |
| 6 to 8 ft.----- | .75 | 5.00 | 40.00 |

Odessana. 6'

| | | | |
|-----------------|-----|------|-------|
| 3 to 4 ft.----- | .40 | 3.00 | 20.00 |
| 4 to 5 ft.----- | .45 | 3.50 | 25.00 |
| 5 to 6 ft.----- | .50 | 4.00 | 30.00 |

tetandra purpurea. 10'

| | | | |
|-----------------|-----|------|--|
| 3 to 4 ft.----- | .50 | 4.00 | |
|-----------------|-----|------|--|

Vaccinium corymbosum. Blueberry.

| | | | |
|-------------------------|------|-------|--|
| 2 to 3 ft. B. & B.----- | 3.00 | 25.00 | |
|-------------------------|------|-------|--|

| | each | per 10 | per 100 |
|--|------|--------|---------|
| Viburnum acerfolium. Dockmackie. 5' | | | |
| 18 to 24 in.----- | .50 | 4.00 | |
| 2 to 3 ft.----- | .60 | 5.00 | |
| 3 to 4 ft.----- | .75 | 6.00 | |
| Americanum. (Pembina). 10' | | | |
| 3 to 4 ft.----- | .60 | 5.00 | 40.00 |
| 4 to 5 ft.----- | .75 | 6.00 | |
| cassinoides. Withe Rod. 6' | | | |
| 2 to 3 ft.----- | .50 | 4.50 | 35.00 |
| 3 to 4 ft.----- | .65 | 5.00 | 40.00 |
| dentatum. Arrow Wood. 12' | | | |
| 2 to 3 ft.----- | .40 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .60 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 6.00 | 50.00 |
| 4 to 5 ft. XX heavy---- | 1.25 | 10.00 | |
| 5 to 6 ft. XX heavy---- | 1.50 | 12.50 | |
| lantana. Wayfaring Tree. 15' | | | |
| 2 to 3 ft.----- | .40 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .60 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 6.00 | 50.00 |
| 6 to 8 ft.----- | 1.25 | 10.00 | |
| lentago. Sheepberry. 20' | | | |
| 3 to 4 ft.----- | .60 | 5.00 | 40.00 |
| 4 to 5 ft.----- | .75 | 6.50 | 50.00 |
| 5 to 6 ft.----- | 1.00 | 7.50 | 60.00 |
| 6 to 7 ft. spec.----- | 1.50 | 12.50 | |
| molle. 10' | | | |
| 3 to 4 ft.----- | .50 | 4.00 | 35.00 |
| 4 to 5 ft.----- | .75 | 6.00 | 45.00 |
| 5 to 6 ft.----- | 1.00 | 7.50 | 60.00 |
| 6 to 8 ft.----- | 1.25 | 10.00 | 75.00 |
| nudum. Smooth Withe Rod. 8' | | | |
| 2 to 3 ft.----- | .60 | 5.00 | 40.00 |
| 3 to 4 ft.----- | .75 | 6.00 | |
| opulus. High Bush Cranberry. 10' | | | |
| 2 to 3 ft.----- | .40 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 35.00 |
| 4 to 5 ft.----- | .75 | 6.00 | 50.00 |
| 5 to 6 ft.----- | .90 | 7.00 | 60.00 |
| 6 to 8 ft.----- | 1.25 | 10.00 | 75.00 |

Viburnum.

| opulus nana. 2' | each | per 10 | per 100 |
|------------------------|------|--------|---------|
| 10 to 12 in. | .35 | 3.00 | 20.00 |
| 12 to 15 in. | .50 | 3.50 | 25.00 |

| opulus sterilis. Common Snowball. 10' | | | |
|--|-----|------|-------|
| 2 to 3 ft. | .40 | 3.50 | 30.00 |
| 3 to 4 ft. | .50 | 4.50 | 40.00 |
| 4 to 5 ft. | .75 | 6.00 | 50.00 |
| 5 to 6 ft. | .90 | 7.50 | 60.00 |

| prunifolium. Black Haw. 12' | | | |
|------------------------------------|------|-------|-------|
| 2 to 3 ft. | .75 | 6.00 | 50.00 |
| 3 to 4 ft. | .90 | 7.50 | 60.00 |
| 4 to 5 ft. | 1.25 | 9.00 | |
| 5 to 6 ft. | 1.50 | 12.50 | |

| rugosum. 10' | | | |
|---------------------|-----|------|-------|
| 2 to 3 ft. | .40 | 3.00 | 25.00 |
| 3 to 4 ft. | .60 | 4.50 | 35.00 |

| Sargenti. 10' | | | |
|----------------------|-----|------|-------|
| 2 to 3 ft. | .50 | 4.00 | 35.00 |

| sieboldi. 10' | | | |
|----------------------------|------|-------|-------|
| 2 to 3 ft. | .60 | 5.00 | 40.00 |
| 3 to 4 ft. | .75 | 6.00 | 50.00 |
| 4 to 5 ft. | 1.00 | 7.50 | |
| 5 to 6 ft. | 1.25 | 10.00 | |
| 6 to 8 ft. | 1.75 | 15.00 | |
| 4 to 5 ft. specimens. | 2.50 | | |

| tomentosum. 8' | | | |
|-----------------------|-----|------|-------|
| 2 to 3 ft. | .50 | 4.00 | 30.00 |
| 3 to 4 ft. | .60 | 4.50 | 40.00 |
| 4 to 5 ft. | .75 | 6.00 | |

| tomentosum plicatum. Japan Snowball. 8' | | | |
|--|------|-------|--|
| 2 to 3 ft. | .65 | 5.00 | |
| 3 to 4 ft. | .75 | 6.00 | |
| 4 to 5 ft. | 1.25 | 10.00 | |

| Vitex Agnus castus. Chaste Shrub. 4' | | | |
|---|-----|------|-------|
| 2 to 3 ft. | .35 | 3.00 | 20.00 |
| 3 to 4 ft. | .50 | 3.50 | 25.00 |

| Agnus castus alba. White Chaste Shrub. 4' | | | |
|--|-----|------|-------|
| 2 to 3 ft. | .35 | 3.00 | 20.00 |
| 3 to 4 ft. | .50 | 3.50 | 25.00 |

Weigela. (See Diervilla).

Xanthoceras sorbifolia. 10'

| | | |
|-------------------|------|-------|
| 18 to 24 in.----- | .90 | 7.50 |
| 2 to 3 ft.----- | 1.25 | 10.00 |
| 3 to 4 ft.----- | 1.50 | 12.50 |

Xanthorrhiza apiifolia. Shrub Yellow Root. 3'

| | | | |
|---------------------------|-----|------|-------|
| 12 to 15 in. clumps ----- | .35 | 2.50 | 20.00 |
| 15 to 18 in. clumps ----- | .40 | 3.00 | 25.00 |
| 18 to 24 in. clumps ----- | .50 | 4.00 | 30.00 |

Xanthoxylon Americana. Prickly Ash. 15'

| | | |
|-----------------|-----|------|
| 2 to 3 ft.----- | .50 | 4.00 |
| 3 to 4 ft.----- | .60 | 5.00 |
| 4 to 5 ft.----- | .75 | 6.00 |

Evergreen Shrubs**Andromeda floribunda.**

| | | | |
|---------------------------|------|-------|--------|
| 18 to 24 in. B. & B.----- | 2.50 | 22.50 | 200.00 |
|---------------------------|------|-------|--------|

Azalea amoena.

| | |
|---------------------------|------|
| 12 to 15 in. B. & B.----- | 2.25 |
| 15 to 18 in. B. & B.----- | 2.75 |

hinode-giri.

| | |
|---------------------------|------|
| 12 to 15 in. B. & B.----- | 2.50 |
| 15 to 18 in. B. & B.----- | 3.00 |

Calluna vulgaris alba.

| | | |
|-----------------------------|-----|------|
| 6 to 8 in., 5 inch pots---- | .90 | 7.50 |
|-----------------------------|-----|------|

vulgaris carnea.

| | | |
|-----------------------------|-----|------|
| 6 to 8 in., 5 inch pots---- | .90 | 7.50 |
|-----------------------------|-----|------|

Crataegus pyracantha Lelandi.

| | | |
|---------------------------|------|-------|
| 18 to 24 in. B. & B.----- | 1.75 | 15.00 |
| 2 to 3 ft. B. & B.----- | 2.25 | 20.00 |

Daphne cneorum. Garland Flower.

| | | |
|--------------------------|------|-------|
| 8 to 10 in. spread----- | 1.00 | 9.00 |
| 10 to 12 in. spread----- | 1.50 | 12.50 |

Euonymus radicans.

| | | | |
|-------------------|-----|------|-------|
| 8 to 12 in.----- | .30 | 2.00 | 15.00 |
| 12 to 15 in.----- | .35 | 2.50 | 20.00 |
| 15 to 18 in.----- | .40 | 3.00 | 25.00 |

radicans acutis.

| | | | |
|-------------------|-----|------|-------|
| 12 to 15 in.----- | .35 | 3.00 | 25.00 |
| 15 to 18 in.----- | .40 | 3.50 | 30.00 |

radicans kewensis.

| | | | |
|------------------|-----|------|-------|
| 8 to 12 in.----- | .60 | 5.00 | 40.00 |
|------------------|-----|------|-------|

| Euonymus | each | per 10 | per 100 |
|---|------|--------|---------|
| radicans variegata. | | | |
| 8 to 12 in.----- | .30 | 2.00 | 15.00 |
| 12 to 15 in.----- | .35 | 2.50 | 20.00 |
| 15 to 18 in.----- | .40 | 3.00 | 25.00 |
| radicans Carrieri. | | | |
| 12 to 15 in.----- | .40 | 3.00 | 25.00 |
| nanus. | | | |
| 18 to 24 in.----- | .50 | 4.00 | 30.00 |
| Sieboldi. | | | |
| 18 to 24 in.----- | .60 | 5.00 | |
| 2 to 3 ft.----- | .75 | 6.00 | |
| vegetus. | | | |
| 12 to 15 in.----- | .40 | 3.00 | 25.00 |
| 15 to 18 in.----- | .50 | 4.00 | 30.00 |
| 18 to 24 in.----- | .60 | 5.00 | 40.00 |
| Ilex crenata. | | | |
| 15 to 18 in.-----B. & B. | 2.00 | | |
| glabra. Inkberry. | | | |
| 18 to 24 in.-----B. & B. | 2.50 | 22.50 | |
| opaca. American Holly. | | | |
| 2 to 3 ft.-----B. & B. | 3.00 | 25.00 | |
| 3 to 4 ft.-----B. & B. | 4.00 | 35.00 | |
| Kalmia latifolia. Mountain Laurel. | | | |
| 2 to 3 ft.-----B. & B. | 3.00 | 25.00 | 200.00 |
| 3 to 4 ft.-----B. & B. | 3.50 | 30.00 | 250.00 |
| Leucothoe Catesbaei. | | | |
| 15 to 18 in.-----B. & B. | 1.50 | 12.50 | 100.00 |
| 18 to 24 in.-----B. & B. | 1.75 | 15.00 | 125.00 |
| Mahonia aquifolia. | | | |
| 15 to 18 in.----- | .60 | 5.00 | 40.00 |
| 18 to 24 in.----- | .75 | 6.00 | 50.00 |
| 24 to 30 in.----- | 1.25 | 10.00 | 75.00 |
| Rhododendron maximum. | | | |
| 2 to 3 ft.-----B. & B. | 3.00 | 25.00 | 200.00 |
| 3 to 4 ft.-----B. & B. | 3.50 | 30.00 | 250.00 |
| caroliniana. | | | |
| 2 to 3 ft.-----B. & B. | 3.00 | 27.50 | 250.00 |
| catawbiense. | | | |
| 2 to 3 ft.-----B. & B. | 3.00 | 27.50 | 250.00 |

Vines

| | | each | per 10 | per 100 |
|--|----------|------|--------|---------|
| Actinidia arguta. <i>Silver Sweet.</i> | | | | |
| 2 year | ----- | .50 | 4 00 | |
| 3 year | XX ----- | .75 | 5.00 | |
| polygama. | | | | |
| 2 year | ----- | .60 | 5.00 | |
| Akebia quinata. | | | | |
| 2 year | ----- | .40 | 3.00 | |
| 3 year | ----- | .50 | 4.00 | |
| Ampelopsis aconitifolia. | | | | |
| 2 year | ----- | .35 | 2.50 | 20.00 |
| 3 year | ----- | .40 | 3.00 | 25.00 |
| 4 year | ----- | .50 | 4.00 | 30.00 |
| heterophylla. | | | | |
| 2 year | ----- | .40 | 3.00 | 20.00 |
| 3 year | ----- | .45 | 3.50 | 25.00 |
| 4 year | ----- | .50 | 4.50 | 35.00 |
| heterophylla variegata, syn. Sieboldi. | | | | |
| 2 year | ----- | .40 | 3.00 | 25.00 |
| 3 year | ----- | .50 | 4.00 | |
| Lowii. | | | | |
| 2 year, from pots | ----- | .60 | 5.00 | |
| quinquefolia. <i>Virginia Creeper.</i> | | | | |
| 2 year | ----- | .30 | 2.00 | 15.00 |
| 3 year | ----- | .35 | 2.50 | 20.00 |
| quinquefolia Engelmanni. | | | | |
| 2 year | ----- | .35 | 2.50 | 18.00 |
| 3 year | ----- | .40 | 3.00 | 22.00 |
| 4 year | ----- | .50 | 4.00 | |
| Veitchii. <i>Boston Ivy.</i> | | | | |
| 2 year | ----- | .40 | 3.00 | 20.00 |
| 3 year | ----- | .50 | 3.50 | 25.00 |
| Aristolochia siphocampylus. | | | | |
| 2 year | ----- | 1.00 | 7.50 | |
| Celastrus articulatus. <i>Japanese Bittersweet.</i> | | | | |
| 2 year | ----- | .35 | 2.50 | 20.00 |
| 3 year | ----- | .40 | 3.00 | 25.00 |
| 4 year | ----- | .75 | 5.00 | |
| scandens. <i>Native Bittersweet.</i> | | | | |
| 2 year | ----- | .35 | 2.50 | 20.00 |
| 3 year | ----- | .40 | 3.00 | 25.00 |
| 4 year | ----- | .75 | 5.00 | |

| | each | per 10 | per 100 |
|---|------|--------|---------|
| Clematis coccinea. | | | |
| 2 year ----- | .50 | 4.00 | |
| integrifolia coerulea. | | | |
| 2 year ----- | .40 | 3.00 | 25.00 |
| orientalis. | | | |
| 2 year ----- | .40 | 3.00 | |
| paniculata. | | | |
| 2 year ----- | .35 | 3.00 | 20.00 |
| 3 year ----- | .50 | 4.00 | 30.00 |
| tangutica. | | | |
| 2 year ----- | .60 | 5.00 | |
| Virginiana. Wild Clematis. | | | |
| 2 year ----- | .40 | 3.00 | 25.00 |
| 3 year ----- | .45 | 3.50 | 30.00 |
| Hybrids. Large Flowering Clematis. | | | |
| 2 year ----- | .85 | 7.50 | |
| Jackmanni, Mad. Ed. Andre | | | |
| Henryii, Duchess of Edinburg. | | | |
| Hedera helix. English Ivy. | | | |
| 2 year ----- | .60 | 5.00 | |
| 3 year ----- | .75 | 6.00 | |
| Lonicera aurea reticulata. | | | |
| 2 year ----- | .35 | 2.50 | 20.00 |
| Belgica. | | | |
| 2 year ----- | .35 | 3.00 | 25.00 |
| 3 year ----- | .50 | 4.00 | 35.00 |
| 4 year ----- | .60 | 5.00 | |
| Caprifolium. Italian Honeysuckle. | | | |
| 2 year ----- | .40 | 3.00 | 25.00 |
| 3 year ----- | .50 | 3.50 | 30.00 |
| Heckrotti. | | | |
| 2 year ----- | .50 | 3.50 | 30.00 |
| hirsutus. | | | |
| 2 year ----- | .75 | 5.00 | |
| Japonica. | | | |
| 2 year ----- | .35 | 2.50 | 18.00 |
| 3 year ----- | .40 | 3.00 | 22.00 |
| Japonica Halleana. Hall's Japan Honeysuckle. | | | |
| 2 year ----- | .35 | 2.50 | 18.00 |
| 3 year ----- | .40 | 3.00 | 22.00 |
| Periclymenum. | | | |
| 2 year ----- | .50 | 3.50 | |

| | | each | per 10 | per 100 |
|--|-------|------|--------|---------|
| Lonicera. | | | | |
| sempervirens. <i>Scarlet Trumpet Honeysuckle.</i> | | | | |
| 2 year | ----- | .40 | 3.00 | 25.00 |
| 3 year | ----- | .50 | 3.50 | 30.00 |
| sullivanti. | | | | |
| 3 year | ----- | .50 | 4.50 | |
| verna. | | | | |
| 12 to 15 in. | ----- | .40 | 3.00 | 25.00 |
| 15 to 18 in. | ----- | .50 | 3.50 | 30.00 |
| Lycium. (<i>See Shrubs</i>). | | | | |
| Periploca Graeca. <i>Silk Vine.</i> | | | | |
| 2 year | ----- | .35 | 2.50 | 20.00 |
| 3 year | ----- | .40 | 3.00 | 25.00 |
| 4 year | ----- | .50 | 4.00 | 30.00 |
| Polygonum Auberti. | | | | |
| 2 year | ----- | .50 | 4.00 | 30.00 |
| 3 year | ----- | .60 | 5.00 | 40.00 |
| Baldschuanicum. | | | | |
| 2 year | ----- | .75 | 6.00 | 50.00 |
| Pueraria Thunbergiana. <i>Kudzu Vine.</i> | | | | |
| 2 year | ----- | .35 | 2.50 | 20.00 |
| Solanum dulcamara. <i>True Bittersweet.</i> | | | | |
| 2 year | ----- | .35 | 2.50 | 20.00 |
| Schizophragma hydrangeoides. <i>Climbing Hydrangea.</i> | | | | |
| from pots | ----- | 1.00 | 7.50 | |
| Tecoma grandiflora. <i>Large flowered Trumpet Vine.</i> | | | | |
| 2 year | ----- | .50 | 4.00 | 35.00 |
| 3 year | ----- | .75 | 5.00 | |
| radicans. <i>Trumpet Vine.</i> | | | | |
| 2 year | ----- | .35 | 2.50 | 18.00 |
| 3 year | ----- | .40 | 3.00 | 22.00 |
| speciosum rubrum. | | | | |
| 2 year | ----- | .50 | 4.00 | |
| 3 year | ----- | .75 | 5.00 | |
| Vinca minor. <i>Periwinkle.</i> | | | | |
| 8 to 12 in. | ----- | .15 | 1.20 | 8.00 |
| minor alba. | | | | |
| 2 year | ----- | .35 | 2.50 | |
| Vitis aestivalis. <i>Summer Grape.</i> | | | | |
| 2 year | ----- | .35 | 2.50 | 20.00 |
| 3 year | ----- | .40 | 3.00 | 25.00 |

| Vitis. | | each | per 10 | per 100 |
|-----------------------------|---------------------------------|------|--------|---------|
| cordifolia. | <i>Frost or Winter Grape.</i> | | | |
| | 2 year ----- | .35 | 2.50 | 20.00 |
| | 3 year ----- | .40 | 3.00 | 25.00 |
| Labrusca. | <i>Fox Grape.</i> | | | |
| | 2 year ----- | .30 | 2.50 | 20.00 |
| | 3 year ----- | .40 | 3.00 | 25.00 |
| Wistaria frutescens. | | | | |
| | 2 year ----- | .40 | 3.50 | 30.00 |
| | 3 year ----- | .50 | 4.00 | 35.00 |
| magnifica. | <i>Blue Wistaria.</i> | | | |
| | 2 year ----- | .40 | 3.50 | 30.00 |
| | 3 year ----- | .50 | 4.00 | 35.00 |
| multijuga. | <i>Japanese Wistaria.</i> | | | |
| | 2 year ----- | .40 | 3.50 | 30.00 |
| | 3 year ----- | .50 | 4.50 | 40.00 |
| sinensis. | <i>Chinese Purple Wistaria.</i> | | | |
| | 2 year ----- | .40 | 3.00 | 25.00 |
| | 3 year ----- | .50 | 4.50 | 35.00 |
| | 3 to 4 ft. standard----- | 1.25 | 10.00 | |
| | 4 to 5 ft. standard----- | 1.75 | 15.00 | |
| sinensis alba. | <i>Chinese White Wistaria.</i> | | | |
| | 2 year ----- | .50 | 4.50 | 40.00 |
| | 3 year ----- | .60 | 5.50 | 50.00 |
| | 6 year XX ----- | 3.50 | | |

Hardy Perennials

Young, transplanted, field grown stock.

Less than five at double the rate per hundred.

| | | | |
|---------------------------------|---------------------------------|------|-------|
| Acanthus latifolius. | Rose, July, 2-3'----- | 2.00 | |
| mollis. | Purple Rose, July, 3'----- | 2.00 | |
| Achillea ageratum. | Yellow, July, 1'----- | 1.20 | 10.00 |
| fl. pendula. | Golden Yellow, June, July, 3' | 1.20 | 10.00 |
| millefolium | Cerise Queen. Rose, June, 2' | 1.20 | 9.00 |
| Ptarmica fl. pl. | White, July, 2'----- | 1.20 | 9.00 |
| Ptarmica Boule de Neige. | White, June, | | |
| | July, 2'----- | 1.20 | 9.00 |
| Ptarmica Perry's White. | June, July, 2' | 1.20 | 9.00 |
| tomentosa. | Yellow, June, 1'----- | 1.20 | 10.00 |
| Aconitum autumnale. | Blue, July, August, 4' | 2.50 | |
| Napellus. | Purplish blue, July, August, 4' | 2.00 | 18.00 |

Less than five at double the rate per hundred.

| | per 10 | per 100 |
|---|--------|---------|
| <i>Actea alba</i> . White, May, June, 3-4'----- | 1.20 | 10.00 |
| <i>rubra</i> . Red, May, June, 3-4'----- | 1.20 | 10.00 |
| <i>Aegopodium podagraria variegata</i> , variegated foliage, 1'----- | 1.20 | 9.00 |
| <i>Agrostemna coronaria</i> . Crimson, June, 1-2'-- | 1.20 | 9.00 |
| <i>coronaria alba</i> . White, July, 1-2'---- | 1.20 | 10.00 |
| <i>Flos Jovis</i> . Pink, June, 1-2'----- | 1.20 | 9.00 |
| <i>Ajuga reptans</i> . Blue, May, 6"----- | 1.20 | 9.00 |
| <i>Genevensis</i> . Bright blue, May, 6"----- | 1.20 | 9.00 |
| <i>Althea rosea</i> . Hollyhock. Double Varieties. All colors separate, July, August, 5'----- | 1.20 | 9.00 |
| Single Mixed. July, August, 5'----- | 1.20 | 9.00 |
| Fringed Allegheny. July, August, 5'---- | 1.20 | 9.00 |
| <i>Alyssum argentea</i> . Yellow, July, August, 6" | 1.20 | 10.00 |
| <i>saxatile compactum</i> . Yellow, May, 1'--- | 1.20 | 10.00 |
| <i>saxatile sulphureum</i> . Yellow, May, 1'-- | 2.30 | |
| <i>Amsonia salicifolia</i> . Blue, June, 1½'----- | 1.20 | 9.00 |
| <i>Tabernaemontana</i> . Blue, May, June, 3' | 1.20 | 9.00 |
| <i>Anchusa capensis</i> . Red, all summer, 1½'---- | 1.20 | 10.00 |
| <i>Italica</i> . Blue, June, 4'----- | 1.20 | 10.00 |
| <i>Italica Opal</i> . Pale blue, summer, 3'----- | 2.50 | |
| <i>Italica Perry's</i> . Deep blue, summer, 3'-- | 2.50 | |
| <i>Italica Picotee</i> . Light blue, summer, 3'_ | 2.50 | |
| <i>Italica Dropmorei</i> . Blue, June, 4-5'----- | 1.20 | 10.00 |
| <i>Anemone Japonica Alba</i> . White, Fall, 3'---- | 2.00 | 18.00 |
| <i>Japonica Geante des Blanches</i> . Large white, Fall, 3'----- | 2.50 | 20.00 |
| <i>Japonica Kreimhilde</i> . Reddish Lilac, Fall, 2-3'----- | 2.50 | 20.00 |
| <i>Japonica Lady Ardilaun</i> . White, Fall, 4'----- | 2.00 | 18.00 |
| <i>Japonica Prince Henry</i> . Deep pink, Fall, 3'----- | 2.50 | 20.00 |
| <i>Japonica Queen Charlotte</i> . Rose, Fall, 3' | 2.00 | 18.00 |
| <i>Japonica Whirlwind</i> . Pure white, Fall, 3' | 2.00 | 18.00 |
| <i>Japonica Rose d'Autumn</i> . Pink, Fall, 3' | 2.00 | 18.00 |
| <i>Japonica Rubra</i> . Red, Fall, 2'----- | 2.00 | 18.00 |
| <i>Pennsylvanicum</i> . White, July, 1½'----- | 1.20 | |
| <i>pulsatilla</i> . Blue, April, 15"----- | 2.00 | 15.00 |
| <i>Anthemis tinctoria</i> . Yellow, July, August, 3' | 1.20 | 9.00 |
| <i>tinctoria Kelwayi</i> . Yellow, July, Aug., 3' | 1.20 | 9.00 |

Less than five at double the rate per hundred.

| | per 10 | per 100 |
|---|--------|---------|
| Aquilegia Alpina. Blue, May, June, 1'----- | 1.20 | 10.00 |
| California hybrida. Various, June, 2'--- | 1.20 | 9.00 |
| Canadensis. Scarlet, May, June, 2'----- | 1.20 | 10.00 |
| chrysantha. Yellow, June, July, 3'----- | 1.20 | 10.00 |
| chrysantha alba. White, June, July, 3'----- | 1.20 | 10.00 |
| coerulea. Blue, May, June, 1½'----- | 1.80 | 15.00 |
| coerulea Helenae. Blue, May, June, 2'-- | 1.50 | 12.00 |
| coerulea hybrida. Various, June, 2'----- | 1.20 | 9.00 |
| glandulosa. Lilac blue, June, 1½'----- | 1.20 | 10.00 |
| hybrids. Mrs. Scott Elliott's. Various, June, 2'----- | 1.80 | 15.00 |
| nivea grandiflora. White, May, 2'----- | 1.20 | 10.00 |
| rosea. Long spurred Pink, June, 2'----- | 1.50 | 12.00 |
| Skinneri. Red and Yellow, May, 2'----- | 1.50 | 10.00 |
| vugaris. Purple, May, June, 2'----- | 1.20 | 9.00 |
| Arabis alpina. White, April, May, 6"----- | 1.20 | 10.00 |
| Arisema dracontium. Purple, May, 1'----- | 1.20 | 10.00 |
| Armeria Lauchena. Crimson, May, June, 8"----- | 1.20 | 10.00 |
| grandiflora. Mixed, July, August, 8"-- | 1.20 | 10.00 |
| Mauretanica. Pink, July, August, 8"-- | 1.20 | 10.00 |
| maritima. Pink, May, June, 6"----- | 1.20 | 10.00 |
| maritima alba. White, May, June, 6"-- | 1.20 | 10.00 |
| robusta. Crimson, May, June, 6"----- | 1.20 | 10.00 |
| Artemesia abrotanum. Fragrant foliage, 5'----- | 1.20 | 10.00 |
| argentea. Silver foliage, 2'----- | 1.20 | 10.00 |
| lactiflora. White, August, 4'----- | 1.20 | 10.00 |
| stellariana. White, Summer, 2'----- | 1.20 | 9.00 |
| Asarum canadense. Chocolate, May, 6"----- | 1.20 | 10.00 |
| Asclepias tuberosa. Orange, July, August, 2'----- | 1.20 | 10.00 |
| incarnata. Red, August, 4'----- | 1.20 | 10.00 |
| Asperula hexaphylla. White, June, 1'----- | 1.20 | 10.00 |
| odorata. White, May, 8'----- | 1.20 | 10.00 |
| Asphodeus luteus. Yellow, July, 3'----- | 1.20 | 10.00 |
| Astilbe Arendsi. Silvery rose, July, 15"----- | 2.50 | |
| Ceres. Lilac Rose, July, 15"----- | 2.50 | |
| Aster alpina. Blue, June, July, 8"----- | 1.20 | 10.00 |
| alpina alba. White, June, July, 8"----- | 1.20 | 10.00 |
| Beauty of Colwall. Fine blue, Sept., 3"-- | 1.20 | 10.00 |
| Climax. Blue, Sept., Oct., 3'----- | 1.20 | 10.00 |
| diplostephioides. Blue, Sept., Oct., 3"-- | 1.50 | 12.00 |
| Fetham Blue. Blue, Sept., Oct., 3'----- | 1.20 | 10.00 |
| grandiflorus. Dark violet, Sept., 3'----- | 3.00 | 25.00 |

Less than five at double the rate per hundred.

| Aster | per 10 | per 100 |
|---|--------|---------|
| laevis. Lavender, September, 4'----- | 1.20 | 10.00 |
| Nova Anglae. Purple, Sept., Oct., 4'----- | 1.20 | 9.00 |
| Nova Anglae Rosea. Rose, September, 4' | 1.50 | 12.00 |
| Mrs. Raynor. Crimson, September, 3'-- | 1.50 | 12.00 |
| Mad. Soyneuse. Light blue, Sept., Oct., 3' | 1.20 | 9.00 |
| Robt. Parker. Lavender, Sept., Oct., 5'-- | 1.20 | 10.00 |
| Snow Queen. White, Sept., Oct., 4'----- | 1.20 | 9.00 |
| St. Egwyn. Soft pink, Sept., Oct., 3'-- | 1.50 | 12.00 |
| tataricus. Purple, Oct. and Nov., 6'----- | 1.50 | 12.00 |
| Aubretia purpurea. Purple, April, 5"----- | 2.00 | 18.00 |
| Leichtlini. Pink, April, 5"----- | 2.00 | 18.00 |
| Baptisia australis. Indigo, June, 4'----- | 1.50 | 12.00 |
| tinctoria. Yellow, June, 3'----- | 1.50 | 12.00 |
| Bellis perennis alba. White, April, May, 3" | 1.20 | 10.00 |
| perennis rosea. Pink, April, May, 3"-- | 1.20 | 10.00 |
| Betonica rosea superba. Rose, July, 2'----- | 1.20 | 9.00 |
| Bocconia cordata. Creamy white, August, 6' | 1.20 | 10.00 |
| Boltonia asteroides. White, Sept., 5'----- | 1.20 | 9.00 |
| latisquamae. Pink, August, 5'----- | 1.20 | 10.00 |
| Brunnela Webbiaana. Purple, all summer, 10"----- | 1.20 | 10.00 |
| Bupthalmum cordifolia. Yellow, June, 3'-- | 1.20 | 10.00 |
| Callirhoe involucrata. Red, all summer, 6"-- | 1.20 | 10.00 |
| Camassia esculenta. Blue, May, 2'----- | 1.20 | 10.00 |
| Campanula alliariaefolia. White, June, July, 2'----- | 1.50 | 12.00 |
| Carpatia. Blue, July, Aug., 9"----- | 1.50 | 12.00 |
| carpatia alba. White, July, Aug., 9"-- | 1.50 | 12.00 |
| Grossecki. Blue, all summer, 2'----- | 1.20 | 9.00 |
| lactiflora. Light blue, August, 4'----- | 1.20 | 10.00 |
| latifolia. Purplish blue, July, 3'----- | 1.20 | 9.00 |
| latifolia alba. White, July, 3'----- | 1.20 | 10.00 |
| latifolia macrantha. Purplish blue, July, 3'----- | 1.20 | 10.00 |
| media. Mixed, June, July, 3'----- | 1.20 | 9.00 |
| media. Separate colors, June, July, 3'-- | 1.50 | 12.00 |
| media calycanthema. Mixed, July, 3'-- | 1.20 | 9.00 |
| media calycanthema. Separate colors, July, 3'----- | 1.50 | 12.00 |
| persicifolia. Blue, June, July, 2'----- | 1.50 | 12.00 |
| persicifolia Moerheimi. White, June, 2' | 1.80 | 15.00 |
| pyramidalis. Blue, July, 4-5'----- | 1.50 | 12.00 |

Less than five at double the rate per hundred.

| | per 10 | per 100 |
|--|--------|---------|
| Campanula | | |
| <i>pyramidalis alba</i> . White, July, 4-5'----- | 1.50 | 12.00 |
| <i>rotundifolia</i> . Blue, June, July, 12"----- | 2.00 | |
| <i>Trachelium</i> . Blue, July, 2-3'----- | 1.20 | 9.00 |
| Carex morrowi . White-edged foliage, 1'----- | 2.00 | 15.00 |
| Cassia Marylandica . Yellow, July, 3-4'----- | 1.20 | 10.00 |
| Catananche coerulea . Blue, June, July, 3'-- | 1.20 | 10.00 |
| <i>coerulea alba</i> . White, June, 3"----- | 1.20 | 10.00 |
| Caulophyllum thalictroides . ----- | 1.20 | 10.00 |
| Centaurea Babylonica . Yellow, July, 10'----- | 1.50 | 12.00 |
| <i>dealbata</i> . Red, July, 1½'----- | 1.50 | 12.00 |
| <i>gymnocarpa</i> . Purple, July, 1½'----- | 1.50 | 12.00 |
| <i>macrocephala</i> . Yellow, July, 3-4'----- | 1.50 | |
| <i>montana</i> . Blue, June, July, 2'----- | 1.20 | 10.00 |
| <i>Ruthenica</i> . Straw color, July, 4'----- | 1.50 | |
| Centranthus alba . White, all summer, 3'----- | 1.50 | |
| <i>ruber</i> . Red, all summer, 3'----- | 1.20 | 10.00 |
| Cephalaria alpina . Yellow, July, 5'----- | 1.20 | 10.00 |
| Cerastium Biebersteinii . White, June, 6"----- | 1.50 | 12.00 |
| <i>arvense compactum</i> . White, July, 2"-- | 1.50 | 12.00 |
| <i>tomentosum</i> . White, June, 6"----- | 1.20 | 10.00 |
| Cheiranthus allioni . Yellow, July, 2'----- | 1.50 | 12.00 |
| Che'one glabra . White or rose tinged, July, 2' | 1.20 | 10.00 |
| <i>Lyonii</i> . Deep rose, August, 2'----- | 1.20 | 10.00 |
| Chrysanthemum Hardy , large flowering, double, | | |
| Sept., Oct., 4-5'----- | 1.20 | 9.00 |
| <i>Canariense</i> —yellow. | | |
| <i>Etna</i> —red. | | |
| <i>Favorite</i> —buff. | | |
| <i>Golden Queen</i> —yellow. | | |
| <i>Marie Antoinette</i> —pink. | | |
| <i>La Danube</i> —pure pink. | | |
| <i>Old Homestead</i> —buff. | | |
| <i>Rosea</i> —red. | | |
| <i>Pacific Supreme</i> —white, fading to rose. | | |
| <i>Snowclad</i> —white. | | |
| Button varieties ----- | 1.20 | 10.00 |
| <i>Brown Betty</i> —maroon red. | | |
| <i>Baby Marguerite</i> —pure white. | | |
| <i>Diana</i> —pure white. | | |
| <i>Kitty Bairo</i> —bronze. | | |
| <i>Rose Button</i> —rose. | | |
| <i>Bronze Button</i> —bronze. | | |

Less than five at double the rate per hundred.

| Chrysanthemum Butten | per 10 | per 100 |
|--|---------------|----------------|
| White Queen—white. | | |
| Boston—orange. | | |
| Single. Large flowering ----- | 1.50 | 12.00 |
| Astarte—amber. | | |
| Jupiter—rose. | | |
| Louise—salmon. | | |
| Peggy Buckley—rose, yellow center. | | |
| Veronica—pale pink. | | |
| Anemone—Flowered. | | |
| Snow Queen—white ----- | 1.50 | 12.00 |
| Glory of Seven Oaks. Yellow, all | | |
| summer, 2'----- | 1.80 | 15.00 |
| Normandie. Pink, Early fall, 2'----- | 1.80 | 15.00 |
| Yellow Normandie. Early fall, 2'----- | 1.80 | 15.00 |
| arcticum. White, Fall, 2'----- | 1.20 | 10.00 |
| Alaska. White, July, Aug., 2'----- | 1.20 | 9.00 |
| King Edward. White, July, Aug., 3'----- | 1.20 | 9.00 |
| Maximum. White, July, Sept., 1'----- | 1.20 | 9.00 |
| Nipponicum. White, Oct., 2'----- | 1.80 | 15.00 |
| Shasta. Shasta Daisy, white, July, 2'-- | 1.20 | 9.00 |
| Cimicifuga racemosa. White, July, 5'----- | 1.20 | 10.00 |
| simplex. White, July, Aug., 3'----- | 1.50 | 12.00 |
| Clematis Davidiana. Blue, July, Aug., 3'-- | 1.50 | 12.00 |
| recta alba. White, July, 3'----- | 1.50 | 12.00 |
| Codonopsis clematidea. White, June, 2'----- | 1.50 | 12.00 |
| Convallaria Majalis. Clumps, White, April, | | |
| May, 6"----- | 1.50 | 12.00 |
| Coreopsis grandiflora. Yellow, all | | |
| summer, 3'----- | 1.20 | 9.00 |
| lanceolata. Yellow, June, July, 2'----- | 1.20 | 9.00 |
| rosea. Rose, Aug., Sept., 1'----- | 1.20 | 10.00 |
| verticillata. Yellow, July, Aug., 2'----- | 1.20 | 10.00 |
| Crucianella stylosa. Crimson pink, July, 8" | 1.50 | 12.00 |
| Delphinium Belladonna. Sky blue, all | | |
| summer, 4'----- | 1.20 | 9.00 |
| bellamosa. Dark blue, all summer, 4'-- | 1.20 | 10.00 |
| cashmerianum. Dark blue, July, 1'----- | 1.80 | 15.00 |
| Chinensis. Blue, June, July, 2-3'----- | 1.20 | 10.00 |
| Chinensis alba. White, June, July, 2'-- | 1.20 | 10.00 |
| elatum. Blue, June, July, 3-4'----- | 1.20 | 10.00 |
| elatum Himmelblau. Dark blue, July, 4' | 1.50 | 12.00 |
| formosum. Indigo, July, 4-5'----- | 1.50 | 12.00 |

Less than five at double the rate per hundred.

| Delphinium | per 10 | per 100 |
|---|--------|---------|
| formosum coelestinum. Light blue, June, July, 2½'----- | 1.20 | 9.00 |
| hybridum. Gold Medal. Shades of blue, June, July, 4-5'----- | 1.20 | 9.00 |
| grandiflorum. Shades of blue, June, July, 2-3'----- | 1.20 | 9.00 |
| grandiflora Indigo. Dark, blue, June, July, 4-5'----- | 1.50 | 12.00 |
| siberica hybrida. Shades of blue, June, July, 2-3'----- | 1.20 | 10.00 |
| Dianthus arenarius. White, July, 10"----- | 1.50 | 12.00 |
| Allwoodi. Pink, July, 12"----- | 1.50 | 12.00 |
| barbatus, Single Sweet William. | | |
| All colors, May, June, 1'----- | 1.20 | 9.00 |
| barbatus fl. pl. Dbl. Sweet William. | | |
| May, June, 1'----- | 1.20 | 9.00 |
| barbatus. Newport Pink. Fine Pink, May, June, 1'----- | 1.20 | 10.00 |
| barbatus alba. White, May, June, 1'-- | 1.20 | 10.00 |
| barbatus atrococcineus. Crimson. June, 1' | 1.20 | 10.00 |
| barbatus Holborn Glory. Various, June, | 1.20 | 10.00 |
| barbatus nigricans. Dark velvety ma- roon, May, June, 1'----- | 1.20 | 10.00 |
| barbatus Salamonii. Salmon, May, June, 1'----- | 1.20 | 10.00 |
| barbatus Sutton's Scarlet. Crimson, May, June, 1'----- | 1.20 | 10.00 |
| barbatus rosea. Pink, May, June, 1'-- | 1.20 | 10.00 |
| Caesius. Pink, June, 9"----- | 1.20 | 10.00 |
| caryophyllus. Double, mixed, all summer, 9"----- | 1.20 | 10.00 |
| caryophyllus Everblooming. Mixed, all summer, 9"----- | 1.20 | 10.00 |
| chinensis Heddiwigi. Mixed, June, July, 9"----- | 1.20 | 10.00 |
| Chabaud. Pink, July, 12"----- | 1.50 | 12.00 |
| Diadematus. Pink, June, 10"----- | 1.50 | 12.00 |
| deltoides. Pink, June, 9"----- | 1.20 | 10.00 |
| graniticus. Purple, July, 6"----- | 1.50 | 12.00 |
| Hardy Pinks. Single, mixed, all sum- mer, 9"----- | 1.20 | 10.00 |

Less than five at double the rate per hundred.

| Dianthus | per 10 | per 100 |
|---|--------|---------|
| latifolius atrococcineus. Crimson, all | | |
| summer, 1'----- | 1.20 | 10.00 |
| plumarius, Scotch Pink. Mixed, | | |
| June, 8"----- | 1.20 | 10.00 |
| plumarius fl. pl., Dbl. Scotch Pink. | | |
| Mixed, all summer, 9"----- | 1.50 | 12.00 |
| plumarius semperflorens. Pink, June, | | |
| July, 9"----- | 1.20 | 10.00 |
| plumarius Abbotsford. Crimson, all | | |
| summer, 9"----- | 1.50 | 12.00 |
| Cyclops. Dark rose, May, June, 9"----- | 1.20 | 10.00 |
| Delicata. Rose with fringed petals, May, | | |
| June, 9"----- | 1.80 | 15.00 |
| Elizabeth Peters. Pink, May, June, 9" | 1.50 | 12.00 |
| Her Majesty. Dbl. white, May, June, 9" | 1.50 | 12.00 |
| Souv. de Sales. Double pink, May, | | |
| June, 9"----- | 1.50 | 12.00 |
| speciosa. Pink, July, 10"----- | 1.50 | 12.00 |
| superbus. Lilac, June, July, 9"----- | 1.50 | 12.00 |
| White Reserve. White, May, Aug., 9"-- | 1.50 | 12.00 |
| Dicentra eximea. Rose, all summer, 1'----- | 2.00 | 15.00 |
| Dictamnus fraxinella. Red, June, 2'----- | 2.50 | |
| fraxinella alba. White, June, 2'----- | 2.50 | |
| Digitalis ferruginea. Yellow, July, 4-6'----- | 1.20 | 10.00 |
| grandiflora. Yellow, June, July, 3'----- | 1.20 | 10.00 |
| gloxinaeflora. Mixed, June, July, 3'----- | 1.20 | 9.00 |
| lanata. Brown, June, July, 3'----- | 1.20 | 10.00 |
| maculata. Spotted, June, July, 18"----- | 1.20 | 10.00 |
| purpurea. Mixed. June, July, 3'----- | 1.20 | 9.00 |
| purpurea, rose. June, July, 3'----- | 1.20 | 10.00 |
| purpurea, white. June, July, 3'----- | 1.20 | 10.00 |
| purpurea monstrosa. Various, June, | | |
| July, 3'----- | 1.20 | 9.00 |
| Doronicum excelsum. Yellow, April, May, 5' | 2.00 | |
| Echinacea purpurea, Cone Flower. | | |
| Reddish purple, July, Aug., 3'----- | 1.20 | 10.00 |
| Echinops ritro. Deep steel blue, July, 3'----- | 1.50 | 12.00 |
| sphaerocephalus. Pale blue, July, 5'----- | 1.50 | 12.00 |
| Erianthus Ravennae. Ravenna Grass, 6'----- | 2.00 | |

Less than five at double the rate per hundred.

| | per 10 | per 100 |
|--|--------|---------|
| Erigeron mucronatus. Lilac, June, 1'----- | 1.20 | 10.00 |
| glabellus. Violet, June, July, 1'----- | 1.20 | 10.00 |
| glaucus mixed. June, July, 1'----- | 1.20 | 10.00 |
| speciosus. Rich Purple, June, July, 2'-- | 1.20 | 10.00 |
| Eryngium planum. Steel blue, July, Aug., 3' | 1.20 | 10.00 |
| Erysimum pulchellum. Lemon, April, | | |
| May, 6"----- | 1.20 | 10.00 |
| Eulalie gracillima. Japan Rush, 4-6'----- | 1.20 | 10.00 |
| Japonica variegata, 4-6'----- | 1.50 | 12.00 |
| Zebrina. Zebra Grass, 4-6'----- | 1.50 | 12.00 |
| Eupatorium ageratoides. White, August, 3' | 1.20 | 10.00 |
| coelestinum. Blue, Sept., Oct., 18"----- | 1.20 | 9.00 |
| Fraseri. White, Aug., Sept., 18"----- | 1.20 | 10.00 |
| purpureum. Purple, Aug., Sept, 5'----- | 1.20 | 10.00 |
| Euphorbia corollata. White, July, Aug., 2'-- | 1.50 | 12.00 |
| Cyparissias. Yellow, May, 2"----- | 1.80 | 15.00 |
| Festuca glauca. Fescue Grass, June, 10"----- | 1.20 | 10.00 |
| Fragaria Indica. White, May, 6"----- | 1.50 | |
| Funkia lancifolia. Blue, July, 2'----- | 1.20 | 9.00 |
| coerulea. Blue, July, 1½'----- | 1.20 | 10.00 |
| marginata. White bordered, Aug., 2'-- | 1.20 | 10.00 |
| ovata. Lavender, June, July, 1-2'----- | 1.50 | 12.00 |
| Sieboldi. Silvery foliage----- | 1.50 | 12.00 |
| sub-cordata grandiflora. White, Aug., 18" | 2.00 | 18.00 |
| undulata variegata. White foliage, 2'-- | 1.20 | 10.00 |
| Gaillardia grandiflora. Yellow and crimson, | | |
| all summer, 2'----- | 1.20 | 9.00 |
| Galega officinalis. Blue, June, July, 3'----- | 1.20 | 10.00 |
| bicolor Hartlandi. Bluish white, July, 3' | 1.20 | 10.00 |
| Gentiana alba. White, August, 2'----- | 1.50 | 12.00 |
| Andrewsi. Blue, August, 2'----- | 1.50 | 12.00 |
| Geranium Grievesi Blood Red, May, June, 2' | 1.20 | 10.00 |
| pratens alba. White, July, Aug., 2'----- | 1.50 | |
| sanguineum. Red, June, July, 2'----- | 1.20 | 10.00 |
| Geum atrosanguineum. Dark Red, all sum- | | |
| mer, 1½'----- | 1.50 | 12.00 |
| Mrs. Bradshaw. Dbl. red, all summer, 1' | 1.80 | 15.00 |
| Rivale. Orange, June, 1'----- | 1.50 | |
| Gypsophila acutifolia. White, July, 2-3'----- | 1.20 | 10.00 |
| paniculata. White, July, Aug., 2-3'----- | 1.20 | 9.00 |
| repens. Bluish white, all summer, 4'-- | 1.50 | 12.00 |
| repens rosea. Pink, July, Aug., 2-3'----- | 1.50 | |

Less than five at double the rate per hundred.

| | | per 10 | per 100 |
|-------------------------------------|--------------------------------|--------|---------|
| Helenium autumnale superbum. | Yellow, | | |
| | August, 5-6'----- | 1.50 | |
| Hoopsei. | Orange, June, July, 3'----- | 1.20 | 10.00 |
| rubrum. | Brick Red, Sept., 4'----- | 1.50 | 12.00 |
| Riverton Beauty. | Lemon, Aug., Sept., 5' | 1.50 | 12.00 |
| Riverton Gem. | Old Gold, Sept., Oct., 4' | 1.50 | 12.00 |
| Helianthemum croceum. | Saffron, June, | | |
| | July, 9"----- | 1.20 | 10.00 |
| Fire Ball. | Red, July, Aug., 12"----- | 1.50 | 12.00 |
| mutabile Flesh. | May, June, 12"----- | 1.50 | 12.00 |
| Helianthus Maximilliana. | Yellow, Sept., 6'-- | 1.20 | 10.00 |
| mollis grandiflorus. | Yellow, Aug., Sept. 4' | 1.20 | 9.00 |
| Orgyalis. | Bright Yellow, Oct., 6-8'---- | 1.20 | 10.00 |
| Wolly Dod. | Deep Yellow, Sept., 7'----- | 1.20 | 9.00 |
| rigidus. | Yellow, August, 3'----- | 1.20 | 9.00 |
| sparsifolius. | Yellow, Fall, 6'----- | 1.20 | 10.00 |
| Soliel d'Or. | Dbl. Yellow, August, 4'---- | 1.50 | 12.00 |
| Heliopsis Pitcheriana. | Orange, July, Aug., 3-8 | 1.20 | 10.00 |
| exce'sa. | Deep Yellow, Aug., 3'----- | 2.00 | 15.00 |
| zinnaeflora. | Dbl. Yellow, July, Aug., 4' | 1.50 | 12.00 |
| Hemerocallis Apricot. | Apricot color, June, 2' | 1.20 | 10.00 |
| Aurantiaca. | Orange, June, July, 2½'-- | 2.00 | 18.00 |
| Dumortieri. | Orange, June, 2'----- | 1.20 | 10.00 |
| fulva. | Bronze, August, 3'----- | 1.20 | 10.00 |
| Florham. | Golden Yellow, June, 3'---- | 2.50 | |
| Go'd Dust. | Indian Yellow, June, 2½'---- | 1.20 | 10.00 |
| Luteola. | Orange, June, 2'----- | 1.20 | 10.00 |
| Middendorffii. | Orange, June, 3'----- | 1.20 | 10.00 |
| Minor. | Yellow, June, 2'----- | 1.20 | 10.00 |
| Orange Man. | Deep orange, June, 2'----- | 1.20 | 10.00 |
| Sovereign. | Rich Orange, June, 1½'---- | 1.20 | 10.00 |
| Thunbergii. | Lemon yellow, July, 2-3'---- | 1.20 | 10.00 |
| Hepatica acutiloba. | Light blue, March, 4'-- | 1.20 | 9.00 |
| triloba. | Light Blue, March, April, 4"-- | 1.20 | 9.00 |
| Hesperis matronalis. | Purple, June, July, 3' | 1.20 | 9.00 |
| Heuchera brizoides. | Red, June, July, 2'---- | 1.80 | 15.00 |
| Sanguinea. | Coral Red, June, 1'----- | 1.80 | 15.00 |
| Hibiscus moscheutos. | Rose, June, July, 5'-- | 1.20 | 10.00 |
| moscheutos crimson eye. | White Red eye, | | |
| | July, Aug., 4-6'----- | 1.20 | 10.00 |
| Mallow Marvels. | Mixed, July and Aug., 5' | 1.20 | 10.00 |
| Mallow Marvels. | Separate colors, Aug., 5' | 1.50 | 12.00 |
| Mallow Marvels. | Giant Red, Aug., 5'--- | 2.00 | 15.00 |

Less than five at double the rate per hundred.

| | per 10 | per 100 |
|--|--------|---------|
| Hieracium aurantiacum. Orange, summer, 6" ----- | 1.20 | 10.00 |
| Hypericum calycinum. Yellow, July, Aug., 1' ----- | 1.50 | 12.00 |
| moserianum. (See Shrubs.) | | |
| Iberis gibraltarica. White, May, 1½' ----- | 2.00 | 15.00 |
| sempervirens. White, May, June, 8" ----- | 2.00 | 15.00 |
| sempervirens Climax. White, May, 6" -- | 2.00 | 18.00 |
| Incarvillea Delavayi. Rosy purple, June, July, 2' ----- | 1.80 | 15.00 |
| Inula ensifolia. Yellow, July, Aug., 8" ----- | 1.20 | 10.00 |
| Helenium. Yellow, June, 1½' ----- | 1.20 | 10.00 |
| Iris cristata, Starry Iris. Light blue, May, June, 6" ----- | 1.20 | 10.00 |
| Florentina. White, tinged with blue, May, June, 2' ----- | 1.20 | 9.00 |
| Florentina alba. White, May, June, 2' -- | 1.20 | 9.00 |
| Germanica. May, June, 1½'-2' ----- | | |
| Alcazar. Violet, purple falls ----- | 3.00 | 25.00 |
| Aurea. Yellow ----- | 1.50 | 12.00 |
| Blue Bird. Indigo Blue ----- | 1.20 | 9.00 |
| Canary Bird. Yellow ----- | 1.20 | 10.00 |
| Celeste. Delicate Blue ----- | 1.20 | 9.00 |
| Gracchus. Lemon Yellow and Purple ----- | 1.20 | 9.00 |
| Her Majesty. Lilac Pink ----- | 1.20 | 10.00 |
| Honorabilis. Yellow, brown falls ---- | 1.20 | 9.00 |
| King of Iris. Yellow, brown falls ---- | 3.00 | 25.00 |
| King Edward. Red violet ----- | 1.20 | 10.00 |
| Lavender Queen. Lavender ----- | 1.20 | 9.00 |
| Lohengrin. Lilac rose, large ----- | 1.20 | 10.00 |
| Loreley. Light yellow, blue falls ----- | 1.20 | 10.00 |
| Mad. Chereau. White, tinged with blue ----- | 1.20 | 9.00 |
| Mad. Paquette. Bright rosy claret ---- | 1.20 | 10.00 |
| Mrs. Allen Gray. Pale rose-mauve, May ----- | 1.20 | 10.00 |
| Mrs. H. Darwin. Pure white ----- | 1.20 | 9.00 |
| Midnight. Dark blue ----- | 1.80 | 15.00 |
| Mithras. Yellow, wine red falls ----- | 1.50 | 12.00 |
| Niebelungen. Fawn yellow ----- | 1.50 | 12.00 |
| Parisensis. Dark blue ----- | 1.20 | 9.00 |
| Pallida Dalmatica. Lavender ----- | 1.80 | 15.00 |
| Pallida speciosa. Light blue ----- | 1.20 | 10.00 |
| Princess of Wales. Pearly white ---- | 1.50 | 12.00 |

Less than five at double the rate per hundred.

| Iris germanica. | per 10 | per 100 |
|---|--------|---------|
| Princess Victoria Louise. | | |
| Sulphur yellow, rich plum falls -- | 1.80 | 15.00 |
| Rhein Nixe. White, violet falls ---- | 1.80 | 15.00 |
| Silver King. Silvery white----- | 1.20 | 9.00 |
| Trantlieb. Delicate pink ----- | 1.50 | 12.00 |
| Victorine. White, mottled blue ----- | 1.50 | 12.00 |
| Spectabilis. Purple ----- | 1.20 | 9.00 |
| Queen of Gypsies. Yellow standards, maroon falls ----- | 1.20 | 9.00 |
| Intermedia Hybrids. | | |
| Gerda. Purple ----- | 1.20 | 10.00 |
| Halfdan. Creamy white ----- | 1.20 | 10.00 |
| Ingeborg. Ivory white ----- | 1.20 | 10.00 |
| Helge. Light citron ----- | 1.20 | 10.00 |
| Walhalla. Light Blue, purple falls -- | 1.20 | 10.00 |
| Kaempferi. Japan Iris. July | | |
| Antelope. Light lavender ----- | 1.50 | 12.00 |
| Exquisite. Blue in light and dark shadings ----- | 1.50 | 12.00 |
| Gold Bound. White, yellow shadings-- | 1.50 | 12.00 |
| Norma. Deep purple ----- | 1.50 | 12.00 |
| Royal Mahogany red ----- | 1.50 | 12.00 |
| Wm. Tell. Blue ----- | 1.50 | 12.00 |
| Purple and Gold. ----- | 1.50 | 12.00 |
| Aogata. Light purple, with dark purple halo ----- | 1.50 | 12.00 |
| Chadai. Clear white, creamy stand- ards ----- | 1.50 | 12.00 |
| Furomon. White, purple shadings-- | 1.50 | 12.00 |
| Hanaaoi. Gray, blue lilac veining--- | 1.50 | 12.00 |
| Hinodeuzuru. White, blue shadings-- | 1.50 | 12.00 |
| Idzumigawa. Gray, yellow blotches and blue veins ----- | 1.50 | 12.00 |
| Kurokumo. Purple overlaid with dark blue, yellow blotches----- | 1.50 | 12.00 |
| Komochiguma. Dark bluish purple-- | 1.50 | 12.00 |
| Kumonoobi. Clear purple, white halo | 1.50 | 12.00 |
| Manadzuru. White, yellow blotches-- | 1.50 | 12.00 |
| Onigashima Brief violet purple----- | 1.50 | 12.00 |
| Shokkononishiki. Lilac on white speckled, yellow blotches ----- | 1.50 | 12.00 |

Less than five at double the rate per hundred.

| Iris Kaempferi. | per 10 | per 100 |
|--|--------|---------|
| Shigano-uranami. Red lavender, white halo ----- | 1.50 | 12.00 |
| Uchiu. Crimson purple with few white veins ----- | 1.50 | 12.00 |
| Warai-botei. Lavender blue, light blue halo ----- | 1.50 | 12.00 |
| Wakanoura. Delicate red lilac----- | 1.50 | 12.00 |
| New Hybrids. | | |
| Candalabra. Mauve, violet falls ---- | 1.50 | 12.00 |
| Dorothea. Mauve, soft blue falls ---- | 1.50 | 12.00 |
| Isolene. Lilac pink, old rose falls ---- | 2.50 | 15.00 |
| Jeanne d'Arc. White ----- | 1.50 | 12.00 |
| Nuee d'Orange. | | |
| Slate Gray, bronze, purple falls ---- | 1.50 | 12.00 |
| Tamerlane. Light blue, darker falls-- | 2.50 | 15.00 |
| Pseudacorus. Yellow, June, 3'----- | 1.20 | 10.00 |
| Pumila alba. Dwarf white Iris, April, 9" ----- | 1.20 | 10.00 |
| Pumila coerulea. Dwf. Blue Iris, April, 9" ----- | 1.20 | 10.00 |
| Pumila violacea. Dwarf Violet Blue Iris, April, 9" ----- | 1.20 | 10.00 |
| Stewart. Dwarf yellow Iris, 9" ----- | 1.50 | 12.00 |
| Siberica, Siberian Iris. Purplish blue, June, 3' ----- | 1.00 | 8.00 |
| Siberica alba. Siberian Iris. White, June, 3' ----- | 1.00 | 8.00 |
| Tectorum. Pale blue, 1½' ----- | 1.20 | 10.00 |
| Versicolor. Blue, June, 2' ----- | 1.20 | 10.00 |
| Lathyrus latifolius. Pink to red, July, 6'---- | 1.20 | 10.00 |
| Lavendula vera. Sweet Lavender. July, Aug., 2' ----- | 1.20 | 10.00 |
| Lavatera cashmeriana. Pink, July, 3'----- | 1.20 | 10.00 |
| Liatris pycnostachya. Purple, Aug., Sept., 4' | 1.20 | 10.00 |
| spicata. Purple, September, 2, 3'----- | 1.20 | 10.00 |
| scariosa. Deep purple, September, 2'--- | 1.20 | 10.00 |
| Lilium auratum. Gold Band Lily. White spotted, July, 3' ----- | 3.50 | 30.00 |
| Batemanni. Salmon red, July, 3'----- | 2.50 | 20.00 |
| Canadense. Yellow to red. June, July, 3' | 1.20 | 10.00 |
| candidum. White, June, 3'----- | 3.00 | |
| Henryi. Yellow, July, 2' ----- | 3.75 | 35.00 |

Less than five at double the rate per hundred.

| Lilium. | per 10 | per 100 |
|--|--------|---------|
| Japonicum. White, tinged pink, July, 2' | 3.00 | 25.00 |
| longiflorum giganteum. Waxy white, 2' | 3.00 | 25.00 |
| Pardalinum. Scarlet and yellow, 2'----- | 2.50 | 20.00 |
| Philadelphicum. Orange red, June, July, 3' ----- | 1.20 | 10.00 |
| regale White, Aug., 4'----- | 6.00 | 50.00 |
| speciosum album. White, August, 3'--- | 3.00 | 25.00 |
| speciosum longiflorum. White, Aug., 3'-- | 3.00 | 25.00 |
| speciosum me'pomene. White, Aug., 3'-- | 3.00 | 25.00 |
| speciosum rubrum. Pinkish red, Aug., 3' | 3.00 | 25.00 |
| superbum. Orange, July, Aug., 5,----- | 1.20 | 10.00 |
| Thunbergiana. Shades yellow and red, July, 2' ----- | 2.00 | 15.00 |
| Tigrinum. Orange spotted, Aug., 4'----- | 2.00 | 15.00 |
| Umbellatum. Scarlet red, July, 2'----- | 2.50 | 20.00 |
| Linum Narbonense. Blue, June, July, 2'--- | 1.20 | |
| perenne. Blue, June, July, 1½' ----- | 1.20 | 10.00 |
| Lobelia cardinalis. Scarlet, Aug., Sept., 3'-- | 1.50 | 12.00 |
| syphillitica. Blue, September, 3' ----- | 1.20 | 10.00 |
| Lupinus polyphyllus. Blue, June, July, 3'-- | 2.00 | 18.00 |
| polyphyllus alba. White, June, July, 3' | 2.00 | 18.00 |
| Lychnis Chalcedonica. Scarlet, July, 3'----- | 1.20 | 9.00 |
| alpina. Rose color, June, 1'----- | 1.50 | 12.00 |
| Flos Cuculi. Red, May, 1½'----- | 1.20 | 10.00 |
| Haageana. Scarlet, June, July, 1'----- | 1.20 | 10.00 |
| viscara splendens. Red, May, June, 1'-- | 1.20 | 10.00 |
| viscara splendens fl. pl. Red, June, 1'-- | 1.20 | 10.00 |
| Lysimachia clethroides. White, July, Aug, 3' | 1.20 | 10.00 |
| nummularia. Yellow, June, Aug., 4"----- | 1.20 | 9.00 |
| Lythrum roseum superbum. Rose, July, 4'-- | 1.20 | 10.00 |
| Malva alcea. Rosy purple, July, Aug., 3'----- | 1.20 | 9.00 |
| moschata. Rose, July, Aug., 2'----- | 1.20 | 9.00 |
| Matricaria capensis fl. pl. White, May, 1'-- | 1.20 | 9.00 |
| Mentha peperita. Peppermint, purple, 2'----- | 1.20 | 9.00 |
| Mertensia virginica. Purplish blue, March, April, 2' ----- | 1.20 | 9.00 |
| Mitchella repens. Squawberry, white, shaded, pink, March, 4" ----- | 1.50 | 12.00 |
| Monardi didyma. Red, July, Aug., 3'----- | 1.20 | 9.00 |
| didyma Cambridge. Scarlet, July, Aug., 3' | 1.20 | 10.00 |
| didyma splendens. Scarlet, July, Aug., 3' | 1.20 | 10.00 |
| violacea. Violet, May, August, 3'----- | 1.20 | 10.00 |

Less than five at double the rate per hundred.

PAINESVILLE, OHIO

105

| | | | |
|----------------------------------|--------------------------------------|-------|-------|
| Myosotis alpestris. | Blue, all summer, 8"----- | 1.20 | 10.00 |
| alpestris alba. | White, May, June, 8"----- | 1.20 | 10.00 |
| alpestris. Eliza Frobert. | Delicate Blue, May, 8"----- | 1.50 | 12.00 |
| alpestris Victoria. | Light blue, May, June, 8"----- | 1.20 | 10.00 |
| palustris. | Blue, April, May, 6"----- | 1.20 | 10.00 |
| Nepeta mussini. | Catnip, June, July 1'----- | 1.80 | 15.00 |
| glechoma. | Purple, May, 2"----- | 1.20 | 9.00 |
| glechoma variegata. | Blue, May, 2"----- | 1.20 | 10.00 |
| Oenothera macrocarpa. | Yellow, July, Aug., 6"----- | 1.50 | 12.00 |
| Missouriensis. | Yellow, July, Aug., 6'--- | 1.20 | 10.00 |
| Lamarkiana. | Yellow, July, Aug., 4'--- | 1.20 | 10.00 |
| Speciosa. | White, July, Aug., 1½'----- | 1.20 | 10.00 |
| fruticosa Youngii. | Lemon, June, July, 2'----- | 1.20 | 10.00 |
| Omphalodes verna. | Light blue, April, 6"--- | 1.50 | |
| Orobis vernus. | Bright blue, June, July, 1½'----- | 1.50 | |
| Pardanthus chinensis. | Orange, June, 1½'--- | 1.20 | 10.00 |
| Pachysandra terminalis. | White, May, June, 3"----- | | |
| 2 year | ----- | 1.50 | 12.00 |
| Paeonia Sinensis. | Strong plants, 3 to 5 eyes. | | |
| Candidissima. | Pure white, creamy center ----- | 4.00 | 35.00 |
| Couronne d'Or. | White, yellow center-- | 6.00 | 50.00 |
| Delacheii. | Crimson ----- | 4.00 | 35.00 |
| Duchess de Nemours. | Creamy white--- | 6.00 | 50.00 |
| Edulis | Deep rose ----- | 4.00 | 35.00 |
| Festiva alba. | White----- | 4.00 | 35.00 |
| Festiva maxima. | Finest early white--- | 7.50 | 65.00 |
| Felix Crousse. | Brilliant red----- | 8.50 | 75.00 |
| Gen. McMahon. | Deep violet red----- | 8.50 | 75.00 |
| Gigantea. | Rose pink ----- | 10.00 | 90.00 |
| Jeanne d'Arc. | Tender pink, center rosy white ----- | 6.00 | 50.00 |
| Humeii. | Deep rose----- | 4.00 | 35.00 |
| La Tulip. | Flesh pink, shading to white-- | 6.00 | 50.00 |
| L'Indispensible. | Shell pink----- | 6.00 | 50.00 |
| Louis Van Houtte. | Deep crimson----- | 4.00 | 35.00 |
| L'Eclatante. | Dazzling red----- | 6.00 | 50.00 |
| L'Esperance. | Rose pink----- | 6.00 | 50.00 |
| Livingstone. | Soft pink----- | 10.00 | 90.00 |
| Mad. Lebon. | Cherry----- | 6.00 | 50.00 |
| Marie Lemoine. | Creamy white----- | 6.00 | 50.00 |

Less than five at double the rate per hundred.

| Paeonia | per 10 | per 100 |
|--|--------|---------|
| Mons. Jules Elié. Pink with darker guard petals----- | 10.00 | 90.00 |
| Modeste Guérin. Deep rose----- | 4.00 | 35.00 |
| Mad. de Galhau. Dark pink----- | 6.00 | 50.00 |
| Mad. de Verneville. Sulphur white, with some carmine ----- | 6.00 | 50.00 |
| Souv. de l'Exposition Universelle. Brilliant cherry with silvery reflex---- | 6.00 | 50.00 |
| Triumph de Paris. Light pink, yellow center----- | 6.00 | 50.00 |
| officinalis. | | |
| Mutabilis. Pink, changing to white-- | 6.00 | 50.00 |
| Rosea. Rose pink----- | 6.00 | 50.00 |
| Rosea superba. Rose pink----- | 6.00 | 50.00 |
| Rubra. Red----- | 6.00 | 50.00 |
| Tenuifolia fl. pl. Scarlet----- | 8.50 | 75.00 |
| Single. Named colors, red, white, pink-- | 12.50 | |
| Papaver bracteatum. Blood red, June, 2'---- | 1.20 | 10.00 |
| nudicaule. All colors, all summer, 8"---- | 1.20 | 10.00 |
| orientale. Orange scarlet, June, 2'---- | 1.20 | 10.00 |
| Fire King. Red, June, 2'----- | 2.00 | |
| Goliath. Fire Red, June, 2'----- | 2.00 | |
| Queen Alexandra. Salmon, June, 2'---- | 2.00 | |
| Victoria Louise. Salmon, June, 2'----- | 2.00 | |
| Pentstemon barbatus. Scarlet, July, 3'---- | 1.20 | 10.00 |
| digitalis. White, August, 3'----- | 1.50 | 12.00 |
| pubescens. Rosy purple, July, Aug., 2'-- | 1.20 | 10.00 |
| grandiflora. Lilac blue, July, 3'----- | 2.00 | |
| Phalaris arundinacea variegata. Ribbon Grass | 1.20 | 9.00 |
| Phlox amoena. Pink, May, 4"----- | 1.20 | 10.00 |
| divaricata. Lavender, May, June, 1'-- | 1.20 | 10.00 |
| maculata. Purplish red, May, June, 4' | 1.20 | 10.00 |
| ovata. Red, May, June, 1'----- | 1.50 | 12.00 |
| paniculata. | | |
| Athis. Salmon pink----- | 1.20 | 10.00 |
| Alceste. Purple----- | 1.20 | 10.00 |
| Brilliant. Bright scarlet ----- | 1.50 | 12.00 |
| Bridesmaid. White, red eye----- | 1.50 | 12.00 |
| Caran de Ache. Bright carmine rose | 1.50 | 12.00 |
| Champs. Elysees. Rich purplish crimson----- | 1.50 | 12.00 |
| Coquelicot. Orange scarlet----- | 1.50 | 12.00 |

Less than five at double the rate per hundred.

| Phlox. | per 10 | per 100 |
|--|--------|---------|
| Daybreak. Soft shell pink----- | 1.20 | 10.00 |
| Eclaireur. Magenta, white eye----- | 1.20 | 10.00 |
| Etna. Scarlet----- | 1.80 | 15.00 |
| Eiffel Tower. A beautiful pink----- | 1.80 | 15.00 |
| Elizabeth Campbell. Salmon pink---- | 1.80 | 15.00 |
| Fannie Stewart. Rose----- | 1.20 | 10.00 |
| Frau Anton Buchner. White----- | 1.20 | 10.00 |
| Frau Von Lassburg. White----- | 1.50 | |
| G. A. Strohlein. Orange scarlet, red eye----- | 1.80 | 15.00 |
| Gefion. Peach blossom pink, rose eye | 1.50 | 12.00 |
| Hector. Fine pink----- | 1.20 | 10.00 |
| Henri Murgher. White, magenta eye-- | 1.50 | 12.00 |
| Independence. White----- | 1.20 | 10.00 |
| Jocelyn. Brilliant orange, purple eye | 1.50 | 12.00 |
| J. H. Slocum. Red----- | 1.50 | 12.00 |
| Le Mahdi. Deep reddish violet----- | 1.20 | 10.00 |
| Lothair. Rich salmon----- | 1.20 | 10.00 |
| Mrs. Ingalls. Shell pink----- | 1.20 | 10.00 |
| M. P. Langier. Red----- | 1.50 | 12.00 |
| Miss Lingard. White----- | 1.20 | 10.00 |
| Pantheon. Deep salmon rose----- | 1.50 | 12.00 |
| Peachblossom. Shell pink----- | 1.20 | 10.00 |
| Rheinlander. Salmon pink, claret eye | 1.50 | 12.00 |
| Richard Wallace. White, crimson eye | 1.20 | 10.00 |
| Rosenberg. Magenta ----- | 1.20 | 10.00 |
| Rynstroom. Bright crimson pink---- | 1.50 | 12.00 |
| R. P. Struthers. Carmine, claret red eye----- | 1.50 | 12.00 |
| Selma. Pink, cherry red eye----- | 1.20 | 10.00 |
| Thor. Deep salmon pink----- | 1.80 | 15.00 |
| Pearl. White----- | 1.20 | 10.00 |
| Wanadis. Mottled white and light vio- let, with reddish purple eye----- | 1.50 | 12.00 |
| W. C. Egan. Soft pink----- | 1.50 | 12.00 |
| Widar. Light reddish violet, with white center----- | 1.50 | 12.00 |
| repens. Lilac, May, 6-12"----- | 1.20 | 10.00 |
| stellaria. Creeping, May, 4"----- | 1.20 | 10.00 |
| subulata alba. White, April, May, 4"-- | 1.20 | 10.00 |
| subulata rosea. Pink, April, May, 4"-- | 1.20 | 10.00 |
| Physalis Franchetti, Red pods, Oct., 2'---- | 1.20 | 10.00 |

Less than five at double the rate per hundred.

| | per 10 | per 100 |
|---|--------|---------|
| Physostegia virginica. Lilac, August, 3'---- | 1.20 | 9.00 |
| virginica alba. White, August, 3'----- | 1.20 | 10.00 |
| Platycoden grandiflora. Blue, summer, 2'--- | 1.20 | 10.00 |
| grandiflora alba. White, summer, 2'---- | 1.20 | 10.00 |
| Mariesii. Deep blue, summer, 1'----- | 1.20 | 10.00 |
| Plumbago larpente. Blue, all summer, 6"-- | 1.80 | 15.00 |
| Polemonium coerulea. Deep blue, June, | | |
| July, 1½' ----- | 1.20 | 10.00 |
| coerulea alba. White, June, July, 1½'-- | 1.20 | 10.00 |
| reptans. Blue, May, June, 6"----- | 1.20 | 10.00 |
| Richardsoni. Sky blue, May, June, 6" | 1.20 | 10.00 |
| Polygonum amplexicaule. Red, Sept., 5'---- | 1.50 | 12.00 |
| cuspidatum compactum. White, August, | | |
| Sept., 1½' ----- | 1.20 | 10.00 |
| Sieboldi. White, August, Sept., 1½'-- | 1.20 | 10.00 |
| Potentilla formosa. Showy red, May, June, 2' | 1.20 | 10.00 |
| hybrida fl. pl. Mixed, June, July, 2'---- | 1.20 | 10.00 |
| rupestris alba. White, June, July, 2'-- | 1.20 | 10.00 |
| Primula veris. Yellow, April, May, 9'----- | 1.20 | 10.00 |
| Japonica. Crimson, May, 9"----- | 1.50 | 12.00 |
| cashmerianum. White, May, 8" ----- | 1.50 | 12.00 |
| pulverentula. Yellow, May, 8"----- | 1.20 | 10.00 |
| vulgaris. Yellow, May, 9"----- | 1.20 | 10.00 |
| Pyrethrum roseum. Painted daisy. Vari- | | |
| ous, May, June, 1'----- | 1.20 | 9.00 |
| uliginosum. White, September, 5'----- | 1.20 | 10.00 |
| Ranunculus acris fl. pl. Dbl. Buttercup, | | |
| June, 1'----- | 1.20 | 9.00 |
| Rosemarinus officinalis. Light blue, April, 4" | 1.50 | 12.00 |
| Rudbeckia laciniata. Golden Glow, yellow, | | |
| August, 6'----- | 1.20 | 9.00 |
| Autumn Glow. Yellow, Aug., Sept., 6'-- | 1.20 | 10.00 |
| Newmanni. Orange yellow, July, Aug., 2' | 1.20 | 10.00 |
| nitida. Single yellow, Aug., Sept., 6'-- | 1.20 | 10.00 |
| Salvia azurea grandiflora. Blue, August, 6'-- | 1.20 | 9.00 |
| argentea. Pinkish white, June, 3'----- | 1.20 | 10.00 |
| farinacea. Blue, July, 2-3'----- | 1.20 | 10.00 |
| Pitcheriana. Blue, August, 5'----- | 1.20 | 10.00 |
| pratensis. Deep blue, Aug., Sept., 3'--- | 1.20 | 10.00 |
| Turkestanica. Blue, July, Aug., 2'---- | 1.80 | 15.00 |
| uliginosa. Blue, August, 2'----- | 1.20 | 10.00 |
| Saponaria ocymoides. Pink, summer, 9"---- | 1.20 | 9.00 |

Less than five at double the rate per hundred.

PAINESVILLE, OHIO

109

| | per 10 | per 100 |
|---|--------|---------|
| Sanguinaria canadensis. White, April, 8"----- | 1.20 | 10.00 |
| Saxifraga cordifolia. Rosy purple, April, | | |
| May, 1' ----- | 2.50 | |
| crassifolia. Rosy pink, April, 1' ----- | 2.50 | |
| grandiflora. Pink, April, 1' ----- | 2.50 | |
| lingulata rosea. Pink, April, 1' ----- | 2.50 | |
| Scabiosa caucasica. Lavender, all summer, 1' | 2.00 | |
| Sedum acre. Yellow, June, July, 4"----- | 1.20 | 9.00 |
| album. White, July, 4"----- | 1.20 | 10.00 |
| Ewersii. Pink, Aug., Sept., 6"----- | 1.20 | 10.00 |
| Kamtschaticum. Yellow, July, 6"----- | 1.20 | 9.00 |
| Maximowiczii. Yellow, July, Aug., 1'-- | 1.20 | 10.00 |
| sexangular. Yellow, June, July, 6"----- | 1.20 | 9.00 |
| Sieboldi. Pink, July, August, 1'----- | 1.20 | 10.00 |
| spectabilis. Pink, August, Sept., 1½'-- | 1.20 | 9.00 |
| spectabilis Brilliant. Crimson, Sept., 1½' | 1.20 | 10.00 |
| spurium coccineum. Crimson, July, | | |
| Aug., 6"----- | 1.20 | 10.00 |
| stolonifera. Crimson, July, Aug., 6"----- | 1.20 | 9.00 |
| Sidalcea candida. White, July, Aug., 3'----- | 1.20 | 10.00 |
| Silene orientalis. Pink, July, 2'----- | 1.20 | 10.00 |
| Schafta. Bright pink, July, 6"----- | 1.20 | 10.00 |
| stellata. White, July, 2-3'----- | 1.20 | 10.00 |
| Virginica. Crimson, July, 1-2'----- | 1.20 | 10.00 |
| Silphium perfoliatum. Yellow, July, 6'----- | 1.20 | 10.00 |
| Smilacina racemosa. White, April, 2-3'----- | 1.20 | 10.00 |
| Solidago canadensis. Yellow, Fall, 4-5'----- | 1.20 | 10.00 |
| rigidus. Yellow, Fall, 3-4'----- | 1.20 | 10.00 |
| Spirea chinensis. Silvery pink, June, July, 2' | 1.50 | 12.00 |
| aruncus. White, June, July, 3-5'----- | 1.50 | 12.00 |
| filipendula. Single white, June, July, 1' | 1.50 | 12.00 |
| filipendula fl. pl. White, June, July, 1' | 1.50 | 12.00 |
| u'maria fl. pl. White, June, 3-4'----- | 1.20 | 10.00 |
| lobata. Pink, July, 4'----- | 1.50 | 12.00 |
| palmata. Rosy crimson, June, Aug., 2'-- | 1.20 | 10.00 |
| Stachys lanata. Purple, June, July, 1½'----- | 1.20 | 10.00 |
| Statice latifolia. Deep blue, July, Aug., 2'-- | 1.20 | 10.00 |
| sinuata rosea. Pink, August, 1'----- | 1.20 | 10.00 |
| tartarica. Purplish red, June, July, 1' | 1.50 | |
| Stellaria Holostea. White, May, June, 1½'-- | 1.20 | 10.00 |
| Stenanthium robustum. White, August, 3'-- | 2.00 | |

Less than five at double the rate per hundred.

| | per 10 | per 100 |
|---|--------|---------|
| Stokesia cyanea. Lavender, Aug., Sept., 1'-- | 1.20 | 10.00 |
| cyanea alba. White, Aug., Sept., 1'---- | 1.50 | 12.00 |
| Teucrium chamaedrys. Rose, evergreen foliage, August, 1'----- | 1.20 | 10.00 |
| Thalictrum adiantifolium. Yellow, June, July, 9" ----- | 1.20 | 10.00 |
| aquilegifolium. White, June, 3' ----- | 1.20 | 10.00 |
| baicalens. Yellow, June, 4'----- | 1.20 | 10.00 |
| dipterocarpum. Lilac, June, 4'----- | 2.00 | 18.00 |
| glaucum. Golden-yellow, June, 2' ----- | 1.80 | 15.00 |
| Thermopsis caroliniana. Yellow, June, 6'-- | 1.20 | 10.00 |
| mollis. Yellow, May, July, 2-3'----- | 1.20 | 10.00 |
| Thymus serpyllum citriodorus. Lemon Thyme, Purple, June, July, 3-5"----- | 1.20 | 10.00 |
| Serpyllum coccineus. Scarlet, June, 4" ----- | 1.20 | 10.00 |
| Lanuginosus. Rosy purple, June, July, 5" ----- | 1.20 | 10.00 |
| vulgaris. Lilac, June, July, 2'----- | 1.20 | 10.00 |
| Tiarella cordifolia. Creamy white, June, 8"-- | 1.20 | 10.00 |
| Tradescantia virginica. Blue, all summer, 2' ----- | 1.20 | 9.00 |
| Trillium grandiflorum. White, May, 1'----- | 1.20 | 9.00 |
| Tritoma Pfitzeri. Coral, July to Oct., 4'----- | 1.80 | 16.00 |
| Uvaria. Crimson to yellow, Aug., Sept. 4' ----- | 1.50 | 12.00 |
| Tricyrtis hirta. Orange, August, 3'----- | 2.50 | 20.00 |
| Tunica saxifraga. Light pink, June, July, 6" ----- | 1.20 | 10.00 |
| Valerian coccinea. Red, all summer, 2'----- | 1.20 | 10.00 |
| officinalis. White, June, July, 5'----- | 1.20 | 10.00 |
| alba. White, all summer, 5'----- | 1.20 | 10.00 |
| Verbascum Olympicum. Yellow, July, Aug., 5' ----- | 1.50 | |
| Veronica amethystina. Blue, June, 3'----- | 1.20 | 9.00 |
| alpestris. Pale blue, May, June, 3'----- | 1.20 | 10.00 |
| incana. Pale blue, July, Sept., 1½'----- | 1.20 | 10.00 |
| elegantissima. Pink, July, Aug., 2'----- | 1.20 | 10.00 |
| longifolia subsessilis. Blue, Aug., Sept., 2' ----- | 1.50 | 12.00 |
| pectinata rosea. Pink, May, June, 6"-- | 1.20 | 10.00 |
| prostrata. Blue, June, 1'----- | 1.20 | 10.00 |
| pulchella. Blue, May, 1' ----- | 1.20 | 10.00 |
| rupestris. Blue, June, 6"----- | 1.20 | 10.00 |
| spicata. Blue, June, Aug., 4'----- | 1.20 | 9.00 |
| virginica. Pale blue, August, 4'----- | 1.20 | 10.00 |

Less than five at double the rate per hundred.

| | per 10 | per 100 |
|--|--------|---------|
| Viola alba. White. May, 6"----- | 1.20 | 10.00 |
| cornuta Admiration. Purple, all summer, 6"----- | 1.20 | 10.00 |
| cornuta Blue Perfection. Blue, all summer, 6"----- | 1.20 | 10.00 |
| cornuta Lutea Splendens. Yellow, all summer, 6"----- | 1.20 | 10.00 |
| cornuta G. Wermig. Violet, all summer, 6"----- | 1.20 | 10.00 |
| cornuta Mauve Queen. Mauve, all summer, 6"----- | 1.20 | 10.00 |
| cornuta White Perfection. White, all summer, 6"----- | 1.20 | 10.00 |
| cornuta type. Blue, all summer, 6"----- | 1.20 | 10.00 |
| cornuta alba, type. White, all summer, 6"----- | 1.20 | 10.00 |
| cornuta atropurpurea, type. Purple, 6"----- | 1.20 | 10.00 |
| odorata. Blue, April, May, 6"----- | 1.20 | 10.00 |
| Yucca filamentosa. White, June, July, 7' | | |
| 2 year ----- | 1.20 | 10.00 |
| 3 year ----- | 1.80 | 15.00 |

Hardy Ferns

| | | | |
|--|-----|------|-------|
| Adiantum pedatum. Maiden Hair Fern ----- | .20 | 1.50 | 10.00 |
| Aspidium spinulosum. Wood Fern-- | .20 | 1.50 | 10.00 |
| Asplenium Felix Faemina. Lady Fern ----- | .20 | 1.50 | 10.00 |
| Dryopteris Thelypteris. Shield Fern | .20 | 1.50 | 10.00 |
| Onoclea Sensibilis. Sensitive Fern-- | .20 | 1.50 | 10.00 |
| Onoclea Struthiopteris. Ostrich Fern ----- | .20 | 1.50 | 10.00 |
| Osmunda Cinnamomea. Cinnamon Fern ----- | .20 | 1.50 | 10.00 |
| Regalis Royal Fern----- | .20 | 1.50 | 10.00 |
| Dicksonia punctilobula ----- | .20 | 1.50 | 10.00 |
| Polystichum acrostichoides. Christmas Fern ----- | .20 | 1.50 | 10.00 |

